

WORLDWIDE ICELAND - MOZAMBIQUE

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

ICELAND		INDIA		INDIA-COCHIN		INDIA-ORCHHA		INDO-CHINA		INDONESIA	
*1 thin	250.00	*145 rd cor	18.00	*342-44	1.15	**677	14.25	C29 f	4.00	**2167c	6.40
*1 s/d	158.00	145-6	1.00	**345-47	1.05	677	4.25	O2 s/d	105.00	**2179a	6.40
*2 f	135.00	145-8	8.10	**348-49	.65	680	.65	*O3 s/d	16.50	**2188a	2.25
2 s/d sock on		145-8 f-vf pulled perf	3.50	**350-51	1.30	**681	7.15	O4 thin	12.00	**2220a	2.65
nose canc	187.50	**146 toning	13.50	**352-53	.80	687	.80	O5 s/d	2.85	**2230a	2.25
*3 s/d	49.00	147	5.00	**359	1.80	**695c bklt	6.75	O6 f	6.40	**2259a	2.25
3 s/d	210.00	147 s/d	2.00	**359	1.35	**698-99	5.65	O6 s/d	2.40	**2569-72	1.05
4 space filler	220.00	*148 regum inkspot	14.00	**369	1.00	**711A bklt (10)	7.50	O6a s/d	12.75	**O113-7	2.10
*5 space filler	48.00	150 rev cancel	14.00	**377	2.65	**711A-B	1.50	O9 ave	28.50	**O120	4.30
5 s/d	265.00	*152-66 (152,156,160 thin)	232.00	**378	9.00	**711Bbklt	7.50	*O10 thin	3.00	**O121	2.05
6 space filler	200.00	**152-66	35.00	**402-3	2.90	**712	.85	*,used O13-9 f-vf	17.75	**O122	2.80
7 s/d	93.00	**152-61	67.00	**402-3 blks	11.60	**713-4	5.50	O13-19	28.25	**O122-5	9.90
*8 s/d	71.00	*152-8,60-1	62.50	402-3	2.25	713-4	1.45	O19,31,35,36 pairs	54.50	**O123	1.15
9 space filler	90.00	*152,6,8,9,62	58.00	**404-5	1.00	714	1.15	*O20 f	.65	**O124	2.10
12	32.50	*152,7,9,61,3,6	103.50	**404-5 blks	4.00	**715	9.40	*O20	.75	**O125	6.40
13 thin	100.00	*153 f	2.25	404-5	.90	722	.50	*O20 f	.50	**O150	1.15
*14 s/d	15.00	**156 f-vf	2.45	406-7	1.20	728,737	1.50	*O20-24 f-vf	3.30		
*16 ng	25.00	**156	1.95	**408-9	5.25	*737 ng	3.30	*O20-24	2.50		
16 f	5.60	*156 ng	1.00	**408-9 blks	22.00	737	1.40	O20-24 f-vf	16.30		
16 s/d	2.25	**159	11.00	408-9	4.15	737 blk of 4	5.50	**O23	.75		
17	25.00	**160	11.00	410-11	.70	737 s/d	.40	*O24 f	.60		
*19 s/d	13.50	**160 s/d	1.20	**412-15	2.10	738-9	1.50	O24 f	.40		
*21	75.00	*,used 170-5	32.50	**412-15 blks	8.50	744	.65	O30 f	65.00		
25 thin	3.80	*170-5(171 used)f-vf	64.00	412-15	.85	**745	15.00	*O31	5.70		
*27	45.00	**172 f	12.50	412-15 blks	3.40	749-50	2.25	*,used O31-38 f-vf	23.00		
*33 s/d	150.00	172	8.00	**415	1.50	**751	10.15	O31 f	3.50		
34	2.00	**176	3.30	**417-19	1.65	755	2.75	*O32	2.10		
35	.70	**176 blk	13.20	417-19	1.10	**759a	7.30	O32 f	1.60		
36	.60	*176-86	437.00	**422-4	2.05	**776a	7.00	O32 f	3.70		
37	6.50	176-87	179.00	422-4	1.10	779	.65	*O35	2.80		
37 f	5.20	**180	2.15	422-4 blks	4.40	**780-1	4.00	O36	15.00		
*51	24.00	**194 pin hole	21.00	428	.45	**790 bklt	7.50	*O39 f	4.80		
71	.70	*196	9.00	428 blk	1.80	799	.30	*O39 cor mar strip of 3			
*73 f	1.25	Used 203, *204-7 f-vf	29.00	**433-4	5.50	807	.65	with plate no	25.00		
73 f	.70	*,used 203-8B	29.00	433-4	3.75	808	.35	*,used O40-7 f-vf	9.60		
75 f	1.60	*204 f	13.00	433-4 blks	15.00	**808-9	7.00	*,used O40-49	28.00		
76	.80	*204 ave-f	9.10	*434	3.60	808-9	3.35	O40-7	10.75		
76 f-vf	.70	*204,208-8b	35.00	*447-8	4.00	814-5	.80	O40-3	6.25		
76 f	.60	*208 thin	4.80	453	.50	815	.50	O41 f	1.50		
*77 f-vf	3.75	*208A foxing	2.25	460	.35	816	2.25	O42,3,5 f	2.50		
*78 thin	1.95	208Bd s/d	1.75	**467	1.75	816 s/d	.70	O42,44-5 f-vf	2.70		
*79 f ng	2.60	**209-11	28.00	469	.45	**816-7	6.20	O42,5 f	2.00		
80 f	4.80	*209-11	13.50	*470	.95	816-7	4.00	O42-6 f	5.40		
*82 f	2.80	*213-16	39.00	470	.65	818	.50	O43,45 f	1.95		
*85 s/d	26.00	213,6 f-vf	75.50	471	.35	824	.10	O45	2.25		
*86-91	38.25	*214	2.70	**474-75	5.00	**829	3.60	O45 f-vf	2.00		
87	7.50	**217-20,23	4.90	*476-77	1.75	837	2.65	O45 f	1.60		
89	12.50	*,used 217-28	45.00	**485-86	7.30	837 s/d	.80	O52 f	1.00		
91	25.00	*,used 217-28 f-vf	8.50	486	.35	842	.45	O56	23.75		
94	9.00	217-28	11.45	**488	.50	844	.75	O71 f	.90		
*99	4.80	**217a	1.40	488	.25	847	1.40				
*99 ng	2.85	**217a f-vf	1.30	**489	1.30	851	.65				
99	10.00	**217a blk	6.00	489	.75	852	.50				
99 ave-f	7.00	**217a	1.50	**490	1.00	854	.50				
*99-101,3,4	25.00	*217a	1.20	**490-1	2.10	855	.50				
*,used 99-107	99.00	*217a,8a,9c	4.50	495	.25	867	.45				
*100	2.55	**218	.40	**496-97	1.20	**878a	10.90				
*100 f-vf	2.00	**218,19,22,3,5,6	2.30	496	.35	885	.65				
*101	2.40	**218a	2.10	**498-99	3.50	**905a	6.00				
*101 f	1.60	**218a blk	8.25	*498-99	2.70	**910a bklt	12.00				
101 s/d	1.60	*218a	1.65	**507	2.25	912	.55				
*103	14.50	*218a ng	1.00	**508-10	1.05	**921	6.75				
103 thin	26.00	**219c	2.05	*511	.50	924	.50				
**104	7.85	**219c blk	8.25	511	2.15	**924c bklt	11.25				
104 f	.60	*219c	1.65	515	.40	927	.75				
**108	4.20	**221b	158.00	515-6	.90	**927a bklt	11.25				
**108 f	2.80	*221b	46.00	516	.50	**935a bklt	5.25				
*108	.75	*224b	39.00	531	.30	**936a bklt	7.50				
*108 s/d	.20	*224b ng	19.50	533	.30	**937-38	3.00				
108	.65	*230a ng	10.50	537	.25	950	.75				
108-9,11-26	88.00	**232	11.70	**548	4.50	**954a bklt	9.40				
108-12,14-7		*232-35 f-vf	62.00	548	3.90	957	.60				
19-20,6 f	20.00	**233	11.70	551	.25	**957a bklt	10.50				
108-10,12-5		**234	11.70	553	.25	**961a bklt	5.25				
7-20,2,5	45.00	237-9 s/d	2.30	555	.75	**962a bklt	7.50				
108,10,1,6-7,9 f-vf	4.35	**240	1.15	559,61-3	1.50	**961	1.30				
*,used 108-16,118-28		*246-52	28.65	570	.45	**990c bklt	4.15				
(128 rev cancel) f-vf	79.00	*,used 246-52	13.65	571	.40	**991c bklt	5.65				
108-28		*,used 246-52	5.15	**573-74	19.25	**993a bklt	14.25				
(128 rev cancel)	98.00	250	2.75	574	1.00	**994a bklt	19.50				
108-24,6-8	110.00	*251 ng	4.20	576	.40	**1003a bklt	9.40				
109	9.25	*252	42.00	577	.40	**1098	3.60				
109 f	7.40	*257-61,3-4,6-8	31.50	578-9	.70	**B5	64.00				
111	2.90	*,used 257-60,62-8	71.00	580	.70	**B7-11 f-vf	2.95				
112	.90	*,used 257-68	12.20	**581	6.20	*,used B7-11	2.75				
112-6,18-20,22-5 f-vf	39.00	257-68	14.45	**581a-b	6.00	B7	.70				
*116 f	1.60	**268	39.00	583	.30	*B8 f	.40				
*117 f-vf	20.00	**269-70	4.50	584	.40	**B12	1.05				
117	.80	*269-70	3.60	**588	1.80	**B12-3 f-vf	2.50				
*119 s/d	9.75	**271-2	5.45	**588-89	2.75	*B12-3	2.00				
121 f	25.00	271	1.50	588	.35	*B13	1.45				
*122	32.00	*272	2.55	**590	13.50	*B14-16	.90				
122	1.75	*273	50.00	596	.20	*B17-22	2.60				
122 f	1.40	*274-7	35.25	599	1.00	**B17-18	.70				
*124 f-vf	40.00	*278-82	26.50	**606-7	4.50	**B21-22	1.30				
124	7.50	*279-81	20.00	608-9	.85	**B23-24	1.15				
124 f	6.30	**283 f	.25	**615	4.30	**C1 f-vf	1.30				
124 thin	2.25	284-86	19.35	615	2.65	**C2 ave-f	70.00				
124 s/d	2.25	**286	20.50	622-3	1.25	*C2 f-vf	30.00				
125 s/d	2.40	*289-96	42.50	**626-7	7.80	*C3	37.50				
127 thin	7.00	*,used 289-96	27.50	626-7	5.40	*C3 f	25.00				
137 rev cancel	11.25	**298-99	7.60	631	.90	*C3	15.00				
**138 f	49.50	*305	15.00	637	.65	*C3 ng	7.50				
138 rev cancel	17.50	305	2.50	**638	3.40	*C3 thin	3.60				
*139 f	3.20	**314	5.25	638	.30	*C3 s/d	2.70				
*142	48.00	**319-23	19.60	642-3,5	1.35	*C4-8	145.00				
*143 ave-f	150.00	**322	7.50	644	.55	**C9 f	57.00				
143 f rev cancel	18.00	*322	6.00	644-5	1.30	C9,11	175.00				

Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET
**946a,b,947a,b bkl	8.25	**1571b	11.25	**15 tab	32.00	**15 tab	40	**832 tab	11.60	**413-18	49.00
**947b bkl	13.00	**1575b bkl	22.50	**15 PR tabs gum dx	25.00	**837-40 tabs	2.10	38	15.00	**124 ng	2.55
**955c	3.20	**1579b bkl	4.50	**27 f	5.00	**838	1.00	**43 ave ng	217.50	**125 f	19.00
**959a	5.25	**1580	1.15	**32b	33.75	**848-50 tabs	1.55	43	6.50	413-17	7.30
**959a Singapore		**1581	1.45	**32b nib perf	18.00	**849-50 tabs	95	43 f	5.20	413	1.05
**95 ovpt	7.50	**1585a bkl	27.00	**32b	27.00	**852-6 tabs	1.15	43 s/d	2.40	**1414	3.25
**960-1	1.75	**1586	3.20	45 tab	1.90	**857-67 tabs	3.35	**44 ng	165.00	**133 ave	2.25
**972b prestige bkl	12.45	**1592	1.50	52 tab	4.00	**876-8	1.70	45-8 f	4.65	133 ave	9.60
**995a,b bkl	11.25	**1605a bkl	20.80	**53 tab	.65	**876-8 tabs	3.55	45-8,50 f	13.45	133-5 f	42.00
**995b	7.50	**1605b	4.50	**65 tab	6.00	**876-9 tabs	5.25	*46 s/d	71.25	**134 ave	4.80
**1003b	2.80	**1613-14 sht	26.25	**86-7 tabs	8.00	876-9	1.20	46 f	.60	*134	3.90
**1003b,4a,5a,5b bkl	8.65	**1613-14	2.25	**88-89 tabs	1.75	878	.40	46,47,50 s/d	3.75	**135 ave	4.80
**1003c	12.00	**1615-18	4.90	**105-16 toning	.75	**880-3 tabs	1.30	**47 ave ng	112.00	**135 ave	2.00
**1004a	2.65	**1618	1.60	**117	.20	**888	.70	*48 pr f	640.00	*140 f	4.60
**1005a	2.65	**1619	10.50	**117-20	.75	**888-891 tabs	2.25	*48 ave	240.00	*140-42 f	18.25
**1005b	3.40	**1620	.85	**117-23	1.30	**892	1.20	*48 s/d	120.00	*141 ave	6.75
**1005b bkl	12.00	**1620-2	3.20	**124-6	.55	**892 tab	1.30	48	3.65	*142 f	4.60
**1060	.75	**1659b	6.00	**124-31	1.25	**896-7 tabs	1.30	48 ave	2.85	*143-46 f	9.20
**1067	7.50	**1661	1.05	**124-31 tabs	1.50	**898-9 tabs	2.95	48 s/d	1.10	*165	13.20
**1073b	2.25	**1662	2.25	**132	.25	899	.70	48,50 s/d	4.40	165	90.00
**1073c	3.00	**1663	1.05	**142	.20	**904 tab	1.15	50	11.00	165 f	72.00
**1075b	3.75	**1663-64	2.25	**149 tab	.70	**904-6 tabs	2.10	50 f	8.80	*166	13.20
**1075b bkl	12.00	**1665	1.30	**154 blk(4)	.75	**906 tab	.50	50 ave-f	7.75	166 f	72.00
**1086-89	1.75	**1671a	2.25	**158 tab	.25	**910-2	2.05	50 s/d	4.10	166 s/d	27.00
**1089a	3.75	**1671b	2.45	**160 tab	.25	**913-6	1.05	*52 ave	262.50	*167	13.20
**1090-92	1.80	**1672	1.90	**160 blk(4)	.75	**913-6 tabs	1.70	52-5 ave	24.00	167	90.00
**1093a	18.75	**1673	1.15	**168-77 tabs	1.50	**917 tab	.40	52-6 ave	31.00	*168	13.20
**1100a(2) bkl	12.00	**1677b	4.15	**187a	9.75	**917-21 tabs	4.25	52-6 s/d	15.60	168	90.00
**1103a	3.00	**1682 bkl	30.00	**190,5,216 coils (6)	4.00	**919	.75	53 f	8.00	175-77	1.85
**1104b	4.30	**1683	.95	**194a,6a shts (36)	24.00	**920 tab	1.05	53 ave	6.00	177	1.15
**1104b bkl	19.50	**1684	.95	**203-14 tabs	5.75	**920-1	1.75	54	4.25	177a	63.00
**1106Bc bkl	13.50	**1685	.95	**222 tab	.65	**921 tab	1.15	54 f	3.40	*178-83 f	6.75
1107	1.10	**1686	.95	**222-3	.40	931	1.40	54 ave	2.85	*182 s/d	.75
1109	1.90	**1690 bkl	21.00	**226,227	.40	**943-50 tabs	6.10	54 s/d	1.30	182a	20.00
**1111A	19.00	**1694a bkl	25.50	**228a	1.90	**952-3 tabs	2.15	55 f	19.00	191	3.65
**1119a	5.10	**1694c	5.80	228a	.70	**956-9 tabs	6.00	55 ave	14.25	191 f	2.90
**1123a	5.45	**1697a bkl	29.00	**238-40 tabs	2.25	**961-2 tabs	1.70	55 thin	8.50	*198	1.80
**1124-5 sht	22.30	**1702a bkl	11.25	**241 tab	1.20	**965-7 tabs	6.75	55 s/d	7.10	*199	14.50
**1142c	4.15	**245 tab	.75	**245 tab	.75	**968-9 tabs	1.75	55 space filler	4.25	*200	10.20
**1144b	6.75	**1707a	2.25	**250 tab	4.15	**970-2 tabs	1.45	56 f	8.80	201 f	6.40
**1144b bkl	8.65	**1707b	2.25	**250	.60	**973 tab	1.30	56 ave	2.60	201 s/d	2.40
**1156a	7.50	**1713a bkl	11.25	*250 tab	3.30	**974 tabs	.95	56 s/d	3.30	*used 213-28	25.50
**1164a,b bkl	9.00	**1718	1.15	**251-4 tabs	5.80	**979-81 tabs	2.25	57 s/d	160.00	228	2.00
**1164c	5.25	**1720a,22a	5.65	**256-8 tabs	2.60	**982-6 tabs	3.65	*58-60,2-3 ave-f		*232-38	79.00
**1168 sht (16)	24.00	**1722b	5.25	**271a	1.05	**988,90 tabs	.90	dist. gum	39.00	232-5	37.00
**1172b	6.95	**1722c bkl	22.50	271a	.70	**988a	.60	*58-63 ave-f	51.00	*239-41	5.25
**1174	.75	**1727a bkl	4.30	**276-91 tabs	7.50	**989	2.25	*used 58-63 s/d	22.00	*245 s/d	2.00
**1175	.95	**1728a bkl	11.25	**276,83-6,9-91 tabs	4.20	**991-3 tabs	1.80	58-63 (60 s/d)	63.00	245	5.50
**1183a	2.65	**1729	1.70	**289 tab	.45	**994-5 tabs	1.45	58 s/d	1.05	245 f	4.40
**1185 sht	22.50	**1729a bkl	16.90	**290 pr tabs	1.50	**996-8 tabs	1.20	59	3.50	*248-56	97.00
**1208b	6.00	**1730-1	2.55	**290 tab	.50	**999-1001 tabs	2.45	59 f	3.20	*251	18.00
**1216a	16.90	**1732	1.15	**291 tab	1.15	**1004-6 tabs	1.50	59 ave	2.40	251	2.00
**1223	1.15	**1738b bkl	22.50	**298-303 tabs	1.15	**1012 tab	3.40	*60 s/d	8.65	253	6.00
**1230	1.30	**1744	1.15	**323-8 tabs	4.50	**1014-5 tabs	.70	60 f	19.00	254	6.00
**1231	2.00	**1745	1.70	**330-32 tabs	.60	**1025E	4.50	60 s/d	4.50	254 f-vf	5.40
**1235a sht(4)	15.00	**1746	1.15	**334-6 tabs	1.30	**1041 imp	36.00	61 f	2.80	*262	37.50
**1235a	4.50	**1747a	11.25	**361	.20	1049	.20	62 f	15.00	*262	12.00
**1236 sht	206.00	**1750-1	2.80	**370-4 tabs	.95	**1306	3.20	62 s/d	5.65	262	4.75
**1239a,41a	3.75	**1750a	1.15	**375a	.30	**1320 tab	.50	63	27.50	262 f	3.80
**1242-3	1.90	**1750a,1a	2.80	**378-80 tabs	1.50	**1320b	15.00	63 f	22.00	*263 s/d	5.24
**1242-3,5a	5.10	**1751a	1.70	**381-5 tabs	1.15	**1328	3.20	63 s/d	8.25	263 f	6.40
**1246	11.25	**1753a,5a	5.65	**386-93 tabs	2.80	**1329 tab	2.45	64-66 f	41.00	263 ave	4.80
1246,9a,51a,4a,		**1762	1.20	**386-9,90-2,3 tabs	1.30	**1332 tab	.45	65 f	4.40	*265-67	25.00
58a,61a in folder	67.50	**1762a	31.90	**389A sht (36)	6.75	**1332 tab	.50	65 ave	3.50	265-67	4.20
**1262,4-5	2.95	**1764a	12.00	**389Ad(2) bkl	1.05	**1333 tab	2.45	65 s/d	1.65	*547	7.60
**1262-5	3.70	**1765a	5.45	**389Ae sht (18)	5.00	**1339a tab	3.00	*65-6 ave-f	358.00	*560	14.70
**1269c bkl	15.00	**1766a	12.00	**389Bf	.70	**1342 tab	2.10	66 f	17.00	*562	6.30
**1279	1.50	**1767	1.80	**389c,389Ad		**1348-50 tabs	2.10	*67 ng	165.00	275	2.00
**1280	5.65	**1767a	5.45	shts (36)	10.00	**1362	2.80	*67 ave ng	137.50	*276	22.50
**1285a	10.50	**1772a bkl	18.75	**394-400 tabs	3.65	**1404a tabs	2.80	*67 ave part gum	148.50	276	4.00
**1290-1	2.25	**1773	1.90	**399 tab	.95	**1630	2.65	67	1.15	*280-89	100.00
**1300	6.00	**1773a	18.75	**400 tab	1.70	**1633-6	4.90	67-71	12.35	280-86	10.40
**1310-1	1.50	**1775	1.30	**400	.55	**1637	5.05	67-70 f	6.30	*286	60.00
**1313a	3.00	**1779a bkl	21.00	**401 tab	.45	**1642	5.10	68	1.15	286	5.00
**1321a,22-3	4.90	**1782a	2.65	**401-7 tabs	1.15	**1657-9	2.65	68 f	.90	287	43.75
**1322-3	3.20	**1782b	13.15	**401-11 tabs	3.15	**1661-3	2.65	68 s/d	4.45	295	1.20
**1324-7 sht, 31a	33.75	**1784	1.30	**409-10 tabs	.85	**1665-8	4.80	69	1.15	*296	4.80
in folder		**1785-6	3.20	**409-12 tabs	1.85	**1671-3	4.80	69 f	1.00	*296 crease	1.60
**1332-3	1.90	**1792a bkl	28.00	**412 tab	.45	**1680-2	5.10	70	4.50	299	5.10
**1332-5a	4.50	**1795	3.40	**413-6 tabs	.80	**1683	5.65	70 f	4.00	299 f	1.60
**1341a bkl	13.15	**1798	1.95	**417-8 tabs	1.15	**1688-90	5.10	70 ave	2.70	301	9.00
**1342a bkl	14.25	**1808a	4.50	**419-21 tabs	.85	**1691	5.45	70 s/d	1.50	*306-9	4.30
**1343a bkl	22.50	**1808a "STAMPA 2009"		**422-31 tabs	2.10	**1703-4	3.60	70-1 ave	2.70	309	3.25
**1344	.95	ovpt	5.00	**430a	1.15	**1712	6.40	70-1 s/d	2.70	310-11	1.45
**1347	1.90	**1813a	21.00	**432-4 tabs	1.30	**1716	2.45	71 f	3.60	310-12	1.65
**1347c	21.75	**1850b	6.20	**440-2 tabs	.55	**1717	3.60	71 ave	2.70	*310-3 ng	10.00
**1348	1.90	**1864	1.20	**443-6 tabs	.75	**1718-9	2.40	71 s/d	1.35	311,3	3.15
**1374-6 shts	49.00	**1864a	23.25	**447-50 tabs	1.50	**1727	6.60	73 s/d	1.05	323	1.40
**1374-6	3.10	**1906b	23.25	**450a	2.10	**1728	6.00	*73-5 f	27.50	*329-30	1.45
**1377	1.50	**1939b	4.50	**471 tab	.75	**1732	10.15	76-91 f	24.00	*331-38	182.00
**1399-1402	4.60	**1956b	8.65	**474	.30	**1733	8.25	76-91 ave-f	21.00	337	6.00
**1404	1.00	*C1	3.90	**475-86 tabs	2.30	**1735-7	7.60	76-96 ave-s/d	11.70		

Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET
**935A blk(4)	60	Q2	87.50	15	8.00	172	3.00	**646	50	**2579	70
**936 blk(4)	75	Q2 ave-f	61.00			**197-200 s/s imp	10.50	**646	40	**2591-2 s/s s/d	90
**941	20	Q3 f	6.00			**200a	2.10	**648-51	85	2602	20
**944	20	Q3 ave-f	5.25			**207a	1.15	**648-51	70	2615	20
**945	20	Q3 ave	4.35			**217-26	5.85	**652	20	**2633a-37a	10.75
**958-59 blk(4)	1.50	Q3 s/d	2.20			224	30	**653-4	1.00	2634	30
**961	20	Q4 f	5.80			230	50	**654	75	**2883	7.15
**988	20	Q4 ave	4.35			**247	40	**654	40	**2884	4.00
**1016-17	40	Q8 1/2	20			**248-51	3.75	**656	1.50	**2998	12.40
1295	35	Q10 1/2	20			**257a	3.75	**656	1.20	3446	3.00
**1590a	6.00	Q26 1/2	20			**268a	1.50	**658a	75	**3488-9 s/s	1.75
**1646-9	5.00	Q28 1/2	20			**292-93	40	**658a	60	3479	70
**2420	6.00	Q29 1/2	20			315	2.25	**662(4) s/s	5.65	**3603	12.00
**2506-7 on cover	2.00	Q30	1.65			322-23	30	**664-5	1.80	3649	65
2531	50	Q30 1/2	20			333	65	**665	1.15	3649-50	1.35
**B1-3	95.00	Q32 1/2	20			357	65	**667-70	3.10	3650	70
B4 f	20.00	Q74 both halves	8.00			**368a	1.30	**667-70	2.45	3651	1.50
**B17	19.50	**1N1	1.00			**378a	3.75	**668	40	3653	2.25
**B17 thin	6.50	1N2	75			**426a	5.25	**668a	4.50	3740 blk	2.50
B17	80.00	1N4 f	60			**434a	2.25	**668a	2.85	**3756-7 s/s	1.80
**B18	19.50					**438a	4.30	**671	1.60	3795	70
*B18 f	13.00					**441a	95	**671	1.25	3796	80
*B18 ng	9.75					**458a	45	671	45	3797	95
*B19	19.50	6	22.50			**491-4	1.50	**675	40	3798	3.25
*B19 ng	9.75	**10 s/d	232.50			**494a	1.70	**675-7	1.75	3922d	55
**B36 f	4.05	**PR4a	189.00			**499	95	**676	70	3954	55
**B45-46	1.70	PR5 s/d	315.00			**540-1,43	1.35	**679	5.10	**B11	49.00
**C1	45.00					**547-9	2.80	**679	3.60	**B12	55
*C2	14.50					**591-4	49.50	**680	25	**B12-14	1.70
*C3 f	7.60	PR2 f	2375.00			670	65	**683a	75	*B12-4	1.35
*C6 f	4.80					**678	2.25	**689	1.20	**B14a	4.50
**C12-19	7.50					**764-67	6.55	**691	60	*B14a,17a,20a,23a	
C19	3.25					840	90	**692	1.30	27a,31a	19.50
*C20-22	14.40					**72-3	19.15	**692	1.05	**B17a	3.00
**C23-6	325.00					**79	7.15	**693-4	1.20	**B20a	2.25
C33	125.00					**85-87	35.00	**697	75	**B23a	4.90
**C42-47	250.00					**114	5.45	**699	45	**B24-7	60
**C62-5	249.00					**115-17	24.75	**703	20.65	**B27a	4.90
C62-5	596.00					**128	10.50	**703	16.50	*B27a	3.90
*C64	31.50					**129	3.00	**704	8.25	**B31a	4.90
*C65	31.50					**131-33	6.00	**707	40	*B31a	3.90
C74	53.00					**156	2.45	**MR7-8,10	1.80	B47	85
C75	165.00					**162	3.00	O2-3 s/d	50	C21 s/d	45
C79	6.50					**169	3.00	O3	1.00	C26	1.80
C79-83	310.00					**181	3.00			**C40	5.60
**C81	29.85					**184-85	4.90			Z164	35
**C83	60.00					**201	2.40				
*C85	3.00					**207-8	3.00				
*C86 ng	2.55					*C1-6	125.00				
*C89	4.80					*C1-6	100.00				
*C90	9.60					*C5	20.65				
*C91	7.20					C5	138 f				
*C94	14.40					*C6	90.00				
*used C106-10,12-14						C6	12.50				
**C110 # blk(10)	10.90					*C7-12	40.00				
C111	6.50					*C7-12	32.00				
C111 f	5.20					10 s/d	2.45				
C111 s/d	1.95					*E1-4	115.00				
C111,113	16.50					*J3	4.80				
C111,13 f-vf	14.85					*J4	9.60				
C111,3 f	13.20					*J5	19.50				
*C113	8.40										
C113	10.00										
C113 f	8.00										
C120	1.20										
C121 f	1.20										
**C123	4.15										
**C123 toned	85										
C123	15										
C123-6	2.05										
C125-6	1.80										
C126	1.25										
C126 f	1.00										
C126 s/d	35										
C127	20.00										
C127-8	32.00										
C128	12.50										
C128 s/d	3.60										
C129	70										
CB1-2	94.00										
CB1	14.00										
CB2	80.00										
CE4	100.00										
E3 f	50										
*E8	2.00										
E8 ave	3.15										
E8 s/d	1.20										
*E16	1.45										
E16	80										
**E24	29.00										
EY1,1a	2.65										
EY2	20										
EY5	2.50										
*J1 ng	24.00										
*J1 ng thin	16.00										
*J1a gum wrinkles	559.00										
*J3a ave ng	1350.00										
J10	60										
J13 f	8.00										
J15 f	13.00										
J16 f	3.80										
J16 ave	2.85										
J16,8,20 ave-f	43.50										
J16,8,20 ave-s/d	25.00										
J17 f	14.00										
J17a f(minute thin)	290.00										
J18 s/d	8.25										
J19 f	14.00										
J19 ave	10.50										
J20 f	3.20										
J20 s/d	1.60										
J25 ave	10.50										
*J26 f	145.00										
*J27 s/d	270.00										
J33	2.40										
J35	7.00										
J63	4.50										
J64	12.50										
J65-73	6.15										
J70 s/d	50										
M7	1.25										
**NE1	24.50										
NE1	12.00										
*O1 ng	1.00										
*O3 ave	50										
*O7	33.00										
*O8	57.00										
*P1	31.50										
P1	55.00										
Q1 f	48.00										

Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET		
**531-3	7.90	**442	3.00	**1110-2	5.00	**B180-81,83-84	3.25	C129	5.55	**26	12.00	**1667	2.45
**534-6	2.65	**443-5	8.5	**1117-8	3.00	**B210-15	3.30	C132	4.45	27	3.50	**1698-1700	10.50
**539-41	2.20	**458-60	9.0	**1119	2.10	**B210-15	2.65	**C134-35	4.30	**61-62	1.05	**1757-72	60.00
**542-3	16.15	**462-4	1.25	**1120	2.10	**B222-7	5.30	C134-5	8.5	**91a	10.50	**1789-1800	11.15
**616	6.60	**470	3.5	**1124a	4.50	**B228-33	4.10	C140	7.5	122	7.5	**1846	10.15
**621	12.00	**471	1.90	**1125	2.25	**B264-69	2.35	C145	1.00	**134	8.70	**2050	3.40
**674	6.40	**478-80	8.5	**1126-28	7.80	**B315	4.0	C146	5.0	140	1.15	**2077	3.35
**693	3.75	**481-4	1.65	**1129-31	3.25	**B362-6	9.25	**C152	1.15	**168-9	3.60	**2183-4	15.00
**707	2.10	**505	1.80	**1132-34	6.40	**B371-4	5.20	C156	7.0	169	1.50	**2185-6	19.90
**739-41	2.05	**557	4.90	**1135	3.75	**B375-8	5.25	**C167 imp	4.00	174	1.25	**2344 sht (6)	5.65
**742-4	1.75	**595-7	6.70	**1136-37	3.00	**B379-82	4.90	**proof card 1972		175-82	3.50	**2407-8a-f	12.75
**766-68	1.80	**600,3,5,8	2.20	**1139-41	2.00	**B405-8	5.25	Olympics	9.00	179	2.5	**2893	5.65
**779-84	1.90	**624-7 shts (12)	22.00	**1142-50	11.05	O3 xf	1425.00			180	4.0		
**797-804	7.25	**631	7.0	**1156-8	5.00	O13	95.00			181	1.00		
**810	3.75	**632-5	2.20	**1159	3.40	O15	50.00	MALAWI		182	1.50	**72-3 shtlts	5.70
**821-4	7.50	**636-7	8.5	**1160-62	2.55	*O19 f gum	30.00	**21a	9.5	182a s/d	1.60	**416-20	4.10
**834	1.90	**650-3	2.25	**1175	3.40	O29 s/d	138.00	**25a	1.45	**243a	11.25	**750 sht of 8	5.40
**848-52	6.40	**654-6	1.35	**1182-4	7.90	*O31 thin	38.00	**26	6.40	**257-58	6.75	**797-9	11.85
**871-2	1.50	**657-9	1.20	**1185-8	7.20	*O41	126.00	**32a	5.65	**257c	8.25	**797-9	2.10
**967-8	2.25	**660-62	1.70	**1201-2	1.90	*O41 gum	150.00	**36a	3.75	**262-65	6.00	*C2	14.40
**969-74	2.60	**663-4	9.0	**1212-4	3.95	*O41 tiny thin	42.00	**37-40	7.15	**266-69	6.40	**C1a	2.10
**1016-9	6.00	**668-70	1.40	**1218-9	6.00	*O46 gum tiny thin	50.00	**40a	15.75	**57a	4.90	**C46-8	7.30
**1020-1	10.50	**671-3	1.30	**1220-2	3.00	*O51 f	30.00	**61a	2.10	**320-23	10.50	**O12-22	5.05
**1023	12.00	**675-77	1.00	**1225-26	3.20			**82a	1.05	**324-25	5.25		
**1039-44	3.45	**678-80	1.45	**1227-8	2.85			**82a	7.5	**379-82	3.15		
**1045	3.00	**685-6	7.5	**1234	2.65	MACAO		**94a	6.0	**411-12	4.15	MALTA	
**1052	7.50	**691-3	1.50	**1235-6	9.75	**364	7.50	**95-109	56.00	**471	3.40	*3 ng	27.00
1053-55	20.00	**694-6	1.15	**1239-40	6.75	**372-81	44.00	**114-7	1.90	**487-90	3.90	*3 ng s/d	12.00
1054	6.25	**697-700	2.20	**1250	1.70	**393	17.25	**117a	3.00	**582-86	5.65	3	35.00
1055	12.50	**701-3	1.05	**1251-2	4.70	**401	14.25	**121a	8.0	**654	6.0	*5 s/d	26.25
**1083	7.50	**704-7	1.75	**1253-5	7.90	**402	4.50	**202a	12.00	**707-8	15.00	6	55.00
**1083	6.00	**708-9	7.5	**1256-8	9.75	**403	6.75	**224a	1.35	**727	3.75	7 f	23.00
1089	5.5	**718-21	1.75	**1273-5	6.40	**412-3	7.15	**232a	8.5	**790-94	4.75	**8 f	1.90
**1090-5	9.00	**722-5	1.85	**1276-8	4.40	**414	11.25	**284a	1.50	**99-99	6.00	*9a	60.00
**1107	7.50	**726-8	1.05	**1286	1.90	**415-16	17.10	**298a	1.70	**773	6.0	**C1a	3.60
**1108-9	4.50	**729-32	1.95	**1345-46	3.75	**417	5.65	**302a	1.70	**791a	15.00	*51	1.95
**1130-5	6.70	**733-4	7.5	**1369	1.50	**418	16.90	**307-10	3.00	**794	2.25	*66	3.90
**1136	3.40	**735-6	1.15	**1405	1.50	**469-71	8.25	**314a	2.60	**809	7.90	**79 s/d	1.40
**1164	6.40	**737-9	1.65	B14 s/s trimmed	25.00	**485a single	5.65	**338	3.38	**820k bklt	2.10	79 f	12.00
**1164a-p	6.00	**740-3	1.70	*B18	26.25	**486-88	9.30	**369a	1.50	**821-24	6.20	*105	3.90
**1165	2.60	**744-6	1.15	*B18	12.60	**500-3	9.90	**370-3	8.70	**844-14	6.20	112	27.50
**1169	1.90	**747-50	2.20	*B22-3	9.0	**504a single	4.30	**374-7	2.85	**1093	2.65	128 f	22.00
**1185	6.75	**751-3	1.00	**C24-33 (*C33 one stamp hinged) shts of 9	337.00	**522a single	4.30	**378-81	2.10			*152	1.65
**1214	6.75	**754-5	8.0	LITHUANIA		**540a single	4.50	**418	12.75	MALAYSIA-SABAH		*200	1.05
**1215-8	6.00	**756-8	1.85			**560a single	3.75	**422a	2.65	*1-16	44.00	*217	2.25
**1216-8	3.40	**759-61	1.90			**577	45.00	**442-5	4.90			*246-62(used 253-6)	89.50
**1218	1.15	**762-5	1.30	*264-67	1.25	**583a single	6.75	**450-3	13.15	MALDIVE ISLANDS		*250	1.40
**1239-42	15.00	**766	7.5	*264a,268a	3.10	**611a single	3.00	**458-61	14.50	**410 f	3.75	*281-83	1.05
**1239a-42a	6.75	**767-8	3.75	**265-68	2.05	**624b	11.25	**470-3	10.20	*13 f	17.00	**367-70	7.0
**1248	7.50	**769-71	1.00	*267 imp	1.35	**639b single	3.20	**482-5	7.15	*68	7.50	*404-8	9.0
**1249	7.50	**772-4	2.15	*267-8 imp	2.70	**647a	13.20	**485a	10.50	**86a	1.80	*454-68	11.25
**1273	7.50	**779-80	8.5	*268 imp	1.35	**682	3.40	*485a	8.50	**86a	1.45	504	3.40
**1274	6.75	**781-3	1.25	*268 perf	1.35	**757	2.10	**498-501	16.30	**146a	3.00	*569	1.00
**1275	5.25	**784-6	1.80	*275 imp	9.0	**789a	6.00	**550-3	10.15	**234a	3.15	*627-28	1.15
**1316	16.90	**799-800	2.55	*275-6 imp	2.40	**796a	5.45	**554-7	10.15	**298-301	3.85	*694-95	2.55
**1320-1	6.00	**801-3	1.30	*276 perf	1.50	**812-15	3.00	**562-5	13.00	**301a	2.80	*718-19	2.30
1329a-c	15.50	**804-5	8.5	*276 imp	1.50	**823a	4.15	**565a	19.50	**301a w/ 1970 ovpt	6.75	*737-38	2.65
1352	6.00	**806-8	2.65	*277G imp	1.35	**825-28	2.25	**566-9	12.60	**479	9.00	*749-50	2.30
1368	5.00	**809-12	1.90	**317-22	3.40	**859	4.50	**569a	12.75	**488	14.25	*823-24	1.75
1378	5.00	**813-5	1.80	*465-67	1.50	**868a	4.50	**570-3	14.80	**495	7.15	*915-16	2.45
1380	18.75	**843	1.15	*472a	3.00	**873	3.60	**574-7	12.00	**488	14.25	*915	7.5
1387	10.50	**844-6	1.35	**491	4.0	**877	3.75	**577a	13.50	**533-40	12.90	*944-45	2.45
1404	4.65	**848	2.65	**568-69	1.50	**974a	4.90	**578-81	15.40	**592	15.00	*1133	4.50
1420	1.75	**858-9	1.05	**598	1.00	**977a	1.00	**598	45.00	**622-29	6.00	*1134	10.50
**1421	9.75	**861-62	1.40	**628-29	1.90	**983	2.65			**622-29 imp	6.00	*1250	5.25
**1424	60.00	**863-4	2.95	**691-92	2.25	**1001	1.90	MALAYA		**630	11.25	*B22a	1.00
**1414 crease	20.00	**864	1.90	**722	1.15	**1008	1.70	14	80.00	**630 imp	11.25	*B34-37	7.5
B3	15.00	**865-67	2.35	**866	1.30	**1010	1.70	14 f	64.00	**1008	7.90	*B38-41	7.5
**B175-6	17.65	**872	1.70			*C6	16.50	*19b	8.10	**639-41 imp	4.50	*J14	7.50
**C58-60	2.85	**873-76	2.40	LUXEMBOURG				**20a	7.50	**642 imp	7.50	*J22-31	6.90
		**877-79	2.10	4 f	230.00	MADAGASCAR		**642 imp	7.50	**642 imp	7.50	*J22a-28a(4)	37.00
LIECHTENSTEIN		**880-81	1.20	5 ave	210.00	(FRENCH MALAGASY)		**662-7	3.25	**662-7	3.25	*MR2 f	1.20
*1-3	128.00	**882-84	2.65	5 s/d	105.00	63-8	3.75	**662-7	2.60	**668	3.75	SG Z39	7.50
*2 f-vf	47.00	**886-87	2.45	9 f	140.00	*130	7.0	**668	3.75	*668	3.00	SG Z49	12.00
*2a	45.00	**898-900	3.20	*10 thin	80.00	239 f	9.0	*68	3.00	**743-8	1.45	*Natale 1979	2.60
*3	51.00	**901-2	1.60	10 thin	60.00	**300	6.0	**743-8	1.45	**743-48 gtr prs	2.90	MANCHUKUO	
*4-9	7.20	**903	2.45	11 w/ cert	150.00	**369a,370a	6.2	68	2.50	**743-8 s/s (3)	4.30	**115	1.70
4-9	4.50	**904-6	2.85	*12 f	480.00	*381	7.5	73	50.00	**748 s/s (3)	1.40	**132-3	4.50
**11-6(15 thin)	46.00	**907-10	3.70	32b	550.00	**382-83	2.75	**80-83	6.00	**749	1.50	MARIANA ISLAND	
*59a ng	10.50	**911-4	2.65	33c	1625.00	**382	7.5	**105-7	2.70	**750-56	8.05	27	46.00
*62	42.00	**921-3	2.80	42	55.00	**383	2.00	**108-10	3.00	**750-56 imp	8.05	MARSHALL ISLANDS	
*64	51.00	**924-5	1.45	*55 f	95.00	**440-43	24.50	111-13	4.90	**757	10.50	**49A	1.50
**69	144.00	**927	2.10	62a sh perf	90.00	**447-49	3.10	**114-15	1.55	**757 imp	10.50	*58e	6.75
85	35.00	**928-9	4.15	**217	83.00	**1001C-J	9.75	**J7	13.15	**758-64	6.35	**73a	1.25
104	175.00	**928-9 shts(8)	33.00	**242-5	11.25	**1014-20	5.40	**794-8	1.50	**794-8	1.50	*826-32	1.05
**237	2.80	**930,3A,4,6-8,41	4.05	**261-4	18.75	**1014-21	7.95	**815-19	1.80	**835	5.65	*94a	1.15
*237	1.20	**930-3,4,6-9	4.10	**272-7	131.00	**1029-35	4.45	*826-32	1.05	**855	5.25	*107	3.40
*239 s/d	1.80	**931,933,935,939	2.10	**315-7	34.00	**1037-43	4.50	**873	9.5	**873	9.5	*108	7.10
273	3.00	**942-4	3.05	**324-5	2.65	**1037-44	6.80	*16	18.00	**874 imp	1.00	*215a	1.90
276	16.25	**945-7	2.85	**326-8	4.90	**1064-71	8.05	*17	84.00	**874 shtlt(9)	8.45	*239	4.5
283	3.60	**952-54	2.35	**344-5	7.5	**1080-6	5.75	21					

