



(760) 744-1435

marlin_larson@prodigy.net

WORLDWIDE ICELAND - MOZAMBIQUE

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Table listing philatelic items from ICELAND, INDIA-COCHIN, INDIA-ORCHHA, INDO-CHINA, INDONESIA, and ININI. Columns include item descriptions (e.g., '1 thin', '2 s/d sock on'), quantities, and prices. The table is organized into sections by region and includes sub-sections like 'INDIA-COCHIN' and 'INDONESIA'.

Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET
**947b bkl	13.00	**1575b bkl	22.50	**15 PR tabs gum dx.	25.00	**837-40 tabs	2.10	43 f.	5.20
**955c	3.20	**1579b bkl	4.50	**27 f.	5.10	**838	1.00	43 s/d.	2.40
**959a	5.25	**1580	1.15	**32b	33.75	**848-50 tabs	1.55	**44 ng	165.00
**959a Singapore		**1581	1.45	**32b nib perf.	18.00	**849-50 tabs	.95	45-8 f	4.65
**95 ovpt.	7.50	**1585a bkl	27.00	**32b	27.00	**852-6 tabs	1.15	45-8.5 f	13.45
**960-1	1.75	**1586	3.20	45 tab	19.00	**857-67 tabs	3.35	**46 s/d	71.25
**972b prestige bkl	12.45	**1592	1.50	52 tab	40.40	**876-8	1.70	46 f.	.60
**995a,b bkl	11.25	**1605a bkl	20.80	**53 tab	.65	**876-8 tabs	3.55	46,47.50 s/d	3.75
**995b	7.50	**1605b	4.50	**65 tab	6.00	**876-9 tabs	5.25	**47 ave ng	112.00
**1003b	2.80	**1613-14 sht	26.25	**86-7 tabs	.80	876-9	1.20	**48 pr f	640.00
**1003b,4a,5a,5b bkl	8.65	**1613-14	2.25	**88-89 tabs	1.75	878	.40	**48 ave	240.00
**1003c	12.00	**1615-18	4.90	**105-16 toning	.75	**880-3 tabs	1.30	**48 s/d	120.00
**1004a	2.65	**1618	1.60	**117	.20	**888	.70	48	3.65
**1005a	2.65	**1619	10.50	**117-20	.75	**888-891 tabs	2.25	48 ave	2.85
**1005b	3.40	**1620	.85	**117-23	1.30	**892	1.20	48 s/d	1.10
**1005b bkl	12.00	**1620-2	3.20	**124-6	.55	**892 tab	1.30	48.50 s/d	4.40
**1060	.75	**1659b	6.00	**124-31	1.25	**896-7 tabs	1.30	50	11.00
**1067	7.50	**1661	1.05	**124-31 tabs	1.50	**898-9 tabs	2.95	50 f.	8.80
**1073b	2.25	**1662	1.05	**132	.25	899	.70	50 ave-f	7.75
**1073c	3.00	**1663	1.05	**142	.20	**904 tab	1.15	50 s/d	4.10
**1075b	3.75	**1663-64	2.25	**149 tab	.70	**904-6 tabs	2.10	**52 ave	262.50
**1075b bkl	12.00	**1665	1.30	**154 blk(4)	.75	**906 tab	.50	52-5 ave	24.00
**1086-89	1.75	**1671a	2.25	**158 tab	.25	**910-2	2.05	52-6 ave	31.00
**1089a	3.75	**1671b	2.45	**160 tab	.25	**913-6	1.05	52-6 s/d	15.60
**1090-92	1.80	**1672	1.90	**160 blk(4)	.75	**913-6 tabs	1.70	53 f.	8.00
**1093a	18.75	**1673	1.15	**168-77 tabs	1.50	**917 tab	.40	53 ave	6.00
**1100a(2) bkl	12.00	**1677b	4.15	**187a	9.75	**917-21 tabs	4.25	54	4.25
**1103a	3.00	**1682 bkl	30.00	**190,5,216 coils (6)	4.00	**919	.75	54 f.	3.40
**1104b	4.30	**1683	.95	**194a,6a shts (36)	24.00	**920 tab	1.05	54 ave	2.85
**1104b bkl	19.50	**1684	.95	**203-14 tabs	5.75	**920-1	1.75	54 s/d	1.30
**1106Bc bkl	13.50	**1685	.95	**222 tab	.65	**921 tab	1.15	55 f.	19.00
1107	1.10	**1686	.95	**222-3	.40	931	1.40	55 ave	14.25
1109	1.90	**1690 bkl	21.00	**226,227	.40	**943-50 tabs	6.10	55 thin	8.50
**1111A	19.00	**1694a bkl	25.50	**228a	1.70	**952-3 tabs	2.15	55 s/d	7.10
**1119a	5.10	**1694c	5.80	228a	.90	**956-9 tabs	6.00	55 space filler	4.25
**1123a	5.45	**1697a bkl	29.00	**238-40 tabs	2.25	**961-2 tabs	1.70	56 f.	8.80
**1124-5 sht	22.30	**1702a bkl	11.25	**241 tab	1.20	**965-7 tabs	6.75	56 ave	6.60
**1142c	4.15	**1704	5.25	**245 tab	.75	**968-9 tabs	1.75	56 s/d	3.30
**1144b	6.75	**1707a	2.25	**250 tab	4.15	**970-2 tabs	1.45	57 s/d	160.00
**1144b bkl	8.65	**1707b	2.25	**250	.50	**973 tab	1.30	**58-60,2-3 ave-f	
**1156a	7.50	**1713a bkl	11.25	**250 tab	3.30	**974 tabs	.95	dist. gum	39.00
**1164a,b bkl	9.00	**1718	1.15	**251-4 tabs	5.80	**979-81 tabs	2.25	**58-63 ave-f	51.00
**1164c	5.25	**1720a,22a	5.65	**256-8 tabs	2.60	**982-6 tabs	3.65	*used 58-63 s/d	22.00
**1168 sht (16)	24.00	**1722b	5.25	**271a	1.05	**988,90 tabs	.90	58-63 (60 s/d)	63.00
**1172b	6.95	**1722c bkl	22.50	271a	.70	**988a	.60	58 s/d	1.05
**1174	.75	**1727a bkl	4.30	**276-91 tabs	7.50	**989	2.25	59	3.50
**1175	.95	**1728a bkl	11.25	**276,83,6,9-91 tabs	4.20	**991-3 tabs	1.80	59 f.	3.20
**1183a	2.65	**1729	1.70	**289 tab	.45	**994-5 tabs	1.45	59 ave	2.40
**1185 sht	22.50	**1729a bkl	16.90	**290 pr tabs	1.50	**996-8 tabs	1.20	**60 s/d	8.65
**1208b	6.00	**1730-1	2.55	**290 tab	.50	**999-1001 tabs	2.45	60 f.	19.00
**1216a	16.90	**1732	1.15	**291 tab	1.15	**1004-6 tabs	1.50	60 f/d	6.40
**1223	1.15	**1738b bkl	22.50	**298-303 tabs	1.15	**1012 tab	3.40	61 f.	2.80
**1230	1.30	**1744	1.15	**323-8 tabs	4.50	**1014-5 tabs	.70	62 f.	15.00
**1231	2.00	**1745	1.70	**330-32 tabs	.60	**1025E	4.50	62 s/d	5.65
**1235a sht(4)	15.00	**1746	1.15	**334-6 tabs	1.30	**1041 imp	36.00	63	27.50
*1235a	4.50	**1747a	11.25	**361	.20	1049	.60	63 f.	22.00
**1236 sht	206.00	**1750-1	2.80	**370-4 tabs	.95	**1320 tab	.50	63 s/d	8.25
**1239a,41a	3.75	**1750a	1.15	**375a	.30	**1320b	15.00	64-66 f	41.00
**1242-3	1.90	**1750a,1a	2.80	**378-80 tabs	1.50	**1328	3.20	65 f.	4.40
**1242-3,5a	5.10	**1751a	1.70	**381-5 tabs	1.15	**1332	.45	65 ave	3.30
**1246	11.25	**1753a,5a	5.65	**386-93 tabs	2.80	**1332 tab	.50	65 s/d	1.65
1246,9a,51a,4a,		**1762	1.20	**386-9,90-2,3 tabs	1.30	**1333 tab	2.45	**65-6 ave-f	358.00
58a,61a in folder	67.50	**1762a	31.90	**389A sht (36)	6.75	**1339a tab	3.00	66 f.	17.00
**1262,4-5	2.95	**1764a	12.00	**389Ad(2) bkl	1.05	**1342 tab	2.10	**67 ng	165.00
**1262-5	3.70	**1765a	5.45	**389Ae sht (18)	5.00	**1348-50 tabs	2.10	**67 ave ng	137.50
**1269c bkl	15.00	**1766a	12.00	**389Bf	.70	**1362	2.80	**67 ave part gum	148.50
**1279	1.50	**1767	1.80	**389c,389Ad		**1404a tabs	2.80	67	1.15
**1280	5.65	**1767a	5.45	shts (36)	10.00	**1630	2.65	67-71	12.35
**1285a	10.50	**1772a bkl	18.75	**394-400 tabs	3.65	**1633-6	4.90	67-70 f	6.30
**1290-1	2.25	**1773	1.90	**399 tab	.95	**1637	5.05	68	1.15
**1300	6.00	**1773a	18.75	**400 tab	1.70	**1642	5.10	68 f.	.90
**1310-1	1.50	**1775	1.30	**400	.55	**1657-9	2.65	68 s/d	.45
**1313a	3.00	**1779a bkl	21.00	**401 tab	.45	**1661-3	2.65	69	1.15
**1321a,22-3	4.90	**1782a	2.65	**401-7 tabs	1.15	**1665-8	3.75	69 f.	1.00
**1322-3	3.20	**1782b	13.15	**401-11 tabs	3.15	**1671-3	4.80	**296 crease	1.60
**1324-7 sht, 31a		**1784	1.30	**409-10 tabs	.85	**1680-2	5.10	70 f.	4.00
in folder	33.75	**1785-6	3.20	**409-12 tabs	1.85	**1683	5.65	70 ave	2.70
**1332-3	1.90	**1792a bkl	28.00	**412 tab	.45	**1688-90	5.10	70 s/d	1.50
**1332-5a	4.50	**1795	3.40	**413-6 tabs	.80	**1691	3.05	70-1 ave	3.25
**1341a bkl	13.15	**1798	1.95	**417-8 tabs	1.15	**1703-4	3.60	70-1 s/d	2.70
**1342a bkl	14.25	**1808a	4.50	**419-21 tabs	.85	**1716	2.45	71 f.	3.60
**1343a bkl	22.50	**1808a "STAMPA 2009"		**422-31 tabs	2.10	**1717	3.60	71 ave	2.70
**1344	.95	ovpt	5.00	**430a	1.15	**1718-9	2.40	71 s/d	1.35
**1347	1.90	**1813a	21.00	**432-4 tabs	1.30	**1727	6.60	73 s/d	1.05
**1347c	21.75	**1850b	6.20	**440-2 tabs	.55	**1728	6.00	**73-5 f	27.50
**1348	1.90	**1864	1.20	**443-6 tabs	.75	**1732	10.15	76-91 f	24.00
**1374-6 shts	49.00	**1864a	23.25	**447-50 tabs	1.50	**1733	8.25	76-91 ave-f	21.00
**1374-6	3.10	**1906b	23.25	**450a	2.10	**1735-7	7.60	76-96 ave-s/d	11.70
**1377	1.50	**1939b	4.50	**471 tab	.75	**1738-41	3.45	**78 ave	24.00
**1399-1402	4.60	**1956b	8.65	**474	.30	**1742-3	4.80	**79 ave	42.00
**1404	1.00	*C1	3.90	**475-86 tabs	2.30	**1744-6	4.10	**79	66.00
**1404-5	1.95	C1	3.25	**487 tab	2.25	**1747-8	2.05	**79 ave	33.00
**1408,11a	4.70	C1 f	2.60	**488-91 tabs	1.70	**2389 sht (20) tabs	22.80	79-80 f	.90
**1416	1.50	*C1,used C6 f	4.40	**491a	1.95	*C9-15	1.05	**81 ave	75.00
**1417-20	4.60	*C1-3 f-vf	10.25	**492-6 tabs	2.40	*C27	1.20	81 f.	1.50
**1423a bkl	15.75	*C1-3,5	12.50	**497-500 tabs	1.15	*C27 tab	6.00	81 s/d	.75
**1427 bkl	15.00	*C2	8.25	**501-8 tabs	1.50	**C38-47 tabs	2.25	83	3.40
**1427a	3.75	*C2 f	6.60	**505 sht (15)	2.80	**J12,13	.40	83 f.	4.50
**1427b bkl	15.00	*C2	6.60	**509-20 tabs	5.25	ITALY			
**1432a	3.75	*C2 s/d	1.25	**521a, 521 tab	.65	*17 ng f-vf	2850.00	83-8,90-1 f	14.50
1442	9.00	C2	4.75	**522-31 tabs	1.90	*20 s/d	49.00	**85 s/d	128.00
**1449a bkl	15.00	C2 f	3.80	**528 tab	.20	25	1.00	85 ave	6.00
**1450	1.50	C2 crease	1.90	**535-50 tabs	3.20	25 s/d	.40	85 perfin	3.20
**1457-9	2.80	C2 s/d	1.45	**551-82 tabs	6.50	*26 ng	720.00	85 s/d	2.40
**1459 bkl	14.25	C2-3	5.20	**552 sht (15)	2.80	*26 s/d	275.00	**86 f	1.70
**1460a bkl	26.00	C2-3,5	5.75	**561 tab	.30	*27 f ng	995.00	**87 ave	1.30
**1461a bkl	31.80	C2,3,6	5.75	**583-90 tabs	2.10	27 thin	.85	**90 thin	3.20
**1462a bkl	35.65	C2,5	5.35	**592 tab	.75	29 s/d	.60	90 f.	2.90
**1463-6	4.60	*C3	.85	**592 tab tagged	.75	30 s/d	1.35	91 f.	2.30
**1468	1.30	*C3	.65	**593-5a tabs	.80	31 f.	2.30	91 ave	2.15
**1469-70	1.80	*C3-6	8.00	**595a	.30	32 f.	5.60	91 s/d	.90
**1471-4	4.60	*C3,5	2.00	**596-600 tabs	.80	32 ave	4.20	92 s/d	.35
**1475	1.50	C4	1.75	**601	.40	32 s/d	2.10	*used 94-6 ave	1.45
**1484-6	4.15	*C5	1.70	**602-20 tabs	3.70	32-3 ave-f	50.00	98,100,3-7,9-10 f	28.25
**1487-8	2.45	*C5							

Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET						
**1995	18.00	**725-27,C77-79	2.20	**C320a	2.25	**365,411,437,460,483.5	5.25	**2755	5.25	**1802-8	2.40	**578	3.60						
**C22-5	2.20	734	17.50	*C320a	1.80	00.539,600,629	30.00	**2765	1.30	**1809	3.40	**580-83	1.75						
MAURITANIA																			
*74	1.25	*737-39,C82-84	7.90	**C328-29	7.70	**366-8,70	1.80	**2827	1.30	**1813-9	3.35	**588-91	1.30						
**126-27 Olympic optvpt	15.00	*740	2.55	C328-9	.80	**366-70	7.50	*B2 f	13.00	**1821-7	4.60	**592-95	2.25						
*126-7 Olympic optvpt	12.00	*744	3.60	**C329a	4.15	**366-70	1.85	*B3	10.50	**1829-35	3.70	**604	3.75						
**127 Olympic optvpt	8.50	*747,C94-96	3.35	**C329a,31a	9.75	**366-70,C46-8	6.00	*B24-25	10.80	**1837	4.10	**605-12	3.00						
**129,130,132	18.00	*751-53,C100-2	4.05	*C329a,31a	7.50	*412-22	4.40	*B94	22.50	1837	2.75	**613-4	4.50						
type 1 optvpt	18.00	**763,C111-13	22.50	*C329a	3.30	**485-98	8.60	*B99a	35.00	**1845	3.40	**615-17	5.00						
*129,30,32 optvpt type 24.80	8.50	*764-66,C114-16	12.60	**C331a	5.65	*500	1.15	**B99a sht (4)	145.00	1845	2.25	**616	.75						
**134-37	.85	*774-76,C123-25(775-6	ng)	*C331a	4.50	**504-5,10	1.30	**B99a sht (4) imp	135.00	**1851-4	2.70	**617	3.75						
**345-8,C167-8	7.00	*784-89	9.60	**C335-38	2.05	*538	.45	*B102-3	2.00	**1855-61	3.60	**635a	8.25						
345-8,C167-8	1.95	*792-95,C143-47	34.50	*C336a	2.65	**565-68	.75	*B106-7	2.00	**1895	4.50	**639-42	2.80						
**415-8	4.90	*801-4,C148-52	32.00	**C336a,8a	8.25	*600	.55	*C8-9	10.00	**1903	3.55	**651	.60						
**425-26,C192-94	5.25	*806-11,C153-57(806,C156 used)	41.00	*C336a,8a	6.60	**639-40	1.50	*C14-5,CB6 s/d-f	imperf.	**1904-10	4.30	**656-7	5.25						
**499 imp	6.00	*used813-18,C158-62	32.00	**C338a	5.65	**662-68	3.10	imperf.	5.00	**1911	4.15	**658-61	6.20						
**532	.50	*820-24,C163-66	48.00	**C342a	18.75	*674-75	1.15	*C16-18	1.75	**1912-20	6.50	**676	4.15						
**584	3.00	*826-27,C167-69	3.75	*C342a	15.00	**682	1.00	*C16 sht of 25	18.75	**1921-2	8.25	**681-96	25.75						
**614-5	6.00	**858	2.30	**C344a	18.75	**683	.60	*C16-18	1.40	**1923-31	4.50	**711	3.75						
**634-5	6.00	*860	8.40	**C345	2.65	**689-91	4.05	*C20a	9.75	**1932-33	8.25	**714	9.40						
*B15a	.50	*876a	1.90	*C345	2.25	**692-97	9.00	*C20a	8.00	**1934-42	6.00	727	.45						
*C15-6	15.60	*910-12,C250-52	10.80	*C351	.95	**722-4	7.90	*C51-2	3.20	**1943-4	10.50	**747	5.65						
*C16 optvpt type II	12.00	*974-5,C318-20	5.15	**C354-6	2.00	**762	2.80	*C59-60	4.95	**1954-62	7.65	**762	10.50						
*C19	8.25	*974-5,C318-20	4.10	*C374	3.15	**768-70	4.75	*C59-60	4.00	**1973-9	3.70	780 s/d	.70						
*C29-31 imperf	75.00	*975a	3.00	**C434	2.65	**789-92	6.40	*C69-72A	31.50	**1980	4.15	**783	10.90						
trial color proofs	75.00	**975a	2.40	*C434	2.10	**797-99	11.25	*C84-8	23.00	**1981-7	4.10	**839	4.50						
**C36-9	4.55	*982-85	3.40	**C446	2.25	*864	7.50	*CB1-5	1.80	**1988	4.10	**844a-d	9.50						
*C40a	4.20	**982-85	3.40	*C450	1.70	*976-9	11.45	*CB7-10	40.00	**1989-95	4.20	**846	8.25						
*C58	8.65	**982-85	3.40	*C450	1.35	*999	1.00	*J38	45.00	**1996-2002	3.70	**859	3.40						
**C63	3.00	**983a	3.75	**C461	2.00	**1037	1.90	**J77-78	5.00	**2002	1.00	**860	8.25						
**C64	2.10	**983a,5a	9.00	C474	.50	**1047-48	2.80	**J83-85,87	1.75	**2005-11	4.30	**861	5.65						
**C66-70	9.35	**983a,5a	7.20	**C513-7	.95	**1049	1.45	MONGOLIA						**862	5.65				
C66	.30	**985a	5.25	**C520-3,5-6	1.15	**1064-6	2.50	21	87.50	**2013-8	3.70	**877	5.25						
**C86	15.00	**985a	4.20	*C527-31	.95	**1067-68	3.20	**21a f-vf	750.00	**2037-43	3.70	**886	4.70						
*C100a	4.15	**992a,5	10.90	**C545-7	.90	**1094	1.90	21a	163.00	**2044	3.75	**891	3.95						
**J27a-31a	1.45	**992a,5a	8.70	**C548-52	1.00	**1095-8	3.60	22a f	160.00	**2045-51	3.70	**912	8.25						
MAURITIUS														**913	5.25				
5b thin	170.00	**995a	5.65	*C553-4,8-62	1.45	**1124-25	4.50	*65	1.20	**2070	4.15	**917 s/s(8)	15.00						
21 thin	32.00	**996-1001	14.25	**C608	1.50	**1128	1.20	*66	1.20	**2084	7.15	**945	3.75						
*32 f ng	25.50	**998a	15.00	*C614	1.30	**1129	.90	*68	1.45	**2086-93	4.15	**956	6.00						
*35 remainder	10.00	**998a,1000a	27.00	*C614	1.05	**1137	3.20	*68 f	1.00	**2104	9.00	**961	5.80						
*54 foxing	60.00	*999	3.00	*G14	2.70	**1166	4.90	**1205-20	13.05	**2105-6	8.25	**965	6.00						
76 f	214.00	**1000a	22.50	JX25 s/d	15.00	**1227-28	1.90	**1228a	11.25	**2107-15	4.45	**970-81 shts(9)	45.00						
89	.90	**1060,1,5,70	.90	*JX26-31	1.80	**1234	.60	**1237	3.20	**2116-7	7.50	**1080	6.00						
99	1.20	**1111	.70	O11	3.00	**1248	2.65	**1248	18.75	**2121	7.50	**1103	7.15						
103 f	2.00	**1141,50	.45	O12	3.00	**1252-53	1.90	**102	18.75	**2122	6.00	**1172	3.60						
109	2.15	**1161,C556-7	.65	O16	15.00	**1270-74	9.40	**103	18.75	**2122-3	12.00	**045-55	12.25						
*115 ng	9.00	**1162,5	.45	O17	9.00	**1278-79	1.50	**114	15.00	**2140-3	2.60	**079-94	19.90						
129	1.50	**1178,82,86	.70	MICRONESIA														**2144	1.50
152	2.25	**1189	1.70	**4a	1.45	*C1302-3	4.50	**134	18.75	**2147-57	10.90	MOROCCO							
*208-10	1.05	**1211-14	.90	*5-20	13.60	**1305-6	1.90	**134 blk	75.00	**2169	9.00	**8-12	14.35						
*225-28	1.10	**1215-7,9	.90	**20	6.40	**1307-8	6.75	**134	18.75	**2173a	3.40	**13-15	5.30						
*SG# 251a	19.00	**1220-2	.70	*46	.50	**1309-10	2.75	**144-8	35.25	**2175	4.50	**16-8	4.80						
**266-69	1.05	**1226-9	1.00	*132	1.05	**1316-17,18-21	13.15	**203-10	3.30	**2176-9	8.25	**19-21	4.35						
**276-90 bklt.	47.00	**1231-3	.70	*155	3.60	**1323-28	9.30	**223-4	3.75	**2187	2.60	**83-4	1.80						
*276-80,82-83	4.40	**1231-3	.70	**155a-h	3.60	**1329-30	2.25	**304-7	33.75	**2207-7	3.10	**115	.70						
*289	8.40	**1234-7	.90	**178	5.05	**1334-35	1.70	**359	3.40	**2208	3.00	**115	.70						
*290	15.60	**1248-50	.75	**191	4.30	**1342	.90	*439-46	3.40	**2208	3.00	**115	.70						
**295-98	3.05	**1251,4,6-9	1.45	**213-26	17.85	**1343	.60	*488-94	4.10	**2227	7.50	**224	4.00						
*296-98	2.10	**1260-3	.90	**233a-h	7.15	**1349-50	5.25	**496-503	3.40	**2238-46	3.25	**830a sht(5)	15.00						
**299-301	1.60	**1264-6	.70	*238	3.95	**1351-52	2.65	**514	3.40	**2255A-I	8.15	**B1-5	4.45						
*299-301	1.25	**1267-9	.70	**238a-h	3.95	**1353	1.50	**523	2.65	**2246A	3.00	**B17-8	5.25						
*302-5	1.80	**1270-3	.90	*239	1.90	**1358	1.70	**534-8	1.45	**2246A-B	6.00	MOROCCO							
*306-20	10.25	**1274-7	.90	**249	9.40	**1366	4.90	**534-8 blks(4)	5.70	**2246B	3.00	NORTHERN ZONE							
*321-26	1.75	**1290-2	.70	*249a-h	9.40	**1385	2.25	**542-9	3.45	**2247	6.00	**18-20	5.00						
*327-32	7.15	**1292-9	.70	**267	1.90	**1385	2.25	**624-30	4.80	**2247Oq	11.25	MOZAMBIQUE							
348	5.25	**1306a	11.25	*273 sht(6)	5.65	**1406-9	3.60	**643-9	3.25	2247q	11.25	383	.35						
353a	1.50	**1321a	2.10	**715	15.00	**1418	5.65	**667-74	3.60	**2255K	3.40	**420	.70						
354	2.50	**1335a	3.00	*C1-3	1.80	**1431	2.25	**686-8,90,2	1.90	**2255K-L	6.75	**421	.70						
355b	8.00	**1341a	3.00	MONACO														**422	1.40
**356a	21.75	**1347a	2.65	*2 f	23.00	**1436-7	6.00	**686-8,90,2	1.90	**2255L	3.40	**422	1.40						
**357-62	3.00	**1348	1.00	*2 ave-f	20.00	**1440-1	3.00	**795-801	3.50	**2255L	3.40	**422	1.40						
**357-60,62	2.40	**1385	2.80	*2 ave	17.25	**1446	3.00	**796-801	3.30	**2255L	3.40	**422	1.40						
**385-88	3.15	**1388a	3.00	*2 s/d	8.60	**1457-60	3.10	**834-40	4.30	**2255L	3.40	**422	1.40						
**391-92	2.30	**1389	2.10	*5	210.00	**1472	4.90	**850A-G	25.50	**2255L	3.40	**422	1.40						
**411-14	2.10	**1397a	3.40	*5 s/d	53.00	**1473-74	1.70	**851-7	4.20	**2255L	3.40	**422	1.40						
**419-23	6.75	**1403	2.25	*6 f	350.00	**1475-76	1.70	**858-64	4.10	**2255L	3.40	**422	1.40						
**439a	3.75	*1403	1.80	*6 ave-f	30.25	**1477-78	1.70	**880	3.00	**2255L	3.40	**422	1.40						
**440-43	6.00	**1498	1.15	*6 s/d	245.00	**1479	2.45	**881-7	3.50	**2255L	3.40	**422	1.40						
**440-43 gtr prs	12.00	**1995	18.00	*6 s/d	105.00	**1480	1.00	**881-7	3.50	**2255L	3.40	**422	1.40						
**464	1.60	**2066	.95	*6 s/d	37.50	**1481-85	9.40	**904-10	2.65	**2255L	3.40	**422	1.40						
**465-68	6.70	**2066 blk (4)	3.75	*6 s/d	30.25	**1487	1.20	**928-34	3.30	**2255L	3.40	**422	1.40						
**465-68 gtr prs	13.35	**2118	3.75	*6 s/d	26.00	**1493-95	2.75	**935-6	1.90	**2255L	3.40	**422	1.40						
469-72	12.15	*2401	15.75	*6 s/d	11.25	**1500	6.00	**954-60	4.95	**2255L	3.40	**422	1.40						
**479a	3.75	**2490,91,d,92,93d,98a	50.00	*7 f-vf	50.00	**1505	.85	**961	3.40	**2255L	3.40	**422	1.40						
**487	1.30	2500,d,2,2d	11.00	*used 11-20 f	63.00	**1508	1.00	**962-8	3.40	**2255L	3.40	**422	1.40						
**502-5	3.00	*B1	12.00	*13	30.00	**1509	1.15	**982-8	5.10	**2255L	3.40	**422	1.40						
**507-10	1.95	*B2	15.00	*15 ng	30.00	**1510	2.10	**997-1003	4.50	**2255L	3.40	**422	1.40						
**511-14	2.20	*C13 f	18.75	*15 ng f	35.00	**1513	3.60	**1012-8	3.40	**2255L	3.40	**422	1.40						
*520-22	1.30	C54 f	4.00	*15 s/d	15.00	**1525-28	3.75	**1018-2	2.65	**2255L	3.40	**422	1.						