



WORLDWIDE
DAHOMEY - FUJEIRA

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
DAHOMEY			6 ave	57.00	112 f	1.00	302-3 f-vf	1.00	O8 thin	50	**137-40	1.90	**1156-57	2.10			
*101	1.20	7	4.50	**114	40.50	**306	1.95	O9	16.25	**143-44	1.00	**1174-77	7.90				
*135	50	7 on pc	4.50	116	2.00	328	35	O9 f	13.00	**154	2.65	**1199-1201	8.70				
**156-9	1.80	7 f	3.40	118 f	60	*,used 333-41		**O11	1.05	**155	16.90	**1223-5	2.85				
*156-9	1.45	7 ave-f	3.15	118	80	**361-2 creased		O22	3.90	**156	16.90	**1234-6	2.80				
**160-71	9.65	7 ave	2.70	119	1.00	**399	1.80	P1	1.50	**159	4.50	**1340-2	5.55				
**202	1.30	7 s/d	1.35	120 s/d	1.15	*406	30	P1 f	1.20	**160	2.45	**1358-9	6.60				
*202	1.05	7a	4.00	122a	3.90	**417-9	2.40	P1 s/d	45	**241 sht	1.60	**1363-5	2.45				
**215-8	3.65	7a f	3.80	124	40	*437,8-41,2-4	7.80	P2	7.50	**296a	1.95	**C57-63	10.90				
*215-8	2.90	7a s/d	1.40	125	1.15	*444	3.15	P2 f	6.00	**327a	1.30	C65-9	1.10				
**225a	2.25	8 pair f-vf	95.00	128	1.50	**458	60	P2 s/d	2.25	**332	65	**C296	3.60				
*225a	1.80	8 f	38.00	129	10.50	**476-77	1.20	P3	65	**373a	45	**C370-3	2.20				
*232-3	1.05	8 ave-f	34.00	133 f	2.80	**505	2.25	P4	2.50	**440a	3.00	**C431a	7.50				
**234	1.15	11	17.50	**156	2.80	**506	2.25	P4 f	2.00	**521-5	1.75	C487-90	2.80				
*234	90	11 s/d	5.25	156-7	40	**546	60	P4 s/d	75	**523-5	1.40	C489	80				
**237-8	1.35	11-5	194.00	156-7,60 f-vf	6.25	**565	5.65	P5	75	**526	1.35	EGYPT					
*243a	2.70	11-15 f	155.00	**156-8	26.25	**573-75	2.35	P5 f	60	**554 type 1	2.25	21c f	1.50				
**250-1	1.50	12	37.50	156-8	2.70	**602-5	2.45	P6	1.25	**570-72	1.00	*41 f	15.00				
**262	1.05	12 f	30.00	156-8 f	2.15	**613	45	P6 f	1.00	**570-2 shts of 3	5.00	*74 two sh perfs	42.00				
**262-3,C105	3.40	12 s/d	11.25	**157 s/d	1.00	**624-5	1.30	P7	13.75	570-2	1.15	*92-103 f-vf	145.00				
**270,C124-5	3.00	13 s/d	1.20	*157	1.80	699	20	P7 f	11.00	**570-3 shts (3)	3.75	*203-5	2.15				
**271-4	5.55	14 xf	67.50	**158	16.85	720A	1.00	P7 s/d	4.15	**579-82	2.15	*217-9	2.65				
271-4	1.25	14 f	36.00	*158	7.50	723-4	60	P8	3.00	**607	2.25	*223	4.90				
274	60	15 xf	120.00	158	2.25	724	50	P8 f	2.40	**654-57	1.25	*273-77	3.70				
**277-82	6.50	15	87.50	158-9 f-vf	6.00	**727	60	P8 s/d	90	**676-7	1.60	*273-77	2.95				
**321-23	5.10	15 ave	52.50	158,60 f-vf	7.90	**735-36	1.75	P9	22.50	**678	75	*291	2.25				
**330-33	4.90	15 reper f	40.00	159-60	6.75	735-7	85	P9 f	18.00	**701-3	85	**292-4	2.95				
**336-37	2.10	16 s/d	4.10	159-60 f-vf	6.00	736	40	P10 f	18.00	**704	1.50	**294a	10.50				
*B12,14	1.45	16a s/d	4.10	160	6.50	739	50	P10 s/d	6.75	**715	4.30	**386	45				
*B14A	50	18 s/d	1.50	160 f	5.20	744	40	P11 f	1.30	**738	4.50	*388	75				
**MI# 646-9	4.00	19 s/d	11.25	160 s/d	1.95	**748	75	P13 f	1.80	**767	2.60	*395-97	1.60				
*C14-5	10.05	20 s/d	26.25	164-6,8-75	42.50	**755-56	3.00	**Q3	67.50	**796-9	1.60	*410-12	1.30				
*C16a	5.25	25 s/d	2.25	164-75	47.00	763	1.00	**Q3,7	229.00	**854,57,58,61	2.55	*410-12	1.05				
*C16a	4.20	25c f	6.40	164-75 f-vf	42.00	766	1.00	**Q5	35.00	**862-3	5.60	*452	9.60				
*C18	3.75	26 a-c	17.30	164-75 s/d-vf	34.00	**793	20	**Q9	78.75	**934	2.80	*467-72	5.00				
C18	1.00	26c s/d	2.40	**165	5.25	**793 blk	80	**Q9A	6.85	**1074-9	1.65	*472A	9.00				
**C20-3	15.00	27 f	29.00	*167a	22.50	**813 blk	27.00	**Q15	55	**1080	2.25	*484	40				
**C28	1.70	27 s/d	10.95	*167a,71a	45.00	**825	7.50	**Q17	2.25	**1265	3.00	*486	75				
*C28	1.35	29 f	1.60	*171a	22.50	*847	95	**Q19	2.25	**1271-2,4-8	11.60	*489	3.00				
*C31	1.80	29 s/d	60	**173 f	4.20	**885	1.60	**Q28-30	6.00	**1418	2.80	*509a,10-11	4.30				
*C38	1.05	29b	5.00	**173-4 f	11.00	**886	1.05	**Q35	1.80	**1563	3.75	*509a,10-11	3.45				
*C45	1.15	29b f	3.95	*175a s/d	14.00	**891	1.20	Q41,45,47(2) on pc	5.40	**1578	11.25	*512	2.45				
*C45a	1.95	29b s/d	1.50	176	8.00	**892	1.70	Q41,45,46 on pc	3.00	*1678-85	7.50	*523-27	2.75				
**C46-48	12.60	29c	2.00	**180	10.40	920-3	2.10	Q43(6), Q47 on pc	3.50	1889	45	*528	3.00				
C46	1.15	30	3.25	183-4	4.90	**936-7	2.90	Q43(4), Q47(2) on pc	3.00	1894	2.65	*568-73	4.05				
C46-7	2.75	30 f	2.60	184	3.90	949	1.00	Q43(4), Q47, Q48 on pc	7.50	**2102	3.95	*569a-73a	4.50				
**C46-8	12.60	30b	2.15	*192-7	34.60	977	20	Q43(4), Q47(2) on pc	5.00	2130c	70	*574-76	1.90				
*C46-8	10.05	30b f	1.70	192-7	2.75	1001	15	Q43(2), Q44, Q46-7	4.60	2130g	45	*588	1.70				
C47	1.60	31,31a(1 short perf)	26.00	193	1.15	1012	15	on pc	3.35	**2225	6.00	*588 imp	1.70				
**C49-50	4.90	31b ave-f	11.40	210-2,4-9	27.45	**1025a bklt	7.50	Q44(3), Q47 on pc	3.35	2328	70	*588	1.35				
**C50	2.45	32a s/d	9.40	*210-9	65.00	1031	60	Q44, Q46-7 on pc	4.00	2337	70	*614	3.75				
*C57a	2.40	33 (unlisted wmk)	200.00	*210-9 ng	32.25	1037	15	Q46, Q48 on pc	6.00	**B33x perf imp		6.00	*631a	1.90			
*C58	1.50	33a	87.50	210,13-9	9.60	1041	15	Q46-7, Q48(3) on pc	17.00	SG# R1 postally used	5.00	*632-44	7.30				
*C58a	5.10	33a ragged perfs		210-1,13-9	11.60	1053	25	*cut sq similar	1.00	SG# R2	10.00	*646-49	2.80				
*C59a	2.10	at bottom	25.00	210-1,13-9(213 thin)	11.50	1059	15	to DWI U1-2	2.50	SG# R3	6.00	*664	1.15				
**C63-6	6.50	33a s/d	26.00	210-19	27.90	1064	15	cut sq similar to DWI	5.00	DOMINICAN REPUBLIC		*674-77	2.45				
C66	1.00	34	30.00	*212-4,7-9	39.00	**1066a	4.90	cut sq similar to DWI	5.00	*356	1.95	*674-77	1.95				
**C69-70	2.25	34 s/d	9.00	213-9	9.75	**1070a	10.50	cut sq	1.00	375 s/d	1.60	*684	3.75				
*C70a	2.25	34b	30.00	*215	15.00	1075	15	DIEGO SUAREZ		**471-2,C96	4.30	*702	3.75				
**C77-80	7.50	34b s/d	9.00	*215-6 s/d	4.95	**1082-85	6.75	7	99.00	**474-8 perf	5.65	*702	3.00				
C80	50	40,47 f	3.80	215,8,9	7.75	1082,84-5	3.00	DJIBOUTI		**474-8 sht perf & imp	11.25	*807	11.25				
**C85-88	5.55	41	3.60	*217	5.25	**1086-89	4.70	**485-8	5.00	*474-8,C97-9 shts (3)	9.00	*1075a	1.00				
C87	30	41 ng	3.00	217	90	1087	15	494	25	perf	5.00	*1076-84	5.10				
C88	65	41 s/d	1.10	218	2.25	1092	15	495	35	imp sheets	3.60	**1092-6	2.70				
**C89-92	6.10	41-7	9.00	*219	5.70	**1097a	4.50	510	40	**478a,b,C99a,b	7.95	**1102	2.45				
C90	40	41-52 f-vf	47.00	219	65	**1100-1	2.45	**515-6	2.65	*501-5 sht imp	1.90	*1291-3	1.65				
C91	65	*41c	1.65	*220-2,4,5	1.85	**1109a	9.00	**519-20	2.75	*501-5,C106-8	1.60	*1295-1302	5.10				
C92	1.40	*42a f	2.25	220-30	2.55	1144	15	**521-3	6.60	*501-5,C108-9	1.95	*1304-7	1.75				
**C93	2.80	46	2.00	**224-24C,26-26A,27A		**1150-1	2.50	**525-7	4.50	*1277-82	13.00	*1308-16	4.30				
**C97-100	11.25	46 f	1.60	*225	1.20	**1159a bklt	11.25	**529-30	4.15	**1283	4.30	*1319-31	7.00				
**C102	15.00	46 a,f	3.40	*225	1.20	1180	2.15	*529-30	3.30	**545-6	5.80	*1346-8	1.95				
C103-4	65	47 f	1.80	*230b													

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
**C104		1.70	**661-63		3.20	**236a		6.00	**143-4		2.90	**518a		18.00	10b f		37.00	
C108-9		2.70	**669-71		2.20	**237-40		16.50	**145-7		4.20	**522-3 (4) bklt		19.50	10b ave		172.50	
**C146-8		8.45	**690-4		3.45	**241-44		5.15	**148		7.50	522 (4),523 (4) bklt		12.80	11 s/d		129.00	
**C147		2.25	**695-9		3.25	**245-49		7.50	**149		1.70	**525-28		6.10	12 ave		48.00	
**C157		2.25	**712-5		4.20	**254a-56a		10.80	**149-51		6.15	**533		4.50	13 space filler		29.00	
**C169-70		3.70	**731-5		6.70	**254a-56a bklt		15.35	**151		3.00	**536-37		4.90	16 f		170.00	
**C174		1.90	**751-57		4.75	**256a		4.50	**152-5		5.80	**544-45		3.20	18 s/d		2.25	
**C191		1.00	**758-62		4.00	**257-59		3.75	**158-60		5.10	**546-47		3.75	23 thin		12.00	
**C204-5		4.00	**768-70		4.00	**260-74		13.90	**161		.75	**569a		9.40	23 s/d		9.00	
**CB2a		7.50	**776-78		2.85	**260a-73a		11.00	**161-5		6.25	**572		2.25	26 thin		1.25	
**E4		4.50	**779-83		2.75	**275		3.00	**163		1.45	**575-78		6.25	27 thin		5.40	
**J60-4		9.40	**782		.70	**278-81		1.25	**165		1.70	**581		4.50	28		1.00	
**M14-15		10.50	**784-88		2.30	**291-93		1.05	**166-7		3.00	**582-83		3.75	28 f		.80	
**N57		3.75	**807-11		3.20	**294		1.15	**169-72		5.45	**591		15.00	28 ave-f		.65	
**N57 f		2.50	**827-31		4.20	**295-97		1.00	**175-8		4.90				28 s/d		.30	
**N70-1		8.25	**854-58		6.15	**304		1.20	**179-81		5.85	FAROE ISLANDS MINT YEAR SETS IN COLORFUL POSTAL ALBUMS				34 s/d		.50
**O1 f		1.90	**864-68		6.70	**306-9		2.40	**182-5		5.80					35 s/d		.375
**O51-59		8.50	**869-73		3.10	**314-15,17		1.05	**186-8		4.70					37 thin		150.00
**O51-59 f-vf		5.70	**884-8		4.60	**318-23		1.95	**189-90		2.85					43		1.85
**O80-90		16.75	**889-93		3.90	**327-30		1.05	**191-2		1.90	1992 **232-46		34.00	43 s/d		.50	
**O80-91		17.60	**901-5		3.05	**331-33		1.15	**193-6		5.65	1995 **276-94		33.00	**53		12.00	
**O92-6		4.10	**931-5		3.05	**344-47		2.20	**197-200		5.50	2001 **389-408		53.00	**54		18.00	
EQUATORIAL GUINEA			**936-40		4.25	**348-51		1.80	**205-6		2.10	2002 **409-26		55.00	58 f		140.00	
**4-10		3.30	**951-5		5.20	**371-73		1.05	**212-5		5.65	2003 **427-38		63.00	67		.75	
**Elizabeth Coronation, 25 th Ann. 1978 set(8):		5.00	**977-80		4.15	**378a		1.90	**225a		6.75	2004 **439-51		68.00	69 f		140.00	
SOUVENIR SHEETS:			**1118,20-1		6.90	**379-82		1.35	**225a bklt		6.75				**70-74		17.00	
**Anniversary de Plata de Isabel II		6.00	**1215-17		2.50	**387-401		12.85	225a bklt		4.50	FIJI						
**Yorktown		13.50	**1265-67		2.50	**388(8),393(4),397(4), 398(4) bklt		28.00	**226-7		3.00	16 f-vf		180.00	95		1.50	
**3 diff 76 Olympics		12.00	**1274-8		5.20	**408-10		3.75	**240a bklt		15.00	*48 s/d		15.00	103		1.25	
in Gold		12.00	**1303-6		8.40	**412-15		3.40	240a bklt		10.00	55 ave-f		.30	**117 f block		1.50	
**3 diff 76 Olympics		12.00	**1341-4		4.15	**416-19		2.35	**247-9		3.40	57 s/d		4.50	*,used 127-40		17.90	
**3 diff 76 Olympics		9.00	**1397-9		1.75	**425-28		3.60	**251a bklt		6.75	*76		6.60	143		20.00	
**Clown		10.50	**1403-5		1.90	**437-40		5.10	251a bklt		5.25	*132b		8.70	143-50		22.50	
Mt. Rushmore airmail		21.00	**1455-9		2.80	**446-49		2.20	**252-5		9.75	**184		8.25	**157 s/d		.70	
**Patrick Henry		9.00	**1525-8		3.75	**450-3		6.20	**254-5		4.95	**184 f		5.50	157		2.25	
**Lafayette/Washington		9.00	**1534-7		3.40	**459-1		3.45	**256-9		5.40	*184		6.60	157 f		2.10	
			**1595-98		3.40	**680a,2a,4a,5		18.60	**267a		6.75	240-56		17.50	177-8		2.90	
			**1662-5		3.40	**733		9.75	**267a bklt		7.50	*297-300		1.15	177-9		2.95	
			**B1-5		2.65	**749		9.75	267a bklt		5.00	*316		5.25	177-9 s/d		1.00	
			**B1-5		1.60	**766		10.50	**275a bklt		6.75	*317		2.40	*178		24.00	
			**B36-40		9.00	**B1		2.25	275a bklt		4.50	**328-29		.55	178		2.40	
			**B41-4		4.25	**1L1-8		10.20	288a bklt		8.00	*361-64		2.10	178 f-vf		2.10	
			**C11-17		7.50	**1L1-8(1L7 s/d)		8.85	294a bklt		8.00	**367-70		4.00	205,205a		.60	
			**C17		2.40	**1L9-10		1.00	301a bklt		7.50	**384		2.50	208		1.00	
			**C33		6.75	**1L9-10		.80	**310		1.15	**397-400		15.60	209 s/d		.40	
			**C34-7		5.75	**1L11-12		3.20	**311a bklt		7.50	*397-400		12.45	*214		.60	
			**C46-50		4.45	**1L14-17		11.00	329a bklt		7.50	**399		6.00	214		1.50	
			**C74-6		2.10	**1L18		1.35	331a bklt		7.00	*399 gtr pr		12.00	*,used 215-8		5.40	
			**C77-81		7.50	**1L18		1.10	345a bklt		7.50	*400		7.50	*224,u225-6		1.75	
			**C77-8,80-1		5.10	**1L19-27		10.65	**351a bklt		9.40	*400 gtr pr		15.00	226		1.00	
			**C82-5		2.30	**1L19-28		12.75	351a bklt		7.50	*434-36		.85	227-32		4.75	
			**C82-84		1.15	**1L19-33		180.00	368a bklt		4.50	*438-41		1.00	227,29,31,32		4.50	
			**C86-8		1.70	**1L19-21		2.40	369a bklt		6.00	*445-48		1.60	229		1.25	
			**C97-101		8.60	**1L19-21,4		3.60	*449 shltl of 10		3.75	231		1.00	*911		1.50	
			**C107-11		7.00	**1L19-24		4.65	*458-61		2.35	*458-61		2.35	232		1.00	
			E2		1.75	**1L20		1.05	*462-65		3.20	*474		.25	233-38		7.40	
			N1		4.75	**1L34-7		1.55	*474		9.00	*477-9		1.05	235		1.00	
			N2		2.00	**1L34-7		1.25	*388a bklt		6.00	*477-9		1.05	237		1.00	
			N3		5.70	**1L35-37		1.35	*393a bklt		6.75	*480		1.50	238		1.00	
			N4		5.70	**1L38-52(*1L41)		9.30	*393a bklt		4.50	*481-4		8.60	247-53A		1.95	
			N6		4.00	**1L51		1.70	*394a bklt		9.00	*485-8		1.75	*,used 257-62		2.00	
			N7		6.00	**1L52		4.15	*396 in folder		9.00	*489-94		4.10	257-62		.90	
			FALKLAND ISLANDS			**1L59-61		90	*396		7.50	*499		.60	263-68		1.40	
			**11 ng s/d		15.00	**1L62-5		1.15	*396		7.50	*500-4		10.50	270-74		.85	
			11 f wmk dble line "C"			**1L66-71		1.80	*401-2		2.90	*505-8		1.45	278		1.00	
						**1L73a		1.90	*407a bklt		7.90	*514-7		3.20	*280		6.75	
						**1L84-7		5.65	*407a bklt		5.10	*523-6		13.50	*280		5.40	
						**1L84-87		5.65	*408a bklt		9.00	*523-6		4.10	*281-82		3.60	
						**1L92-95		3.00	*408a bklt		6.00	*536-9		7.75	282		2.00	
						**1L94A		14.95	*409-12		7.15	*540-3		14.25	289-90		1.60	
						**1LB1		2.25	*413		3.75	*554-9		8.20	*,used 297-99		1.65	
						**2L1-2		.70	*414-15		2.80	*564-9		6.75	297-9		1.75	
						**2L1-8		19.00	*417a bklt		12.00	*571		30.00	*305		3.20	
						**2L1-8		15.25	*416-17		2.25	*579-82		7.30	306-7		1.10	
						**2L6		14.25	*417a bklt		8.00	*595-8		3.80	*,used 312-23		29.00	
						**2L6-7		14.40	417a bklt		8.00	*633-6		4.90	*,used 312-23		6.95	
						**3L1-8		15.15	422 FDC		2.25	*644		3.75	*318		6.00	
						**3L1-2		.55	*425a bklt		15.00	*649-52		5.25	327-28		1.00	
						**3L1-3		.85	425a bklt		10.00	*661-3		9.30	*336-8A		14.55	
						**3L6		11.40	*426		2.75	*661,3,4		11.40	*340		1.00	
						**3L6-7		14.40	*428a bklt		11.25	*684-86		7.50	*341		2.65	
						*4L1-8		15.40	428a bklt		7.50	*687-90		6.75	341		3.25	
						*4L1-2		.70	*432		11.25	*691		6.60	342-44		2.00	
						*4L6		11.40	*437a bklt		13.15	*691a		6.75	*343		1.15	
						*5L1-2		.70	437a bklt		8.75	*698-701		12.75	*343		1.10	
						*5L1-8		18.60	438		5.50	*713-8		7.00	*343-4		4.90	
						*97-98		.70	*442		10.50	*713-8 gtr prs		14.00	343-4		1.40	
						*97-98		.55	*443		3.60	*772-5		8.10	*344		6.00	
						*99		1.25	446a bklt		9.00	*788-91		9.05	347-48		1.25	
						*101		4.50	*450a bklt		13.50	*797-802		5.75	*349-50		8.40	
						*101-2		8.55	450a bklt		9.00	*810-3		5.20	*350		7.50	
						*102		4.05	*451		15.00	*820		3.95	351-3		1.50	
						*103-6		8.40	*453		14.25	*821-24		6.				

DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
*B119	1.65	28a s/d	5.25	84 ave	2.25	198-9,201	3.90	**390	2.65	**1202 blk (4)	75	**B76	15.75			
*B120-2	6.75	*29 f	15.00	84 s/d	1.10	**201 f	45.00	*396	4.80	**1204	40	*B76	5.25			
*used B120-22	6.15	*29 s/d	5.65	84 pr f	6.00	*201 toning	7.80	*419	15	**1204-7	1.50	*B77	4.30			
**B123	1.15	29 f	6.40	86,88-96 f	72.70	*201 f	10.40	*427-9 imp prs	12.00	**1205	40	*B77	2.00			
B123-25	3.00	29,32,6 s/d	6.15	88 f	75	*201 f ng	7.80	**475-76H	22.30	**1208	20	*B79	4.80			
B126 blk(4)	4.00	*30 se	15.75	88 s/d	30	*201 s/d	3.90	*475-76H	17.85	**1208 blk (4)	75	*B80	5.25			
**B126-8	6.40	*30 s/d	15.75	*90 s/d	75	201 f	2.30	**503	30	**1211	20	*B80 crease	1.75			
**B127	2.25	30 f	10.00	90a s/d	70	201 s/d	90	**523A-J f-vf	2.50	**1215	30	*B81	4.05			
B127	1.25	30 s/d	3.75	91,92 ave	50	*220-1,23-5 f	9.70	*523A-J	1.50	**1217	20	*B81 f	2.70			
**B128	2.25	*31 s/d	24.75	*92 f	9.00	*220-5 f-vf	12.50	548-52	2.30	**1217 blk (4)	75	B81	4.15			
B128 blk(4)	5.00	31 s/d	5.65	*92 s/d	3.40	*220-5 f	10.00	*568-71 s/d	75	**1219	20	*B83	11.40			
*B135-37	5.15	*32 f	86.00	*92b s/d w/cert	67.50	*220-5 ave-f	8.75	*575	6.00	**1219 blk (4)	75	B83	10.00			
**B142-4	7.00	*32 ave-f	75.00	93	12.50	*224 s/d	55	575	45	**1220	70	*B84	2.80			
*B151-3	4.75	*32 ave	64.50	93 f	10.00	*225	10.80	**590	2.65	**1220 blk (4)	2.80	**B89A	6.75			
**B152	2.00	32 f	2.00	93 ave	7.50	*225 f	7.20	**612-15	9.00	**1222	20	*B90-1	10.30			
*B154-6	7.80	32 ave-f	1.75	93 s/d	3.75	*225 f rd cor	3.60	*623	25	**1222 blk (4)	75	*B90-1	4.80			
**B160-2	5.10	*33 perf toning	52.00	93 perfin	3.75	*226b	75.00	**630-2	11.15	**1227-9	75	*B90	1.95			
**B166-8	2.45	*33 reperf	35.00	94 s/d	5.25	**228a f-vf	450.00	*630-2	8.90	**1230-1	60	*B92	3.20			
*B176-8	2.70	*33 ave	52.50	95 f	30	*242 s/d	30	*634-36	85	**1236-9	1.20	*B92-6	11.35			
**B179-81	2.25	*33 ave ng	52.50	95 s/d	85	*242,5 f	1.55	**649	3.00	**1237	30	*B93	7.20			
**B185-7	2.05	*34 f	250.00	96 s/d	10.50	*243-4 f	2.10	649	1.65	**1243	30	*B93 s/d	2.40			
**B194-96	2.20	34 f	5.00	97 ave	50	*244	2.40	*650-54	12.60	**1243 blk (4)	1.20	*B94-5	1.80			
**B197-99	2.85	34 ave	3.75	97-102	24.80	*244 f	1.60	650-54	1.20	**1247	30	*B95	90			
**B200-2	3.00	34a	1.90	98 ave	1.30	*244 s/d	60	*654	9.00	**1247 blk (4)	1.20	*B97-100	20.25			
**B224-6	2.50	34a	15.00	98 s/d	65	246 s/d	90.00	*659-63	1.10	**1251-5	2.20	*B97-100	8.40			
**B227-9	2.60	34a f	12.00	98-9 f-vf	4.65	248	1.20	*668	45	**1256	30	*B101-2	12.20			
**B230-32	2.10	34a ave	9.00	98-9 f	3.70	252	3.25	*671-2	1.80	**1256 blk (4)	1.20	*B101-2	4.20			
**B238-40	2.55	35 f	3.20	98a s/d	90	252 f	2.60	*673	2.70	**1257-9	1.05	*B102	2.10			
**B241-43	2.60	*36 s/d	120.00	*99	204.00	252 s/d	1.00	*673-4	5.10	**1260-2	1.15	*B104-7	7.35			
**B244	2.25	36	10.00	*99 s/d	51.00	258-62	2.15	*679	3.90	**1269	25	*B108-9	1.80			
**B245-7	3.25	36 f	8.00	99	2.50	258-62 f-vf	1.90	*694-99	1.05	**1269 blk (4)	1.00	*B112-3	7.35			
**B248	2.25	36 ave	6.00	99 f	2.00	258-62 s/d	65	**700-5	46.00	**1273-76	1.50	*B112-3	5.85			
*C1 thin	28.00	36 s/d	3.00	99 ave	1.50	*261 s/d	1.35	*700-05	36.70	**1274	40	B112-13	1.50			
**C3	15.00	36a f	9.60	99 s/d	75	*262 toning	13.50	700-5	6.15	**1275	40	*B117-28	24.75			
*C3	12.00	36a s/d	3.60	*100 f	29.00	*262 rd cor	9.00	705	5.50	**1276	40	*B117-28	20.00			
*C3 thin	5.00	37 f	300.00	*100 ave-f ng	21.75	262	1.40	**711-5	19.65	*1281	70	*B135-46	25.00			
C3	5.00	37 s/d	112.50	*100 ave	21.75	294	7.50	*711-15	15.75	**1292 sht (50)	11.25	*B135-41	14.70			
C3-5	4.30	*38 f	50.00	*100 paper	17.00	294 s/d	2.25	715	50	**1295	40	*B143	2.10			
C3-4	3.90	*38 thin	25.00	*101 ave	63.00	296-7	3.25	719-24	90	**1295-7	1.15	*B144	2.10			
**C4	26.25	*38 s/d	18.75	*101 s/d	31.50	297	2.15	726	1.50	**1296	40	*B145	2.10			
C4	60	38 s/d	15.00	101 ave	80	297 f	1.70	**732	3.00	1325a	1.25	*B146	2.10			
C8	25	38a s/d	23.25	101 s/d	40	*300	21.75	**770	4.50	**1328	75	*B147-8	15.00			
*M4-7	2.10	*41 minor toning	63.00	102 f	14.00	*300	8.40	**771	3.95	**1359-62	3.75	*B147-8	12.00			
ALAND ISLANDS																
**24	75	41 ave	48.00	104 f	55	300	1.00	**801-4	11.70	**1394	1.00	*B147a	13.50			
**25	75	41a f	70.00	105 f	55	*300,300a	41.40	*801-4	9.35	**1425-8	3.10	*B147a ng	6.75			
**28	75	41a s/d	26.25	105 ave	40	**300a s/d	21.75	801-4	1.25	**1650	40	*B152a	9.40			
**31-33	6.00	42a s/d	13.50	106 f	1.00	*300a	33.00	*804	6.75	**1650 blk (4)	1.60	*B152a	7.50			
33	5.00	46 s/d	30.00	*112 ave	90	*300a ng	16.50	**804 toning	2.70	**1683	65	*B153-57	36.00			
**112a bklt	6.00	46a s/d	101.25	113 f ng	10	300a	9.50	804	90	**1723-7	2.65	*B157a	75.00			
**118	85	47	50.00	118 ave	2.80	*301 dist gum	5.25	*805-6	3.95	**1775-6	1.75	*B157a	60.00			
**140-43	2.40	48 f	100.00	*119 f	50.00	*301 toning	5.25	*805-6	3.15	**1799	70	*B161-6	5.85			
**155a bklt	6.00	*50 f ng	12.00	*121 s/d	2.25	*301 thin	3.50	*811-16	6.70	**1821	7.50	B161-66	4.90			
**156	90	*50 ave	12.00	*121-3,5 s/d-vf	50.00	*302 trop stain	8.25	*817	1.20	**1849-52	2.50	*B167-72	8.55			
**161	3.40	*50 s/d	6.00	*122 s/d	4.35	302	2.10	**821-4	2.80	**1853-6	3.25	*B167-72	6.85			
**210-11	4.15	50 f	4.60	*122 f-vf no gum	8.70	*304	12.00	*837-9	14.40	*1870-3	3.15	*B178	90			
**215	75	50 ave	3.45	*123 ng	30.00	*304 f	8.00	*840-44	23.25	**1884c	75	*B179-84	6.75			
**216	1.50	50,1,6 s/d	4.45	*123 s/d	15.00	304	90	*865-8	2.80	**1891	70	*B179-84	5.40			
**222	2.25	50-9 f	62.15	*125	15.90	*305	14.25	*865-8	2.25	**1968	1.70	*B185-89	1.80			
**222a	9.00	*51 ave	24.00	*125 ppr on back	8.00	**306	28.15	*873	25	**1995-99	4.20	*B197-200	1.00			
**223	1.35	*51 ave ng	24.00	*125 f	10.60	*306	10.50	*874-7	2.50	**2014	75	*B207-12	5.65			
**225 bklt	9.00	51 f	5.40	*125 s/d	4.00	**308	28.15	*878	25	**2036-37	1.90	*B207-12	4.50			
**249a bklt	12.40	51 ave	4.05	126	37.50	*308	11.40	*879-82	3.00	**2038-41	6.75	*B233-36	1.75			
**252-3	3.75	51 str edge	2.05	126 f	30.00	308	1.35	*889-90	1.25	**2045-7	2.00	*B238-43	11.85			
**265a bklt	13.10	51 s/d	2.05	126 ave	22.50	*309-10	5.25	*896-903	1.20	**2103	95	*B244-47	5.30			
**266a bklt	18.00	*52 s/d	37.50	126 s/d	11.25	310	1.65	*907-9	22.50	*2124	75	*B267-72	34.00			
**270-1	11.20	52 s/d	6.00	126 perfin s/d	11.00	*311-12	15.30									

4