



WORLDWIDE

GABON - HUNGARY

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
GABON																	
192	.65	**388-90	3.55	88	75	670-85	18.85	*767 ng	.30	**1029-30,2-3,5-6	2.70	**1283-85	2.25				
**240-3	3.40	**391-93	1.00	89 s/d	20	670-85(*674)	18.55	*771-2	2.90	1029-31,33-4,8	.80	1283,86-97	1.90				
**284-9	5.80	**394-97	.90	91	.95	671,3 pr	10.00	**771-2A	6.80	**1033	1.00	1299	.15				
*294	.60	**397a	.60	93	2.40	671,5-8	3.50	**772	3.40	1037	.55	**1299,1301	1.00				
**298-300	.80	**413-16	1.75	93 f	1.90	671-3,5-82.5	7.20	**772A	4.90	**1044 s/d	.30	1299-1305	1.25				
**514	2.10	**413-16 gtr prs	3.50	93 s/d	.75	673	1.30	*776	.90	1044	.15	1300	.15				
**973-4	4.80	*417-19	.55	99	1.15	675,7 pr	10.00	776	.75	**1046	.25	1301	.15				
*C1 thin	1.50	**426-28	.75	100	1.00	676	.45	*790-1	1.80	1047-9	.45	1302-5	.70				
**C2	3.40	*426-28	.55	*100c separations	16.50	678	.45	790-1	.30	1052-3,55,60	.55	1308-12,4-5	1.45				
*C4	3.00	**432-35	47.00	113	.95	679-83,5	9.50	*790-1	.30	**1054	.25	1309	.15				
**C6	2.25	**485-88	13.90	113 f	.75	680-5	10.20	**792 blk(4)	1.20	1063-5	.40	1310	.15				
**C9-10	3.40	**493-96	1.30	118-9,21-32 s/d-vf	11.80	*681 s/d	5.65	**793-6	8.60	1064-5	.25	1311	.20				
*C14-7	25.00	**498-503,505-6	4.20	119	.25	682	.25	**793-7	11.40	**1067-69A	1.30	1312	.20				
*C16	11.25	**515-18	35.25	120	.95	683	7.25	*793-7	9.15	1067-9A	.60	1313	.25				
*C25a	8.40	**537	9.40	121	1.10	683 f	5.80	793-7	1.10	1072,75,80	.40	1314	.40				
**C49	3.40	**542	3.60	123	1.40	683 s/d	2.20	794	.15	**1074-85	9.30	1315	.35				
**C50	3.00	**566	2.25	124	.95	684 f-vf	.85	794 pair	.30	1074-85	1.85	1321-40	3.15				
C50	.90	**598	4.00	126	.80	684-5	2.10	795	.15	1075-82,5	1.60	1322	.35				
*C59	1.65	**620-7	7.05	127 f	.75	685	1.15	**796	7.90	**1074,6-82,3,5	7.50	1322-9	1.40				
*C60	.70	**628	3.60	128	1.15	685 s/d	.30	*796	.40	1078	.15	1330	.20				
C62	1.00	**628-9	12.40	129	1.15	685 str of 3	3.40	*796-7	8.55	1079	.15	1331-57	4.20				
**C63	1.90	**629	3.60	130	.95	*686	45.00	796-97	.75	**1080	1.20	1332	.15				
**C68-9	3.15	**702a-L	12.00	131	.75	686 s/d	2.25	**804b,d	3.90	*1080	1.00	1341-65	3.75				
*C69a	3.90	**708	5.80	132	1.15	*688	18.00	**804b,d,e	5.85	1080	.15	1344-5	.30				
*C73a	6.60	**709-16	9.60	132 f	.90	688	6.00	804d	3.75	**1081	.75	**1346	.80				
**C83-5	12.75	**728	1.70	137	1.00	688 f	4.80	*805-6	1.05	1083	.15	*1346	.65				
**C90	15.00	**836-43	13.50	137-43	6.00	*689	8.65	*805-6	.80	*1085	3.00	1349-50	.20				
**C92-94	4.50	**844	6.00	144	.80	*691	11.25	805-6	.30	1085	.55	1350	.20				
*C92-94	3.35	**845	6.00	156	.70	*691 f	7.50	*807-8	1.50	**1089-90	.85	1353	.25				
**C94a	4.90	**985-87	4.80	160	.70	*691	3.90	*807-8	1.20	**1091	.40	**1355	.75				
*C102-2B	6.20	**1016a	4.30	172	.75	691	3.75	807-8	1.00	**1097	.60	1356	.25				
*C104 imp	10.20	**1017	4.30	177	.75	*692	3.40	*808	1.35	1100-5	.90	*1357	.45				
*C108E imp	1.50	**1111	6.75	204	.70	*692 f	2.25	*808	1.05	1107,10,4,5,19-21	.75	1358-83	3.90				
**C109-11	6.80	**1227-30	5.40	213	.95	*692	.90	808	.90	**1114-15	.65	*1359	.50				
*C109-11	4.45	**1293-1300	9.60	222	.75	*693	32.00	**809	.75	1119-22	.65	1359-60	.30				
*C111a imp	3.60	**1301-2	9.75	**223	.15	693	6.75	809	.50	1122	.35	1362	.25				
**C141-2	5.25	**1389	13.50	224	.75	693 f	5.40	809-10	.65	1124-31	1.45	1363	.15				
**C150-1	5.65	**1538a-d	14.10	**227	.20	*694 ng	1.60	811-2	.50	1129-31	.60	*1364-71	4.85				
*C152	8.25	**1539a-d	14.10	227	.75	694	2.25	*812	.50	1132-9,41-4	1.90	**1366-84,B594-604,					
**C160-1	3.45	**1567-74	8.65	229	.75	694 f	1.80	**813-4	.45	1139	.40	9N471-79,9NB187-97,					
*C169	8.25	**1576	4.75	231	.75	695	9.50	*813-6	1.40	**1140	1.20	1982 year set in folder					
**C222	4.15	*1604	7.50	231 s/d	.20	701	7.50	*813-6	1.15	**1142	.40		40.00				
C231	.60	**1613-16	6.75	*251 ng	.10	704,6,8-21	7.65	813-6	.90	**1143	.40	1366-83	2.65				
C237	.40	*1617	9.00	*289a ng	15.75	704,6,8-17,19-21	6.65	814-5	.25	1144	.25	1367	.15				
*J34-45 prs	4.90	**1617a-l	9.00	298	.95	708	.15	816	.50	1146-58	2.25	1372	.15				
*J35a,37a	.50	**1618-19	9.00	323-5,7-8	1.45	710	.15	*818-20	1.45	**1146-47	1.80	1372-83	1.80				
*SG#1971	5.00	**1633	2.65	324a f-vf	95.00	712	2.25	*818-20	1.15	**1150	.65	1384a-c	.40				
GAMBIA																	
*12-19	55.00	**1729-34	9.00	327	.50	712 f-vf	2.00	818-20	.70	1151-3	.50	1384c	.40				
*22	4.20	**1805	7.25	328	.55	712 s/d	.70	820	.45	**1155-8	1.80	1385-6	.45				
*25 f	8.00	**1806	8.25	338	.75	715	.30	*821	1.70	1159-60,62-9	1.65	1385-1408	4.80				
*27	27.00	**1805-6	15.50	338 f	1.40	716	.30	*821	1.35	**1161	1.00	1392-3	.35				
*31	30.00	**1826-39	23.00	347-9	.95	716 f	.65	821	.90	1162-9	1.00	1393	.20				
*32	14.50	**1898-1900	27.00	350 f	6.00	716 s/d	.25	*821-2	1.90	**1163	.65	1394-8	1.00				
*33	6.00	**2007-10	6.40	351-62	9.10	717	.35	821-3	1.20	**1164-65	.75	*1400-1	1.15				
*35	30.00	**2011	6.60	351-62 s/d-vf	6.30	717 f	.25	827-9,32,38	.65	**1170-5,7-9,81,3-6		1401-2	.45				
*36	7.80	**2012	3.40	351-62(no 356)	8.90	717,20-1	1.85	*834	.25	88-9,92	15.60	1405	.25				
*45	10.50	**2013	3.75	353-7,60	1.35	717-18	1.35	*836	.30	*1170-4,7-9,81,83,		**1408	1.00				
*79	3.90	**2014	5.65	357	.55	718	1.00	836	.20	85,88,92	6.30	1409-19,21-31	4.35				
*80	3.60	**2015	3.75	361	3.75	718 s/d	.30	*844-45	.45	*used 1170-92	8.50	1409-11,13,5-6,8-9,					
111 f	38.00	**2133a-i	5.50	362	2.50	719-20	.65	*852-3	.50	1170-92	5.65	23-6,28-31	3.10				
*125-28	7.85	*2134a-i	5.50	362 s/d	.75	719-21	1.65	*860	.15	1170-83,5-6,8	5.20	*1412-4	2.10				
*129-31	.60	**2203	6.75	366-70,3-4	2.50	719-21 s/d	.50	863-5	.55	1171-2,4,6-9,81	1.05	1414-19	1.20				
*132-43	60.00	**2204-5	6.75	366-74,6-8,80	6.80	720	.50	*866	.25	1171-9	1.15	*1415-6	1.25				
140	1.25	**2346-48a-f	21.00	366-74,6-84	14.55	720-1	1.50	*867-8	.35	1171-9,81-4,6-92	4.95	1415-6	.35				
*146-47	12.80	**2349-51	12.50	366-74,76-82,84	11.15	721	1.00	*867-8	.30	1171-9,81-4,7-8	4.45	1428	.25				
*148-51	1.65	**2652	7.50	366-84	16.40	*724	5.10	867-8	.25	**1178	.45	1430	.20				
*153-66	69.00	**2676	8.25	366-84 s/d-vf	13.00	*724	4.05	868,881	.25	1180	.30	1432-52	4.40				
**172	.85	**2753-60	8.25	374	.30	*727	8.10	880-2	.40	1181	.15	1437	.30				
*173-74	.65	**2780	9.75	375 s/d	.60	**728	6.75	*891-4	.75	1182	.30	1439	.20				
*175-79,81-82	8.00	**2844	3.20	377 f-vf	.40	*733	2.25	903-12	1.15	1183	.20	1441	.20				
*183	8.70	**2845	10.90	380	1.50	*733 f	1.50	905	.15	1184	.40	1445	.25				
*184	5.25	**2846															

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
1516		20	1872		30	2265-8	2.25	B408-11	70	**B855-9	7.60	**5NB8a	43.00	*9N215-6,18-20	1.90			
1517		20	1878		25	2270-5	3.00	**B416-17	65	B855-9	5.00	**5NB8b	43.00	9N217,8,20,2 blks(4)	6.80			
1519		20	1878-80	2.15	2288A	35	**B417	40	B856	75	**used6N1-11,13-15	2.00	**9N218	45				
1523		20	1879	75	2289-92,94-2306	9.10	B421	45	B858	80	*,used 6N16,17,19,21-26	2.10	**9N219,21	2.10				
1524		20	1881-95	6.40	2289-2306(no2301)	9.10	**B430-33	1.80	**B860-1	2.25		1.65	**9N223-34	2.50				
1525		20	1881-2,84-95	5.20	2290	40	B439,40	25	B861	80	6N23	30	(used 9N226)	2.50				
1526		20	1882	30	2291A	40	B441	40	B873-7	5.40	**8N11-3	2.65	9N223-31,3	1.75				
1527		20	**1889	75	2294	45	**B442-45	1.90	B875	90	**8NB5-6	11.25	9N223-6,28-9,32-4	1.95				
1528		20	1889-93	2.15	2305	40	**B454	30	B876	90	9N13	9.75	9N223-34	2.45				
1530		20	**1892	75	2307-12,14-15,17-22,24	13.00	**B455-58	2.25	B877	1.90	9N13 f-vf	8.75	*9N229	25				
1532		30	1893	30	26B	13.00	**B459-62	2.50	B879	70	9N13 f	7.80	**9N231	35				
1533		40	1894-5	1.15	2314	35	*B459-62	2.00	B890 s/d	30	9N15 s/d	2.95	**9N235-48	5.55				
1534		35	1898-1901	1.25	2315	40	**B460	40	B890-4	6.30	**9N32 stain	27.00	9N237-8,40,2,4-6,8	2.60				
1536		25	1898-1905	3.75	2317	50	B460,2	1.00	B892	1.00	9N33	200.00	9N242	25				
1537		30	1900	40	2318	65	**B461	75	B893	1.00	**9N38	145.00	**9N243	1.00				
**1538	2.25	1901	30	2320	70	**B462	1.00	B896	1.00	9N39	13.00	**9N248	90					
1538		30	1902	1.50	2320-1	1.75	**B463-66	1.30	B907	1.20	9N40	40.00	**9N250	1.50				
1539		50	1903-5,7,9-10	1.85	2321	1.05	**B475	1.10	B910-4	6.60	9N41	45.00	**9N251-5	3.95				
1540		60	1907	30	2326B	70	B475	65	B910-4 s/d	2.00	9N42-4,9N62	38.00	**9N251-4	1.00				
**1541-48	6.15	1909-20	4.10	2328-9	1.30	**B475a	2.25	B913	1.00	9N42-6,8-58,60	11.90	*9N251-5 coil strps(7)	4.00					
1541-67	5.70	1919	25	2328-33,35-38,40-43	8.55	**B475b-e	2.35	B914	2.65	9N42-60	18.55	9N251-3 strp of 3	1.00					
1544		25	1922	45	2329	70	**B476-79	1.45	B923-7	6.60	9N47	20	*9N251b	50				
1544-7	90	1926	20	2338-43	2.25	B479	55	B929	90	9N51 pair	65	**9N251c	1.95					
1546		30	1938-45	3.60	2344-5B	1.30	**B496-99	4.25	**B936-40	9.90	9N51	35	9N252 blk (4)	50				
1556		25	1942-6	1.15	2344-6	1.65	**B498-9	3.15	B941-45	6.60	9N54	20	**9N252,4	60				
1556-7	45	1943	35	2345A-B	60	**B502	2.25	B942	1.00	9N55	35	**9N252a	1.50					
1561-67	1.60	1947-8,50-8	3.85	2347A	1.75	**B503-6	2.25	B943	1.00	9N55 pr	65	9N253a	1.20					
*,**1565-83	18.90	1948	35	2349-55	3.30	B506	65	B944	1.00	9N58	65	**9N254-55	3.40					
1568-90	5.65	1960-4,66	3.10	2350-5	2.95	**B508-11	3.75	B945	2.65	9N59	6.50	**9N254	50					
1569		25	1960-7	3.75	2357-74,76-86	16.15	**B516	60	B947	90	9N59 s/d	1.95	9N254 blk (4)	70				
1571		25	**1964	75	2363-6	1.50	**B521-24	1.85	B959-60	1.65	**9N61 crease	25.00	**9N255	3.00				
1573-4	35	1967	35	2368-9	2.25	B524	60	B960	90	9N63	16.25	9N255	2.15					
1575-7	70	1969-70,72	1.00	2369	1.10	**B525	85	B961-5	6.25	9N64-67	13.35	**9N261	75					
1576		25	1970	35	2373-73A	90	**B526-9	2.50	B964	2.65	9N67 s/d	2.20	**9N267,9,71-4	2.25				
1577		35	1972	35	2373A	50	B535	30	B965	1.00	**9N68	56.00	**9N267,9,71	60				
**1578	1.10	1974	35	2379	45	B544	25	B978-9	1.75	9N77 s/d	1.95	**9N280-2	1.20					
**1579	1.10	1974-6	1.15	2384	1.30	B553	15	B980	2.40	9N78 on pc	25.00	**9N288	60					
1579		30	1975	35	2390-3,5-8,400	4.10	**B553-6	1.80	B980 s/d	75	9N78	25.00	**9N292	60				
1582-4	85	1976	35	2391	45	B553,5	45	B981	1.05	9N79 s/d	1.95	9N295	95					
1584		25	1977-93	7.65	2402	40	B555	30	B983	90	9N80	9.75	**9N297	75				
*1584-6	1.65	1979-84	2.00	2407	40	**B564 sht (10)	7.15	B990-1	1.75	**9N82-3	16.50	**9N300	1.35					
1586		25	1980	35	2420	40	B567	30	B991	95	**9N83	11.50	9N301	60				
1587		25	1980-1	75	2424,26-9	3.20	B577	25	B992-5	5.50	9N83(2) on pc	21.00	**9N302-4	1.10				
1589		25	1981	35	2428A	40	**B577-80	2.10	B996	1.05	*,used 9N84-93	15.35	**9N310	1.00				
1590		25	1982	40	2431-8	30	B578	30	B1002-5	4.70	9N84-5,87-93	14.95	9N310	80				
1590-3	95	1983	40	**2440	85	B579	35	B1006	1.05	9N85(2),9N88	12.65	**9N312	50					
1591		25	1988	40	2440-8	5.50	**B581 sht (10)	4.90	B1008-9	1.60	9N85,89,92 on pc	8.95	**9N316-24	5.85				
1591-1618(no 1610)	7.15	1989	40	2441A	40	**B581	50	B1009	90	9N88-93 s/d-vf	8.95	**9N316-21,23-4	16.70					
1593		30	1992	40	2442	40	B582	40	B1010-3	5.15	9N92	3.25	coil strips of 3	1.00				
1594		30	1994-7	1.50	2444	1.00	B590	25	B1010-4	6.05	9N93 pr on pc	2.00	**9N317-8,20-1	90				
1594-7	1.10	1996	40	2451-6	3.00	B591	35	B1014	90	9N93	1.00	**9N321-4	4.80					
1600		30	1998-9,2001-4	3.10	2460-1,63-9A	6.85	B600	25	B1024-25	1.60	*9N94-98	14.20	*9N322	1.00				
1600-4	1.25	2001	1.20	2464	40	B600-1	55	B1026-9	3.80	9N97	4.90	9N322	55					
1601		20	2006-9	1.70	2466	35	B600-2	90	B1026-30	4.70	9N98	11.50	*9N323	1.20				
**1603	1.00	2010-3	1.40	2468A	70	B600-4	2.00	**C24	125.00	9N101-2	2.65	9N323	95					
1607		30	2015-28	7.70	2469A	1.15	B601	30	**C25	320.00	9N102	1.00	9N323A	45				
1608		25	2015-9,21-3	4.40	2471-6	3.00	B602	50	**C26	409.00	**9N103	5.25	9N324	50				
1608-9,11-13	1.45	2021	1.15	2478,80-81,83	2.00	B604	50	C46-56(C49 missing)37.50	37.50	*9N104	6.00	**9N326-7	70					
*1609,11	1.30	2021-2	2.25	2484-9	2.25	B611	25	C46-52,54-5	15.15	9N109	1.30	**9N328-30	1.05					
1611		25	2022	1.15	2486-9	1.50	*B611-4	2.05	C53	1.90	9N109 pr	2.60	9N328-30	60				
1612-6	1.35	2024	40	2490	40	B611-15	2.25	C54	1.30	*9N109-10	68.50	**9N331-33	1.60					
1613		40	2024-5,27-32	4.20	2491-4	1.45	B612	30	C55	9.50	*9N110	51.00	**9N332-33	85				
1614		25	2029-31	1.30	**2492	90	B613	55	**C56 hor gum	200.00	**9N111	6.40	9N332-33	40				
1616		30	2032-9	3.40	2494	40	B623	30	C56 hor gum	250.00	*9N111	5.10	**9N334	45				
1617-8	60	2034-9	2.55	2495,97-2511	7.90	B623-27	2.60	**C61-4	17.50	9N111	1.50	**9N335-7	1.50					
1620		30	2043	40	**2498	1.00	B625	50	**C61-4 blks	70.00	**9N113-14	5.70	**9N341-2	95				
1620-5	1.35	2043-50	4.85	2504-17	7.00	**B627	80	*C61-4	14.00	*9N113-14	4.55	**9N346	1.50					
1621-5	1.10	2050	1.05	2513-18	3.00	**B635a	3.40	C61-4	6.25	*9N113-14 dist gum	3.00	9N346	65					
1622		25	2052	40	2514	30	B636-9	1.85	C61,64	3.25	9N113-14	1.85	9N349	25				
1625		25	2056	1.20	2531-5	2.10	B638	50	C61-2,4	3.75	*9N113-15	15.00	**9N353	50				
**1626	1.20	2057	40	2532	40	B647,8,50	1.15	C62-4	5.90	**9N115	13.15	**9N354-8	3.00					
1627		25	2058	45	2534	40	B648,50	95	*C63	3.45	*9N115	10.50	9N358	60				
**1627-9	2.40	2059	40	2537-40	1.45	B650	55	C63	2.50	9N115	8.25	9N360-65,67-68	1.15					
1627-9	60	2060-78	9.05	2537-43	3.30	**B651	1.05	C63 f	2.00	9N118-9	1.95	9N369	40					
**1630-4	4.95	2078	60	2540	40	B658	55	C63-4	5.40	**9N120-30,2,4-6	26.70	9N370	55					
1630-3	75	2080	40	2546-7	80	**B658-61	3.25	C64	2.90	**9N120,21-24,26-35,30-0	9N375A	95						
1636-7	50	2080-2105	15.85	2553-4	1.40	B658-62	2.75	C64 f	2.30	*,used 9N120-1,3-35	14.30	9N376	1.65					
1638-40	50	2101	1.30	**B90	18.00	B670,2	70	O2	80	9N120-1,3,6,8,30-4	11.35	**9N379	50					
1642		25	2106-12	3.65	**B93-101	45.00	B670-4	2.20	O2,5-10,12-3	9.30	9N123,6-9,31-5	11.00	**9N381-7	3.70				
1642-8	1.35	2113-4,16	1.15	**B104	180.00	B671	40	O4	1.15	9N126 pr	25							

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**9N471-3.		2.00	9NB194.....		.45	* MI#S112.....		.30.00	89.....		1.00	**172-3.....		.340	C2-4.....		.35
*9N471-3.....		1.60	9NB195.....		.65	* MI#S119,123.....		.14.40	**90.....		3.40	172-3.....		2.25	C14.....		.25
**9N474-5.....		1.50	9NB197.....		.40	* MI#S123.....		.13.20	*90.....		3.00	173.....		1.25	O1-3,5,7-9,11-2,15.....		1.25
9N475.....		.50	**9NB198-201.....		4.00	* MI#S124.....		.72.00	*90 ng.....		1.20	**187-204.....		173.00	O1-12,14-6.....		1.90
9N477.....		.40	**9NB202-3.....		2.25	* MI#S126.....		.72.00	90.....		1.00	*187,92,4,9,202-3.....		21.95	O18-27.....		1.25
**9N479.....		.80	9NB204.....		.25	* MI#S140,142.....		.16.80	**91.....		3.75	*187-90,92-204.....		28.00	*O19.....		1.50
9N479.....		.50	**9NB204-7.....		3.60	* MI#S157.....		4.80	**92.....		3.75	187-94,6-203.....		2.15	*O19 ng.....		.70
**9N480-3.....		4.10	**9NB213-5.....		3.65	* MI#S169,170.....		.26.40	*92-3.....		5.25	187-96,98-204.....		1.70	*O21.....		1.50
**9N484.....		1.10	9NB213-5.....		2.05	* MI#S191.....		.60	**96-7.....		3.60	187-96,99-204.....		1.60	*O21 ng.....		.80
9N484.....		.70	9NB216.....		.40	* MI#S196,198.....		.26.40	*96-7.....		2.85	187-204.....		2.25	*O23.....		1.20
**9N484-5.....		1.70	9NB216-8.....		1.70	* MI#S219.....		.6.60	**98.....		2.25	187-8,90-203.....		2.00	O28-32.....		.70
*9N484-6.....		1.95	9NB218.....		.90	MI#S219.....		3.25	**100-2.....		5.65	188a.....		14.00	*O35.....		.90
**9N487.....		1.00	**9NB220.....		.75	MI#S227.....		4.50	*100-2.....		4.50	188b.....		14.00	O36.....		1.25
*9N487.....		.80	**9NB221-2.....		2.40	* MI#S228.....		.13.00	*102 ng.....		.90	*189.....		2.40	*used 10N29-44.....		11.60
19N487.....		.55	9NB226.....		1.50	* MI#S230 s/d.....		3.30	102.....		1.50	*192-5.....		49.00	10N29-32,4-6,8-44.....		9.30
**9N488-91.....		3.70	9NB227-30.....		2.70	MI#S231.....		.65	103.....		2.40	*195.....		36.00	10N29-33,5-7,9,41-3 f-vf.....		
*9N488-91.....		2.95	**9NB231.....		.75	MI#S234.....		1.50	103-5 s/d.....		2.15	*197.....		1.95			
9N491.....		.80	9NB231.....		.45	* MI#S235.....		1.20	*104.....		1.95	*198.....		1.20	10N29-33,35-7,9,42 f-vf.....		
**9N492-7.....		4.60	**9NB232.....		1.10	** MI#S237.....		1.20	**108-9.....		3.00	**203.....		3.00			
*9N492-7.....		3.70	**9NB232-3.....		2.40	* MI#S240.....		.22.80	*used 108-9.....		1.50	**216-9,221-3.....		13.85	*10N29-44.....		8.70
9N495.....		.55	**9NB234-7.....		3.90	* MI#S242.....		.22.80	108-9.....		1.15	**216-22.....		8.20	*used 10N29-44.....		7.15
**9N498-501.....		3.30	9NB234-5.....		1.30	* MI#S243.....		6.60	*109.....		1.35	**216-23.....		14.55	*used 10N29-44 s/d-vf.....		
9N499.....		.65	9NB238.....		.50	* MI#SK15.....		5.00	*110.....		1.05	**216-23.....		13.00			
9N500.....		.45	**9NB238-41.....		3.70	* MI#SK29.....		.95	**111.....		1.30	*216-23.....		11.65	10N29-32,4-6,9,41-3.....		6.30
**9N502.....		.90	**9NB238-41.....		2.95	* MI#SK30.....		1.00	*111.....		1.00	*216-23.....		1.00	*10N29,36,8-44.....		6.50
9N502.....		.45	9NB239.....		.65	MI#SK30.....		.85	113-15.....		2.65	*216,9,21-3.....		.90	10N29-33,5-7,9-44.....		7.60
9N508.....		.50	9NB239-40.....		1.25	* MI#SK31.....		1.20	**114.....		15.75	**223.....		6.00	10N29-44.....		10.00
**9N510-1.....		1.95	**9NB242.....		.60	*MI#W16.....		1.80	114.....		.75	*224-5.....		2.70	10N29-44 f-vf.....		8.00
9N512.....		.60	9NB242.....		.45	* MI#W21.....		30.00	**115.....		15.00	*225.....		1.20	10N32,5,9-44.....		5.90
**9N512-4.....		2.85	**9NB243.....		1.00	* MI#W27.....		4.50	115.....		.65	**226a cr.....		10.00	**10N33.....		1.95
*9N512-4.....		2.30	9NB249.....		.35	* MI#W28.....		7.80	**118-9.....		2.25	**227.....		1.15	**10N35.....		4.25
9N514.....		.70	*9NB249-52.....		2.65	* MI#W29 s/d.....		4.80	*used 118-9.....		1.85	227-7b.....		.25	10N39.....		.80
**9N515.....		1.00	9NB249-52.....		2.40	* MI#W30.....		7.20	118-19.....		2.30	**227-30A.....		17.65	*10N40.....		2.40
*9N515.....		.80	9NB252.....		.80	MI#W30.....		1.75	**119.....		1.10	*227-30A.....		14.80	**10N42.....		6.25
9N515.....		.55	9NB253.....		.40	** MI#W41.....		3.35	*119.....		.90	*227-30A (no 227B).....		13.35	*10N42.....		1.45
9N516.....		.90	9NB256.....		.80	* MI#W46.....		36.00	119.....		1.50	227-28-30A.....		.60	*10N43.....		.25
**9N516-8,20-32.....		35.00	9NB261.....		.45	MI#W47.....		7.50	*120-1 ng.....		5.10	227a.....		14.00	10N43.....		.90
9N519.....		1.65	9NB263.....		.50	* MI#W55.....		24.00	**121.....		7.50	*227B.....		1.45	*10N44 f.....		.25
9N520.....		1.15	9NB272.....		.90	* MI#W55 s/d.....		6.00	*121.....		6.00	*227B, 30A.....		6.50	10N44.....		1.40
9N521.....		1.65	9NB272-4.....		3.50	* MI#W57.....		24.00	121.....		.25	**228.....		1.30	16N4.....		1.00
9N522.....		1.15	9NB274.....		1.50	* MI#W58.....		36.00	*122.....		1.50	**229.....		3.00			
**9N530.....		4.90	9NB283.....		.90	* MI#W67.....		3.60	**122-36.....		265.00	*229.....		2.25	BADEN		
9N530.....		8.00	9NB285.....		1.50	MI#W71.....		.60	*122-8,31,3-4,6 toning.....			**229-30A.....		13.30	4a f.....		64.00
9N532.....		14.00	French Legion Official			* MI#W102, S237.....		9.00	* MI#W102, S237.....		35.00	*229-30A.....		11.10	20 f.....		1.60
*9N536.....		1.00	Courier *III/V ng.....		100.00	* MI#W104.....		2.60	*used 122-36.....		90.00	**230.....		4.70	25 ave-f.....		787.00
9N536.....		.65	**Einheit II.....		35.00	MI#W104.....		2.40	*used 122-36 s/d-vf.....		42.00	*230.....		3.75	BAVARIA		
*9N537.....		2.40				MI#W105.....		1.60	**123.....		2.10	*230A.....		6.40	5.....		3.25
9N538.....		.45	GERMANY			MI#W106.....		2.40	*123.....		1.50	*230A.....		4.50	5 s/d.....		1.00
*9N540.....		.90	MICHEL CATALOG			MI#W107.....		2.00	**124.....		1.50	*237a.....		13.10	9 s/d.....		3.00
9N540.....		.50	MI#35c.....		150.00	MI#W108.....		2.75	**124 f.....		1.20	*237a.....		10.50	11 s/d.....		1.80
**9N542.....		.80	MI#48b.....		25.00	* MI#W109 f.....		1.60	*124.....		1.00	*237a stuck.....		2.65	*23a f.....		50.00
9N542.....		.50	**MI#49 Ia blk.....		165.00	MI#W109.....		1.75	**124-6,8,30.....		35.65	*237a s/d.....		3.30	*24.....		14.40
**9N544-55.....		11.35	*MI#60 I.....		23.00	* MI#W110.....		3.30	*125.....		3.75	**243a.....		16.50	*24 f.....		9.60
*9N544-55.....		9.10	*MI#73-96.....		60.00	* MI#W111.....		6.00	*125.....		2.70	**243a light cor crease7.....		7.70	27a s/d.....		71.00
9N547.....		.90	MI#80A s/d.....		7.50	* MI#W111 s/d.....		1.50	*126 f.....		7.50	**264a.....		49.00	**50 f.....		7.50
9N548.....		.50	MI#81A s/d.....		10.00	* MI#W112.....		10.80	**126 s/d.....		1.90	**264a singles.....		31.00	60.....		.30
9N549.....		.50	MI#**81 H Blatt Bklt.....		75.00	* MI#W113.....		7.00	*126.....		6.00	*274.....		11.40	62.....		.30
9N551.....		1.90	MI#82A.....		3.50	** MI#W115.....		1.20	*127.....		2.40	*280.....		6.60	63.....		.40
9N552.....		.50	** MI#84 II.....		1.35	* MI#W115.....		.95	*128.....		3.90	*284-5.....		9.95	70 s/d.....		32.90
9N553.....		.65	*MI#85(2),99(4) bklt pn.....			MI#W115.....		.80	**130.....		9.00	*330 ng.....		1.50	94-111.....		32.90
9N569.....		.55			210.00	** MI#W121.....		1.20	*130.....		9.60	*330c,33a,477b.....		11.25	94-7,9-100,102-11,94-7,9-100,102-11, 113-4.....		
9N576.....		.65	* MI#90 II.....		12.00	MI#W121.....		.80	130 s/d.....		1.20	*330c, 33a, 477b.....		11.25	(108 cr).....		74.00
**9N579.....		.95	* MI#92 II a,b.....		13.20	MI#W123.....		.65	**131.....		3.00	bklt.....		11.25	100.....		1.00
9N579.....		.55	MI# 94A11.....		80.00	* MI#W128.....		10.80	*131.....		1.95	*330c,3a,477b bklt.....		9.00	100.....		1.00
**9N586.....		1.20	MI#95A I,II.....		29.00	MI#W131.....		.80	*131 f.....		2.40	*330c,3a,477b ng bklt.....		4.50	95 f.....		.80
9N587.....		.80	* MI#95 B II a.....		4.20	MI#W133.....		.80	*131 ng.....		1.20	*333a.....		2.40	95 f.....		.80
9NB4-5.....		62.50	MI#96 B II f.....		2.20	MI#W144.....		.80	**132.....		15.00	*443.....		2.70	95-6,6a,98(2),102-4 f-vf.....		
**9NB8-11 toning.....		5.40	* MI#96 B II b.....		9.00				*132.....		12.00	*475.....		5.70	95-7,9,102-7,9.....		7.35
9NB8-11.....		82.00	*MI# 97A1.....		225.00	GERMAN OFFICIALS			*132-5.....		28.35	535-9.....		.65	95-100,102-8.....		13.00
**9NB12.....		9.00	*MI# 97B f.....		25.00	MICHEL CATALOG			**133.....		3.60	*576-81.....		6.55	95-100,2-10.....		15.40
**9NB19-20.....		1.50	MI#99 a,b.....		2.50	MI#23-33.....		20.00	*133.....		2.40	583,85.....		.25	95-110.....		29.00
**9NB20.....		1.05	*MI#100 II.....		85.00	MI#36/50.....		16.50	133.....		1.65	*656a.....		1.30	96.....		1.00
*9NB21-4.....		1.65	MI#101 a,b.....		2.40	* MI#52-6.....		13.00	*134.....		4.90	*656a.....		1.05	96a.....		1.00
**9NB25-28.....		1.05	MI#124 PF VII.....		20.00	*used MI#57-64 f-vf.....		19.80	*134.....		3.90	*740a.....		15.00	97.....		1.00
**9NB33-36.....		.85	MI#164 blk.....		4.00	MI#57-64 f-vf.....		33.00	*134-5 ng.....		4.20	*742a.....		4.50	97.....		1.00
**9NB37-40.....		1.00	MI#166.....		3.50	MI#116b.....		17.50	*135.....		9.00	*744a.....		4.50	97-8,102-4,6-7,9.....		8.00
**9NB53-56.....		1.90	MI#167.....		1.25	** MI#118 blk.....		24.00	*135 ng.....		3.00	744a.....		1.50	98.....		1.00
**9NB57-60.....		.85	MI#170.....		5.50	** MI#118.....		6.00	135.....		4.00	*941-4.....		3.60	99.....		1.00
**9NB61-64.....		1.50	MI#171 strip of 3.....		6.75	GERMAN-TURKEY			**136.....		48.75	*945-48.....		2.50	99 f.....		.80
**9NB65-68.....		1.30	MI#172 strip of 3.....		30.00	MI#173.....		2.25	*136.....		39.00	*977-81,B146.....		2.80	100.....		1.00
**9NB69.....		.25	MI#173.....		2.25	MI# 12-14 II.....		25.00	**137-46.....		15.55	*984a.....					

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**36-8		40.00	**483 sht (10)	6.00	*37 s/d	435.00	111-2	5.35	179 blk stains	16.50	340	1.10	**2165b	18.75			
**41a		60	**484 sht (10)	10.50	39a f	44.00	111-5	19.85	179 f	22.00	340 s/d	30	**2166b	28.00			
**41a		50	**552-55	7.15	42	175.00	111-20 f	82.00	179 s/d	10.50	358 blk(4)	50	**2199a	11.25			
**78-81		90	**627a,629a	6.00	42 f	140.00	111-22 f-vf	157.00	179-80 f	58.00	359	20	**2210a sht	33.75			
**81a		30	**640	95	43 f Malta canc	25.00	111-22 f	140.00	179-81	135.00	359 blk(4)	80	**2221a	14.25			
**104a-6a		3.75	**654a,656a	4.90	43 f	25.00	112	4.65	*180 rd cor	66.00	362 blk(4)	50	**2245a	24.40			
*104a-6a		3.00	**656a	2.65	43 pl 10 ave	45.00	112 f	3.70	180	58.00	367 blk(4)	70	**2246a	18.00			
**104a,106a		3.40	**677a,679a	5.45	43 pl 10 s/d	22.50	112 s/d	1.40	180 heavy canc	22.50	368 blk(4)	70	**2246b	43.00			
*105a		75	**680a-2b	19.50	43 pl 11	36.00	112-19 f	59.00	180 f-vf	40.50	369 blk(4)	1.40	**2245a	17.25			
**106a		2.65	**702	4.90	*43 pl 12 ave ng	143.00	113	8.75	180 f	36.00	371 blk(4)	90	**2246a	12.00			
*107-9		90	**710a	7.75	*43 pl 12 s/d	71.00	113 s/d	2.65	180 s/d	13.50	371-4 s/d	2.00	**2260b	30.00			
**109		75	**716	5.25	43 pl 14 f	37.00	113-22	170.00	183	17.50	372	30	**2273	1.50			
**109a		2.65	**739	1.30	43a pl 8 s/d	13.50	113-22 f-vf	152.00	183 f	14.00	373	1.00	**2273d	30.00			
*109a		2.10	**794-7	5.10	43a pl 13 f	19.00	*114	17.40	183 s/d	5.25	*374	7.50	**2279	6.40			
**131a		95	**802-4	2.80	45 plt 5 s/d	24.00	114	2.90	*187	45	374	3.65	**2294	7.75			
*131a		60	**831a	5.50	48 ave	98.00	114 f	2.30	187a s/d	60	374 ave-s/d	1.10	**2309a	30.00			
*134		1.05	**837-40	4.15	48 ave pl 4	98.00	114 s/d	90	*188 s/d	30	374 s/d	1.20	**2319a	9.75			
**139-42		2.50	**853c,d	10.15	50 s/d	32.00	114-22	161.00	*188	45	**382-84	60	2319c	31.90			
**142a		3.20	**871-4	7.00	*51 pl 9 ave ng	255.00	115 s/d	90	*188 f	45	**387-88	40	**2328a	30.00			
*142a		2.55	**900a	3.00	51 s/d	16.50	116	10.50	188	1.00	389	1.00	**2329a	18.00			
**166a		70	**916a	4.15	51a s/d	16.50	116 perfin	4.80	*189	1.05	*397p	27.00	**2337 sht	30.00			
**170a		60	**917	6.00	*53 pl 1 s/d	637.50	116,19 s/d	5.80	*189	50	**398-400	3.20	**2341a	3.00			
*170a		50	**928-31	4.30	53 pl 1 sh perf	97.50	117	26.25	189	40	399	1.40	**2365a,7a,9a,71a	11.40			
**178a		80	**941	6.00	55 pl 1 f	104.00	117 f	21.00	189b f	1.60	403	15	**2399c	15.00			
**185a		1.00	**965	10.90	*55 pl 1 ave ng	1575.00	117 s/d	7.90	190	75	*410	20	**2410b	30.00			
*185a		80	**1005-8	9.00	55 pl 1 s/d	39.00	117-8	35.00	191	1.75	417	1.00	**2412a	15.00			
**186 sht(12)		11.25	**1010-13	6.20	57 used in		118	8.75	192	1.40	*470-76	1.30	**2413a	18.00			
*191a		1.80	**1040-43	3.75	Constantinople f	310.00	118 f	7.00	193 f	1.10	*492	20	**2413b	33.00			
**192-99		5.10	**1044-47	4.50	57 s/d	117.00	118 s/d	2.65	194	2.00	*493	20	**2427a	14.45			
**194a		2.80	**1048-51	10.50	57 s/d perfs trimmed	90.00	118a f	56.00	195	90	*518-21	75	**2469 sht	33.75			
*194a		1.65	**1055a	9.40	57 pl 2 f	700.00	118a s/d	21.00	198	2.00	*524	1.50	**2520	7.75			
**194a,9a		7.50	**1056-59	9.00	57 plt 2 s/d	263.00	119	8.75	200 s/d	70	527 s/d	60	**2521-2	2.70			
**199a		4.70	**1142-45	7.50	*58 plt 3 ave	83.00	119 f	7.00	205-8	8.00	*572-4	60	**2528a	31.90			
*199a		3.75	**1182	1.30	*59 s/d	139.00	119 s/d	2.65	207	1.50	574 blk(4)	70	**2530 sht	33.75			
**203a		3.60	**1190-7	7.75	*59 pl 11 s/d	139.00	120	28.00	207	90	*580a	80	**2555	4.90			
*203a		2.85	**1207	1.00	59b s/d	21.75	120 f	22.40	208	5.00	*600-4	95	**2573a	9.00			
**207a		7.75	**1233-36	7.90	*60 s/d	330.00	121	26.25	208 f	4.00	*608-11	75	**2587	30.00			
*207a		6.00	**1266	7.15	60 f	140.00	*122 s/d	49.00	208 s/d	1.50	*621	20	**2607	8.65			
**211a		1.00	**1272a	13.15	60 pl 12	175.00	122 cds	70.00	210a	1.40	645-7	40	**2608a	15.00			
*239a		1.95	**1273	13.50	60 pl 12 f	140.00	122	46.00	*218-20	68.60	655	20	**2609a	18.00			
*250a		17.00	**1278-82	7.75	60 pl 12 thin	70.00	122 3 shades	75.00	222	12.50	661-3	50	**2614 sht(20)	33.75			
**254a		8.25	**1283	9.00	61 s/d	13.90	122 hor prs	50.00	222 f	10.00	663	25	**2628-30	9.95			
*254a		6.60	**1289a	7.50	61 plt 12 se	13.90	122 f	37.00	222 s/d	3.75	680-2	40	**2641a	7.90			
*268a		16.50	**1300	5.25	61 pl 12 s/d	13.90	122 s/d	13.90	222 blk stains	40.00	709-13	90	**2642a	10.15			
*278		4.80	**1314-8	5.25	61 pl 14 s/d	15.00	122 pr	92.00	222-3	42.50	709-14	1.05	**2644a	10.15			
*284		4.50	**1325	7.15	61 pl 16	47.00	125	1.35	222-3 sh perfs	29.00	732-4	50	**2654-6,8	6.15			
286-99		8.00	**1333	8.25	*61 pl 19 s/d	79.00	125 s/d perfin	40	222-4	67.50	740-4	70	**2673 4-6,8	9.00			
**305-7 shtlts (12)		4.35	**1346	4.90	61 pl 20 s/d	24.75	126 2 shades	135.00	222-4 f	54.00	*802-5	1.00	**2679f	22.50			
**307a		1.50	**1351	4.90	*62 plt 14 s/d	86.00	126 blk(1 s/d)	235.00	223	30.00	*802-5 blk (4)	4.00	**2680,2-4	6.60			
**308-10 shtlts (12)		9.90	**1352	7.30	62 pl 14 f	42.00	126	75.00	223 f	24.00	*810-4	1.20	**2688a,91a	11.25			
**310a		4.50	**1358a	6.20	62 pl 16 se	15.75	126 f	58.00	223 s/d	9.00	821-6	75	**2702-11 sht	15.00			
**314a		3.00	**1374	7.50	62 pl 17	105.00	126 s/d	20.25	226-9 s/d-f	2.25	*834a	1.00	**2716	11.65			
*318a		16.50	**1375-7	6.00	64 pl 10 thin	46.00	127	75	*229	2.25	*835-8	75	**2717,19-21,3	9.95			
**323-6		1.00	**1383	4.70	*66 pl 1 s/d	116.00	127 f	60	*229 f	1.90	*843-6	1.00	**2722b	35.65			
**323-6 shtlts (12)		9.90	**1386-9	6.20	66a pl 3	3250.00	127 s/d	25	229	2.00	*843-6 gtrr prs	2.00	**2729 sht	20.60			
**326a		2.45	**1405-10	6.00	*66a f ng	350.00	*used 127-38 f-vf	164.50	229 f	1.60	847 gut pr	25	**2920a,5a	15.00			
*335a		5.10	**1418a	10.50	*67 plt 11 f-vf ng	120.00	*128	1.35	*235-7,39	1.00	*863-6	1.00	*2973	15.00			
*381a		2.25	**1419	3.75	67 pl 13	50.00	128	80	239a f-vf	13.00	*871-4	1.00	**2982b	9.00			
**389a		5.25	**1442-6	10.90	68 pl 20	32.50	128 f	65	*240 v-vf ng	1.00	*874a	80	**2995	6.60			
*389a		3.75	**1452	5.10	*70 pl 15 f ng	648.00	128 s/d	25	243 blk	1.30	874a	60	*3501	5.80			
*389a w/ ovpt		15.00	**1458-61	7.90	*70 pl 15 s/d	278.00	129	12.00	*248 ng	90	879 single, pr, gtrr pr	60	*3695	7.15			
*402-5		8.40	**1462	5.10	70 f plt 15	150.00	129 f	9.60	248	50	*909a	1.10	**3859	15.00			
*408a		4.20	**1481	9.40	78 s/d	3.90	129-33,5,8 s/d	25.95	250	1.00	909a FDC	1.10	**3897	8.65			
*425a		7.80	**1482	4.90	78-9 f	17.40	130	11.25	250 f	80	*915-16	40	*3898	8.65			
**524a		1.50	**1488	7.15	79	8.75	130 s/d	3.40	251A	2.25	*915-16 gtrr prs	85	*C3a	8.25			
*644		22.50	**1588-93	9.00	79 f	7.00	130-1,3,6	69.50	*253	85	*920-3	1.30	*SG# F20 ng	9.00			
**678-81		1.90	**1611-18	13.15	79 s/d	2.65	131	7.50	*253,6	1.20	*920-3 gtrr prs	2.60	*J18-25 ng	50.00			
**708		1.30	**1623-31	15.00	*81 part gum	100.00	131 f	6.00	257 s/d	90	*933-34	55	*J92-97	1.15			
**718		2.25	**J4-6	1.20	*82 s/d	79.00	131 s/d	2.25	262 blk	80	*933-34 gtrr prs	1.10	J103	1.10			
**760B s/s (5)		1.50	*8 diff cut sq	5.00	82	20.00	132	2.25	*267	30	*937-40	1.30	J103 block of four	4.50			
**762		60	SG# Z70,7(2) on pc	21.00	82 f	16.00	132 f-vf 3 shades	6.00	*SG# 274 ave	10.00	*950	50	O4	2.65			
**821		1.50			82 s/d	6.00	132 f	7.60	*SG# 276 f	9.00	*950-1	1.50	O4 s/d	80			
**911		2.45			82 pl 21 f-vf	23.65	132 s/d	2.85	284b s/d	2.00	*989	65	O29 f	280.00			
**974		1.50	GILBERT ISLANDS	7.50	82 pl 22	26.25	*133	19.00	285	1.00	*1002-5 gtrr prs	4.05	O36	130.00			
**1051-4		1.50	255a	2.10	82 pl 22 f	21.00	*133 f	16.20	287	90	*1026	60	O36 thin	39.00			
1054c		2.50	**303a	6.75	82 plt 23 ave-f	14.00	133 Isle of Man canc	15.00	288	2.50	*1093	30	O42	88.00			
**1810-14		3.60	**312	1.05	*83 pl 20 part gum	300.00	133	17.50	288 s/d	75	*1098-1102	2.10	O42 crease	26.25			
**J1-5		95			84 pl 18 s/d	13.50	133 f	15.00	289	7.50	*1103-6	2.45	*O44 s/d	60.00			
*J1-5		75	GILBERT & ELLICE IS.		85	100.00	133 f 2 shades	30.00	298,300-2,4 prs	13.60	*1154-5	1.05	O47 cds tiny tear	180.00			
*J6-10		1.00	42	65	*87 pl 14 s/d	131.00	134	11.00	300	55	1154-5	45	*O50 tiny sealed tear				
*J12-15		90	**244a	13.15	88 ave	15.75	134 f	8.80	*301	6.40	1230-33	3.00		150.00			
					88 s/d	7.90	135	11.00	*301	4.80	1231	45	O54	1.40			
					89	1.35	135 perfin	1.50	303	2.15	1232	50	O54 s/d	40			
					89 on piece	1.35	135 f	8.80	303 s/d	1.20	1233	1.75	O55	1.10			
					89,113 on piece		135 s/d	3.30	*303,6-7 f ng	7.60	*1284	2.80	*O56 s/d	11.50			
					Nottingham reg cancel	7.75	136	15.00	*307	2.70	*1326	90	O57	6.25			
					89 f	1.10	137	35.00	307	1.25	*1326 gtrr pr	90	**Butterfly post cards(4)				
					89 ave	80	137	28.00	308	1.90	*1365						

DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET
GREAT BRITAIN										
MACHINS										
**MH7 f.....	2.25									
MH19.....	35									
**MH21.....	2.40									
MH22-4.....	70									
MH40.....	70									
**MH70.....	35									
MH94.....	35									
**MH97.....	45									
MH97.....	35									
MH102.....	35									
MH112.....	55									
MH114.....	40									
MH115.....	55									
MH117.....	45									
MH120.....	45									
MH126.....	45									
**MH130.....	95									
MH130.....	35									
MH135.....	70									
MH142.....	70									
**MH142-3.....	2.50									
**MH143.....	1.45									
**MH160.....	1.90									
MH161.....	75									
**MH165.....	70									
MH165.....	50									
MH165-8 s/d.....	45									
**MH166.....	75									
*MH166 ng.....	30									
*MH166 s/d.....	15									
**MH167.....	1.50									
MH167.....	30									
MH167 f.....	25									
MH167 s/d.....	10									
MH167,9,75.....	1.35									
**MH168.....	3.60									
MH168.....	65									
MH168 f.....	50									
MH168 s/d.....	20									
*MH169.....	3.00									
MH175.....	75									
MH176.....	2.00									
*MH183.....	1.20									
MH192.....	1.25									
MH227.....	1.00									
MH237.....	1.65									
MH238.....	50									
MH279.....	1.50									
**MH279a.....	24.40									
**MH280-3.....	34.50									
**MH287.....	1.20									
**MH292b.....	15.00									
**MH300a.....	8.65									
**MH301.....	8.50									
**MH301b.....	17.25									
**MH302a.....	16.50									
**MH304a.....	31.90									
**MH306a.....	31.90									
**MH321-4.....	34.50									
**MH322.....	6.00									
**MH344,6,9,51,2,4-8,61,3,6,71,3.....	19.20									
**MH346,9,52,5,61,3,66,71,3.....	13.95									
**MH346,48,67,72.....	4.95									
**MH346,52,61.....	3.10									
**MH347-8,9,53,9,63-6,70,1.....	15.75									
**MH350,50A,68,72A.....	4.40									
**MH373.....	3.20									
**MH375.....	1.10									
**MH375-6.....	2.40									
**MH376.....	1.30									
**MH377-78.....	3.50									
**MH379a.....	14.60									
**MH380a.....	8.65									
**MH380b.....	17.25									
**MH381a.....	7.50									
**MH382a.....	9.00									
**MH383-92.....	35.00									
**MH391b.....	6.75									
**MH392b.....	9.00									
**MH402-6.....	1.30									
**MH402-10.....	11.80									
**MH411a.....	31.90									
**MH414a.....	13.50									
ENGLAND										
**6-9.....	6.50									
**11.....	1.30									
**14-5.....	3.90									
**16.....	1.75									
**17-8.....	3.50									
**24-5.....	4.50									
**28.....	2.10									
SCOTLAND										
**13.....	95									
SMH29.....	50									
WALES & MONMOUTHSHIRE										
**28 sht(10).....	20.00									
Charles 60 th	45.00									
**28 sht(20).....	4.50									
**38-9.....	60									
**WMMH19.....	40									
WMMH19.....	40									
**WMMH21,30,41,53.....	3.25									
**WMMH27.....	85									
WMMH28.....	95									
WMMH30.....	45									
GREAT BRITAIN										
OFFICES MOROCCO										
*28, a pr.....	75.00									
**79.....	40									
*79.....	35									
*82.....	50									
*87.....	21.00									
523.....	40									
529.....	1.15									
574.....	2.35									
576.....	5.00									
577.....	9.00									
*578.....	10.80									
578.....	12.00									
**579-82.....	8.20									
*579-82.....	6.55									
JERSEY										
*21.....	1.30									
**30-3 toned.....	5.20									
*28, a pr.....	75.00									
**79.....	40									
*79.....	35									
*82.....	50									
*87.....	21.00									
523.....	40									
529.....	1.15									
574.....	2.35									
576.....	5.00									
577.....	9.00									
*578.....	10.80									
578.....	12.00									
**579-82.....	8.20									
*579-82.....	6.55									
GUYANA										
*1-6.....	29.00									
**1A.....	1.90									
*1-1A,3.....	2.70									
*8.....	1.05									

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**13		4.90	C295		70	203b		.50	**431-4		15.20	798a		.65	2566-7		.75
15		6.25	**C326-9		12.20	**205		2.25	**431-4 gtrr prs		30.40	**799-802		2.25	2567		.35
**16		.55	**CQ3-4		3.40	205a		1.50	*433		2.40	804-5		.80	**2572 sht(3)		18.75
**17		3.40	**JA15 ct sq		10.00	**206		2.10	**435-8		11.70	**816-21		3.15	**2608 imp		21.00
*17		4.50	Q4		1.20	207		2.15	**435-8 gtrr prs		26.30	825		.75	**2648 shltt(3)		2.25
**19a		2.10	**RA1-4		3.35	207a		2.00	**446b		22.50	829		.70	**2657		1.90
**320		4.50	**RA1-8(1 sm thin)		6.00	210b		.75	**461-64		11.70	**834-7		2.65	**2695		1.90
**38a shltt(3)		2.25				**212		18.75	*461-4		10.35	**834a-37a		26.50	**2696		2.05
**38a		.75	HELGOLAND			213-6		2.50	**464a		21.00	**838		5.65	**2702		1.30
**39-53		13.10	*1A s/d		120.00	213c		1.40	**465-69		6.60	**849-54		3.40	**2742		1.90
*68-82		6.10	*3 perf reprint s/d		1.00	214		.50	**478-81		6.30	**859-74		22.00	**2753		1.90
**204a		1.50	*3 rouletted reprint		2.00	214c		1.65	**482-85		7.75	871		.65	**2792		2.25
**259-62		6.00	*3 reprint		2.00	214c blk		5.00	**485a		30.00	872		1.25	**2812		2.25
**331-33(2)bklt		13.50	*5 reprint s/d		2.00	215b		12.25	**486-9		10.45	873 s/d		.75	**2869		1.50
**334,334a		6.00	*6 f w/ berlin rpt		87.50	216		1.50	486,488		.90	**874a		16.00	**2951		1.30
**334a		3.00	*8 reprint		2.00	216 f		1.20	490-92,97,99		2.50	**882		.55	**2978 imp		9.35
**334a-5a gtrr prs		15.00	*8 s/d		20.00	216-7		15.00	**490a-504a		83.00	**889a-b		14.25	**2978 pr imp		18.75
**334a-5a		7.50	*10 reprint s/d		2.00	217		13.75	490c		.65	**916		3.75	**2979-84		2.20
**335		3.00	*12 reprint		2.00	217 f		11.00	492c		.45	**918-21,21a,21b		9.00	**2985		2.65
**335,335a		7.50	*14 reprint		2.00	217 s/d		4.15	493		.65	**922		33.75	**2985 imp		13.15
**SG 420a		57.00	*15 reprint		2.00	**225		2.10	493a,b,c		.85	**924 sht(18)		30.00	**2986 imp		3.75
**SG 421a		2.65				228		3.75	494a		.40	**937a shlt(16)		8.50	**2986 pr imp		7.50
**SG 422a		2.65	HONDURAS			228 s/d		1.15	495d		.80	**956-59,59a,59b		8.65	**2987 imp		18.75
**SG423a		73.00	*33 thin		5.00	**229-30		8.45	496a		.50	**961-4		3.00	**2988 imp		3.75
**SG 424a		3.00	*34		1.80	**231-33		37.00	498		.65	**974-7 bklt		6.00	**2988 pr imp		7.50
**SG 431a		25.30	**C158		1.20	231-33		12.00	499-500		1.10	**982a		3.75	**2990-95		2.05
**574		48.00	**C376a		15.00	*232		12.00	500c		.40	**986a		3.00	**2996		4.00
**608		.75	**C699-702		1.30	**234-35		14.25	501		1.00	998-1002,5,8,10,11,133.35		1012	**3001 imp		18.75
**608-10		4.30				**237-38		13.00	501d		1.00	1012		1.50	**3002 imp		3.75
**610		2.80	HONG KONG			*239-44		30.00	502		2.50	**1013a		20.65	**3002 pr imp		7.50
**625-8		3.75	12		13.00	*239		1.00	502c		3.00	**1018-21		3.00	**3003 imp		3.75
**647		12.00	*20 lt toning		100.00	*245-6		10.20	502d		3.25	**1026-29,29a,29b		9.50	**3003 pr imp		7.50
**703a		2.65	23-4 s/d		130.00	**246		.60	503a		6.00	1240		.70	**3006-11		2.10
**715		5.25	35 ave-f		42.00	246		2.45	503c		6.00	1243		2.65	**3006-11 imp		13.10
**715-18		14.25	36		16.25	**247-48		2.80	**502g		16.90	1244		6.50	**3006-11 prs imp		26.25
**756		52.50	*36b		30.00	**249-50		33.00	503c		6.00	1299		.75	**3029		6.00
*SG# 845		.75	36b		1.40	**252		13.90	504		16.25	**1347		26.25	**3035-40		2.10
**918-22		3.80	37,39		1.05	**253-54		38.00	505,507		.90	**1430a-b		4.00	**3041-45		2.05
**920		1.05	*40		39.00	**255-56		1.60	508		5.00	**1432 sht		31.50	**3052-57 imp		2.10
**921-2		1.75	*41		22.50	255-6		1.05	**511-14		7.30	*J1		1.65	**3052-57 imp		15.00
**1355-8		3.00	41		6.50	257-58		.90	**515-18		7.20	**J1a		1.20	**3065-68		1.60
**1394-8		4.75	42 s/d		3.15	258		.75	**518a		13.50	*J1a		.95	**3065-68 imp		13.10
**1412		6.50	43		1.25	259		.50	**523-26		4.50	J1a		1.75	**3071		2.65
**1413 shltt(4)		22.50	44		.90	**260-61		18.85	**523-26 bklt (see note in Scott Cat. after #940)22.50			*J6		4.75	**3075-80		2.10
**1461		2.20	44 thin		.55	264		4.50	506		1.00	*J6		4.05	**3081		2.25
**1505-8		2.30	45		1.65	267		3.00	**526a		12.00	*J7		7.50	**3085		1.30
**1826-8		8.25	47 s/d		4.90	**268-69		27.00	**530a		9.00	*J7 f		5.00	**3087-92		2.65
**1828		3.00	48		17.50	270		.90	533b		.40	*J8		2.10	**3093		2.65
**1854a		10.15	*61 foxing		15.75	272		.65	**534-37		7.50	*J9		4.50	**3094-99		2.75
**1855		7.50	61		8.75	*273-74		8.10	**537a		12.50	*J10		13.15	**3100		2.65
**1867-68 shltts(2)		18.00	61a		8.00	**275-88		70.00	**542-45		5.40	*J11		9.40	**3102-6		2.50
**1869		9.00	62 f		2.60	275,78-81,83		6.20	**546-49		7.35	*J13		6.75	**3107-10		2.70
**2006		13.50	*74 sh perfs		5.50	282		5.75	**556-59		10.00	**J22-22E		17.50	**3111-16		2.75
**2035-36		13.50	74		6.50	*283		1.20	**559a		12.40				**3118		.40
**2371		9.00	78		4.15	284-7		6.40	**560-63		8.50	HUNGARY			**3120-2		1.35
**2379-81		38.00	86		.65	284a		.45	**563a		13.50	462		1.00	**3123-6		1.80
2406		7.50	87 f		1.10	284a-7a		4.75	**564-69		7.25	463		1.50	**3224-9		3.25
**2590-92		16.30	88		1.00	284a-88a		10.25	**578-83		5.60	*481-85		8.60	3230-35		.75
**2652-59		9.85	*90		10.80	**285		5.65	**588-91		5.35	**535-6		3.20	**3271		5.65
**2660-61		9.00	*91		55.00	285		.60	593		1.75	*570-72		1.70	**3414-16		4.20
**2662-64		15.75	*91 ng		18.75	285-87		6.00	*605		10.50	*621-24		.75	**3608		2.65
**2671		7.50	91		13.00	285a		.85	**606-10		6.75	*723-24		.40	**3652A		.55
**2674		12.00	*95 toning		17.25	**286		8.25	*628		6.00	*785-88		9.00	**3669 sht(3)		1.15
**2694-96		8.65	*109		5.40	286		1.75	**630-31(3)		1.30	**811		.25	**3724		3.75
**2769		6.25	113 s/d		1.95	286a		1.50	**630-6,38-9			839		.40	**3788		3.75
**2827		9.00	118		5.40	286a s/d		.45	43-6,8-9,651B-E		30.75	**844-47		8.25	**3793		4.50
**2860-61		12.00	119		2.65	287		4.50	630A		.75	918		2.00	**3877		.95
**2881		4.75	120		3.75	287 f		3.60	633		.65	959-61		.90	*4006		.30
**2883		4.75	131 f		6.70	287 s/d		1.35	633-34		.80	**1057-61, C123-27		6.00	*B69a-71		1.90
**2912		1.05	132		.75	287-8		20.75	*636,638		.75	**1085-7 imp		22.50	*B72-76		2.20
**2913 set (12)			**133 s/d		1.10	287-8 s/d		6.25	636a		.50	**1088-95		7.60	*B98-102		2.60
Babe Ruth		37.50	133		.50	288		9.25	**638b bklt		7.50	**1109-12 imp		26.25	*B104		.55
**2931-42		9.15	136 s/d		.65	288 s/d		4.90	*639		1.70	**1160-67		3.30	*B105		.90
**3020		5.65	138		3.00	**291-93		4.30	*641		1.50	*1160-67		2.65	**B113		3.60
**3027		22.50	*147-50		35.00	**294-95		12.00	*645		1.15	**1171-2 imp		18.75	*B113		2.85
**3071-73(4)		15.75	147-50		10.50	296-8		7.15	**645b bklt		9.50	*1181		.55	**B122		3.75
**3219-26		25.50	147		1.50	297		1.90	*646		1.30	*1182		25.50	*B122		3.00
**3234		6.25	*148		5.40	298		4.00	*647		1.90	*1189		20.65	**B123-4		1.50
**3235-36		7.50	*151		3.70	*298 ng		9.50	**647b bklt		9.50	*1189		16.50	**B123-5		3.15
**E6		7.50	**151-53		24.40	*299-301		4.05	*648		1.90	**1189 imp		45.00	*B135-38		1.35
**E14-15		10.50	*151-53		10.20	*300-1		4.70	*649		2.25	*1189 imp		36.00	**B148a-50a imp		62.00
**O2		7.50	151-53		8.90	**306-8		30.20	649		1.00	*1212-18		2.40	**B148a-50a		
**SG# F1-10		7.50	*152		9.00	316-25		11.00	**649b bklt		9.50	**1222-3 imp		11.25	perf & imp		123.00
**SG# F1-10,4a		12.00	*152-53		13.80	320		1.25	**650a		9.00	1232		.15	**B151-56		3.60
**SG F4a		12.00	*153 f		4.40	322		1.65	**650c bklt		9.50	**1241-48		2.30	**B151-56 one creased		
SG# F4a		8.00	*154-7B		5.15	*323 ng		2.70	**651		1.70	**1241-48 imp		18.75		3.20	
**Tokio st ex- Locomotive		9.00	*154		.60	*324		6.30	**651g bklt								