



WORLDWIDE
NAMIBIA – RYUKYU IS.

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
NAMIBIA			55-66.....	5.25		**550 strp(5)			**B632-34.....	2.35	**222.....	10.00	**SG# 585.....	15.15	**1100-3.....	3.50	
**759-61.....	1.70		57.....	.40		control #.....	1.90		**B634a.....	4.30	**222 gtr pr.....	20.00	**591 pn of 10.....	1.50	1102.....	.65	
**999.....	4.50		*61 s/d.....	3.30	**649.....	.60		**B635-7.....	3.35	**222 f.....	6.75	**617a.....	.60	1103.....	.90		
**999k.....	4.50		61.....	1.60	**662.....	.50		**B637a.....	3.40	**222 ave.....	4.00	**619a.....	.45	1104-8.....	2.80		
**999l.....	4.50		69.....	1.60	**739 sht of 20.....	12.40		**B643a.....	3.60	**252-65.....	11.10	**648.....	.15	**1104-9.....	5.10		
*1060-63.....	7.20		69 f.....	1.30	**774Ab bklt.....	3.00		**B649a.....	3.00	**266-73.....	9.00	650.....	1.00	1107.....	.65		
**1212-14.....	7.50		*76 s/d.....	1.40	**1108.....	1.50		**B655a.....	3.00	*317a.....	7.50	650 s/d.....	.75	**1108.....	1.80		
NATAL			**77 f.....	20.25	**1129a.....	8.55		**B661b.....	3.00	**321.....	2.25	**656-9.....	.75	1108.....	.80		
16 f.....	14.00		*80 s/d.....	22.00	B1-2.....	12.00		**B671-3.....	2.50	**323.....	2.10	**674-7.....	1.20	1114.....	.75		
41 pen canc.....	2250.00		83,a.....	55.00	B1-3.....	26.00		**B670b.....	5.25	*337.....	5.10	674-7.....	.55	1136.....	.50		
55.....	60.00		*84.....	60.00	B1-3 f-vf.....	17.00		**B676b.....	4.15	**351a.....	24.50	674-7,96-7.....	1.20	1144.....	.90		
*63 ng.....	45.00		84 f.....	1.30	B1 f.....	4.40		**B679a.....	2.80	*351a.....	19.50	675.....	.15	1149.....	.75		
79 pr SG# 114d,h.....	10.00		106.....	.80	*B4-5 thin.....	6.80		**B685a.....	4.00	**354.....	2.65	676.....	20.00	1167a.....	1.40		
NAURU			108 f.....	.90	*B9-11.....	5.20		**B691a.....	7.35	**368.....	2.80	677.....	.25	1169.....	.90		
*9 broken "n".....	50.00		**110 f.....	45.00	*B15a.....	9.90		**B716a.....	5.65	**369.....	2.05	677,96.....	.35	1219.....	.25		
*17 type II.....	4.00		*150.....	.90	B16-20.....	10.80		**C11.....	.25	**387.....	3.00	677,96 f.....	.30	1223.....	.95		
**18a.....	1.90		*152.....	1.00	*B33-36.....	9.35	J2 f.....	8.00	**389.....	3.75	678-80.....	.30	1226.....	.25			
**117a single.....	4.10		*153.....	.20	*B37-40.....	12.15	J2 s/d.....	3.00	**402.....	6.20	**680a.....	.95	**1236a.....	6.75			
**161-64.....	3.75		*154.....	6.00	*B41-43 thin.....	4.20	**J3.....	8.15	**405.....	1.70	680a.....	.65	**1236b.....	2.65			
**165-7,70-81.....	10.00		**156 f.....	20.00	B44-47.....	5.00	*J102.....	7.80	**447.....	1.50	**693-5.....	.50	**1237-42.....	5.35			
*165-81.....	7.00		*157.....	18.00	B50-53.....	10.50	NETHERLAND			**501.....	1.50	694 blk (4).....	.50	1241.....	.75		
**193a.....	.70		*158.....	21.00	B53a.....	9.75	ANTILLES			**504.....	1.50	**696.....	1.15	**1302a bklt.....	6.60		
**218a,20a.....	.90		**160.....	63.00	*B54-57.....	48.00	*15 s/d.....	1.15	*B10.....	1.35	696.....	.20	**1309A.....	.50			
**224-6.....	.75		160.....	.40	*B86-89.....	11.65	*295-300.....	.90	*B11.....	1.35	**696-7.....	3.75	1310.....	.70			
**249a.....	1.30		161.....	.35	*B98-102.....	6.10	*410-13.....	1.05	*B12A-B.....	1.35	696-7.....	.90	1312.....	.30			
**256.....	1.30		179.....	2.25	*B102 f.....	2.90	*527-30.....	3.15	*C16.....	1.05	697.....	.45	**1313.....	1.90			
**431a.....	1.95		179 toning.....	1.35	*B129-33.....	6.70	*811a.....	7.70	*C17.....	1.05	701.....	.15	**1349a.....	2.25			
**431a gtr strip.....	4.50		*181 f.....	2.90	*B134-8.....	2.40	NETHERLAND INDIES			*C19.....	1.45	701-3.....	.30	**1353a.....	4.90		
**436a.....	5.65		*183.....	4.35	*B144-5.....	6.00	*17.....	.75	**C26.....	3.00	702.....	.15	1353a.....	3.25			
**436a sht(4).....	22.50		188.....	.35	**B144a.....	68.00	*25.....	12.00	*C31.....	9.00	**703b.....	.45	**1370a.....	4.90			
**592a.....	22.50		*191.....	5.40	*B144a s/d.....	13.50	*28.....	30.00	**C33.....	18.75	703b.....	.30	**1371a.....	3.75			
NEPAL			*191b-2a f-vf.....	49.50	*B149-53.....	.75	*29 thin.....	8.00	*C38.....	13.50	**718.....	.20	**1374-8.....	5.55			
8.....	30.00		192.....	.10	*B154-8.....	.75	*49.....	1.45	*C38.....	10.80	719-23.....	.55	**1378a.....	6.00			
9.....	35.00		**193.....	99.00	*B159-63.....	1.75	*55.....	9.60	*C49.....	7.20	720.....	.15	**1383 blk of 6.....	2.95			
10a vert pair.....	35.00		*193.....	35.00	*B159-63(used B159).....	1.45	*57 ng.....	9.60	*C50.....	5.10	723.....	.15	**1384 sht of 10.....	4.90			
36.....	2.00		193a.....	.45	*B164-9.....	1.80	*59 thin.....	19.50	*C50.....	4.05	726.....	.10	**1391a.....	4.90			
**88.....	118.00		*193a.....	68.00	*B164-7.....	1.20	*63-80.....	145.00	*C68.....	10.50	**734-5.....	.45	1395.....	.75			
**89.....	5.65		*196-99.....	2.30	*B164-8.....	1.50	*81-86.....	5.10	*C134.....	3.75	734-5.....	.30	1398.....	1.15			
*117.....	60.00		*201.....	66.00	*B180-4(u B182-3).....	1.75	*84a.....	2.45	*C174.....	2.25	**735a.....	.45	1398a.....	1.50			
151A.....	4.00		201.....	1.60	*B180-4.....	1.05	*95.....	16.80	*C188A.....	3.00	735a.....	.30	**1412.....	12.00			
175.....	.30		202-3.....	1.65	*B182.....	.75	*101-24.....	32.00	*C195-6.....	3.60	755-6,8-65.....	1.25	**1433b.....	6.40			
**220-3.....	6.90		204-5.....	2.40	B189-93.....	1.05	*102a-23a(11) f-vf.....	112.00	*J42-50.....	5.00	766-9.....	.95	**1445.....	1.20			
316.....	.40		206-8.....	.95	*B229-33.....	14.50	*105.....	.85	**O14,15-27,8-9,B,30-1.....	20.25	768.....	.20	**1445 gtr prs.....	2.40			
327.....	1.50		207.....	.10	B233.....	3.00	*106a s/d.....	8.65	NEW HEBRIDES			768-9.....	.60	1448.....	.65		
330.....	.45		*208.....	2.40	*B234-7.....	9.00	*116a s/d.....	9.75	(British)			769.....	.35	1450.....	1.00		
334.....	.25		208.....	.70	*B234-6(u B237).....	12.65	*123a s/d.....	1.20	**258.....	1.30	**770A.....	4.50	1473.....	.65			
367.....	1.15		*216-8,20B-22,4-5B.....	14.50	*B237.....	3.15	*130 f.....	1.60	NEW HEBRIDES			770A.....	1.65	1483.....	1.00		
388.....	2.25		*,used 216-25,8.....	5.00	B237.....	1.75	*133.....	3.60	(French)			**794a.....	3.00	1497.....	1.00		
394.....	.30		217.....	.15	*B238-42.....	9.05	*136.....	9.60	**808-10.....	1.20	**808-10.....	1.20	**1517a.....	3.60			
516.....	1.25		*220B,24,5.....	2.00	*B238-42.....	7.25	*149.....	4.90	**811-4.....	2.50	813-4.....	1.15	1536.....	.90			
**550.....	3.00		225B.....	1.00	*B249-53.....	18.90	*149.....	3.90	**110-11.....	23.25	**814a.....	2.65	**1538a.....	4.90			
**O12-14.....	.65		225-B f.....	1.30	*B249-53.....	9.70	151a.....	63.00	*134-5.....	6.60	814a.....	1.40	**1549-56.....	3.90			
NETHERLANDS			225B f.....	.80	*B253.....	10.90	*263-67.....	1.05	**233-35.....	1.90	835.....	3.00	**1564a.....	2.65			
1 f.....	14.00		239.....	3.65	B253.....	5.25	*294.....	1.30	*J1 thin.....	10.00	875a.....	2.40	1564a.....	1.90			
1a f.....	16.00		240.....	4.25	*B254-58.....	5.80	*310-11.....	.40	*J6-10.....	77.00	877 blk (4).....	2.20	**1575b.....	4.15			
2.....	13.75		*258.....	2.00	*B258.....	6.20	*C8.....	90	NEW ZEALAND			879 blk.....	4.20	1613.....	1.00		
2 f.....	11.00		275.....	1.05	B258.....	2.00	NETHERLAND NEW GUINEA			9 f.....	140.00	880-2.....	1.35	**1614 coil (1).....	.50		
*3 f-vf.....	385.00		281.....	11.00	*B259-63.....	12.40	*191-22.....	2.25	9f f.....	250.00	881-2.....	1.15	**1614a.....	4.90			
3.....	65.00		282-85.....	1.10	*B264-8.....	17.85	**B23-66.....	5.10	9f s/d.....	93.75	882.....	.65	1620.....	.90			
3 f.....	50.00		283-5.....	.90	*B288.....	3.00	*B19-22.....	2.25	34 pr f.....	295.00	**888a.....	1.05	**1621.....	.50			
3 s/d.....	18.75		284.....	.70	*B291.....	2.25	**B23-66.....	5.10	65 f.....	3.20	889.....	1.40	**1628.....	.50			
5 s/d.....	1.60		284 f.....	.55	*B291-5.....	16.00	NEVIS			65 ave.....	2.40	889a s/d.....	6.00	**1656b bklt.....	8.25		
*6 s/d.....	160.00		*286-30' (286,92 used).....		*B291-5.....	12.75	*135,7,9 specimen.....	1.90	*67 ave.....	37.50	892-93.....	.90	1662.....	1.00			
6.....	50.00		*296.....	8.40	*B294.....	9.75	*135,40 shtls.....	22.75	88 f-vf.....	1.80	902a.....	2.15	1665.....	1.00			
6 s/d.....	15.00		*297 s/d ng.....	2.40	B295.....	6.00	*135,7,9.....	1.85	*118a f.....	47.50	904 blk (4).....	1.70	**1665a.....	3.20			
6a s/d.....	17.25		*298.....	9.90	*B296-300.....	9.75	*139-40 sht of 7.....	7.90	136 f.....	1.40	906.....	.75	1665a.....	2.15			
7 s/d.....	.50		298.....	5.00	*B296-300.....	7.80	*141.....	1.50	136 str of 3.....	4.25	906 blk (4).....	4.20	**1678 coil (1).....	.50			
*11 s/d.....	315.00		*300.....	6.00	*B300.....	3.75	*180-89.....	1.75	*161 s/d.....	1.65	915 strp(3).....	1.50	**1687 coil (1).....	.			

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET						
*B13		3.75	**1710		4.15	**360-63		6.40	*54-58		4.30	*54		33.00	**372 ng		1.00						
**B49-51		45	**1726-32		4.30	**363a		5.10	**J5-10		24.00	*54 ng		16.50	**373		37.50						
**B52-3		50	**1741-8		4.15	**380-88		17.05	NORTH WEST PACIFIC ISLANDS				54		1.50	380-81		1.05					
B52-3		35	**1821-7		4.20	**389-94		6.60					*54a thin		18.00	**382-6		10.90	**1338-39		3.20		
**B57-8		90	**2020-2027		60.00	**416a		1.70					55		1.75	**397-8		1.75	**1374-76		6.10		
**B57-8		75	**C509		2.05	**417-31A		25.00					55 f.		2.00	408-12		1.50	**1395-97		5.00		
B57a-8a		20.00	C788		50	**432-33,35-36		2.05	**11		2.45	*56a ng		27.00	*412 s/d		1.60						
**B59-60		90	**C937		2.65	**437-44		8.20	*12 f.		3.10	*57 thin		10.00	*414-5		1.30						
**B59a-60a		22.50	C999		1.10	**445		3.75	NORWAY				57		1.25	*414-15		1.05					
*B59a-60a		18.00	C1006		35	**445d		4.90					57a s/d		3.75	414-5		1.15	**B11		25		
**B59a-60a selv cr		15.00	**C1143-9		2.95	**466-70		12.75					*58 f		24.00	*416-30		20.00	**B11-14		2.25		
**B61 f		30	**C1155-60		4.25	**476,478		2.10					60 f-vf		43.00	*416-30(426 used)		13.00	**B11-14 blks		9.00		
**B61-2		90	**C1162-8		4.00	**496-99		7.50	2		70.00	62		2.75	416-30		4.90						
**B61a-2a		22.50	**C1172-8		4.40	**505-8		4.45	3		25.00	65		42.00	*421,4,6-8 f-vf		14.00						
**B62		45	**C1187		2.80	**519		3.00	3 f-vf		22.50	*66 thin		26.00	**423		2.25						
**B63-4		90	*O101 f		1.50	**522-59		26.50	3 f		20.00	**70,72,73		20.00	*423		1.80						
**B63a		15.00	*O119 s/d		50	**530-33		10.40	3 ave-f		15.00	70,a		2.15	*423 s/d		45						
*B63a		12.00	**RA60a		3.00	**534		8.25	3 s/d		7.50	*74-95		115.00	*424 s/d		65						
**B63a-4a		30.00	**Philex France		3.00	**535		9.00	*4 ave		84.00	74,6,83,7,9,94,5		1.20	**433-5		1.70						
B63a		13.75	NIGER						**546-7		9.00	74-95 (87,92 s/d)		9.00	*433-6		2.45						
**B64a		15.00							**548-50		6.75	4 f-vf		5.85	*81		31.00	433-36		1.40	**B42		75
B64a		13.75							**551		6.75	4 f		5.20	**84		19.00	*435-6		1.60	*B42		6
**B65a		9.75							**100		4.90	**552		8.25	3-5 s/d		26.00	*86 f		16.00	435-6		70
**B66a		9.75	*100		3.90	**564-67		8.50	*5 s/d		210.00	*88		21.00	436		55						
**B67-8		70	**101		1.70	**571		10.90	5		30.00	*95 f-vf		12.00	437		35						
**B67a		16.90	**102		2.25	**578-81		11.00	5 f		24.00	100-103		1.70	*446-9		1.80						
**B69-70		90	*132-4		2.00	**582-85		11.80	5 f pale shade		24.00	100-103 f		1.35	*456-57		1.60						
**B71-2		90	*132-7		7.05	**587		3.75	5 s/d		9.00	102		30	*458		3.40						
B71a-2a		27.50	**147-9		2.20	**588		12.00	6 f		100.00	*103 f		5.85	*470		2.10						
**B77a		7.50	*184-5		.85	**624-25		20.65	6 s/d		37.50	*111		4.20	**475-6		1.80						
**B78a		7.50	**190-3		2.65	**532-35		6.60	7 s/d		45.00	*114		3.60	*475-76		1.45						
**B80a-1a		15.00	**266-9		3.50	**642-5		5.80	8		7.00	114 rough perfs		2.50	*486-89		4.90						
**B82a		7.50	**310		1.90	*646		8.65	8 f-vf		6.30	*115-28(123 used)		30.00	*487 f-vf		1.50						
**B82a,83a		15.00	**406-10		3.10	**662-66		9.40	8 f		5.60	*used 115-28		35.00	*496-7		3.00						
**B83a		7.50	**484-7		3.60	**721-24		4.90	8a		12.50	115-28		5.30	**500-1		1.90						
**B85a		7.15	**491-5		3.10	**738-9		4.50	8b s/d		11.25	116		1.50	*510-2		2.45						
**B86a		7.15	**537-42		4.70	*740		4.50	9		30.00	120		1.50	*521-22		1.50						
B89-91		1.50	**538-9,41-2		2.50	**746-7		4.50	9 s/d		9.00	129		1.50	*537-43 (540 ng)		22.00						
**B90a		17.00	**569-71		3.45	**756-8		3.95	10		63.00	129 f		1.20	*used 537-43		2.75						
B90a		25.00	**586-9		3.35	**772-73		16.50	*11 ave		30.00	131		1.25	**555-6		3.00						
**B93a		11.25	**599-602		2.50	**822		7.15	11 f-vf		24.75	131 f-vf		1.15	*557-59		3.75						
**B97a		3.20	**614-21		10.05	**B37-40		2.50	11 f		22.00	132-5		6.15	*560-61		3.00						
**B102a		1.05	**638-40		1.85	*B52-55		5.00	11 ave		16.50	132-5 f-vf		5.50	560		25						
**B108a		1.45	**920-1		11.40	**B56-59		15.00	11 thin		11.00	133		2.00	564		20						
B108a		1.65	**922		4.90	**B60		13.50	11 s/d		8.25	133-5		4.50	565		55						
**B109-11		70	*B11,13		1.35	**C10		4.95	12 f		10.00	*135 s/d		1.05	**579-81		1.60						
*B110		20	*B13A-B		.55	*O12		1.90	12 s/d		8.25	135		2.50	*585a		4.50						
**B111a		1.15	**C15		6.75	*O13		3.60	12a thin		22.00	135 f		2.00	*586-89		3.00						
B111a		1.75	*C15		5.50	*O15		3.30	13 f		64.00	145-8		3.50	588		20						
B114c		3.75	**C23-5		3.10	NORFOLK ISLAND									*590-91		2.70						
**B114a		3.75	**C44		1.45										*596-98		3.60						
**B120a		1.90	*C44		1.15										**13-18		45.00						
B120a		1.90	**C45-8		5.65										*13-18		35.00						
B123a		3.50	**C68-70		5.70	*23		9.40	14 f		4.40	153 f		1.60	*611 bkt (10)		38.00						
**B126a		2.65	**C76-7		4.15	**23-4		19.15	14 s/d		1.65	154-7		3.65	*611 bkt		37.50						
B126a		2.00	**C90-92		2.50	*23-24		15.30	14a s/d		1.65	158-61		3.05	631		25						
**B128a		1.45	**C90-93		4.15	*24		15.00	15		27.50	161		2.00	638		20						
**B129a		4.30	**C112		6.00	*26		4.00	15 f		22.00	*177-80		15.00	*639-42		3.10						
B132		.65	**C115-8		7.10	*27		5.25	15 s/d		8.25	177-78		2.25	*643-4		1.45						
B136a		4.40	**C129-30		2.65	*28		4.35	17 s/d		12.75	*used 181-3		5.00	654		10						
**B137-8		1.40	*C133		3.00	*35		1.50	18		6.00	181-86		3.00	*656-7		1.60						
B139-40		1.85	**C141-42		3.40	*37		3.60	18 f		14.00	183		1.25	*658-9		1.45						
B140a		3.75	*C150		2.25	*43		3.00	18 s/d		5.25	184-6		.75	*658-9		1.20						
B142a		3.15	**C170-2		4.35	*44		1.50	18a ave		4.20	*220-38		25.50	675		20						
**B145-8		2.85	*C173		5.25	*49		35	18b s/d		3.75	224		5.00	*693		1.30						
**B162 coil (1)		.60	**C238		5.65	*51		.60	*19		9.00	226		10.00	*693-4		1.50						
**B168 coil (1)		.45	**C240-3		5.20	*52		.85	19 s/d		10.90	230		2.50	*693a bklt		9.00						
*C6 f		.60	*C240-3		4.15	*53		.90	20 s/d		10.90	243		1.25	*694a bklt		6.75						
**L1-3		6.75	**C273-7		5.90	*54		1.30	*22 ave ng		1.95	244		1.00	*698-701		2.85						
**L1-4		9.00	C278		1.00	*55		1.70	*22 s/d		1.30	245		1.15	*706-8		1.30						
*L1-4		7.20	**C314		2.65	*71-82		9.15	22 f		3.20	255-8		1.00	*727-28		1.70						
**L4 f		2.25	**C361,3-5 imp s/s																				

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET				
**99-100		.60	**578-80		9.75	**499-502		1.35	PARAGUAY					**1232a,3a singles		3.75	**555-6		4.90	72		4.60		
**99-102		1.15	**580		3.00	**499-502		1.10	**491-7,C225-32		2.20	**1256-7 imp		3.75	**555-6,B85		5.10	72 ave		2.80				
**101-2		.50	**581-3		11.10	**508-11		1.15	**491-7,C225-32			**1258-9 imp		2.80	**557		.40	72 s/d		1.40				
**103		.60	**584		9.75	**516		1.30	gtr prs		4.40	**1350e		15.00	**557,B86-7		5.25	79 f-vf		3.95				
*104-5		.55	**585		6.00	**521-4		1.10	**491-7,C225-32			**1379-84		8.25	**575-77		17.00	79 s/d		1.30				
**105		.45	**588		5.10	**525-8		1.90	margin gtr blks		8.85	1379-84		1.60	**595-6		6.30	207		2.50				
**106-7		1.00	**589		1.80	**525-8		1.75	**560-4,C265-8		7.45	1384		.45	**596		.40	208		2.50				
**112-3		.40	**592		4.50	**529-33		2.50	**565-8		.65	1384 blk		1.80	**633-34		6.40	213		1.25				
**114-5		.60	**606-9		21.20	**529-33		2.00	**565-8,C269-71		1.65	**1392-7		22.35	**635-6		8.45	289		2.50				
**122		.70	**610-5		23.50	**536-9		1.50	**577-81		.65	1397		.90	**687-92 imp		4.15	used 558-60		17.00				
**122 blk		2.85	**624-6		11.25	**536-9		1.20	**630-37		7.80	1397 blk		2.00	**719-23		5.25	561-9		4.10				
*129b,35a,5c		3.85	**630-3		16.50	**536-9,615		1.65	**783-7		3.75	**1403-8		8.25	**729-32		2.85	568A		.60				
**132a		2.25	**639-42		16.50	**540-4		1.55	**MH# 1160-7		4.00	1408		.25	750-6 thins		1.00	586		1.40				
**133		1.50	**680-3		15.00	**545-8		1.60	**1624		11.25	**1411-6		8.25	**896-7 imp pr		.35	594		1.30				
133a		.75	**977		3.75	**554-7		1.65	**1624 specimen		11.25	1411-6		2.50	**1090		1.70	*594a s/d		30.00				
139a-40a		.85	**C4a		2.65	**554-7		1.35	**1625A		11.25	**1425-30		8.25	**1115-23		9.05	*595-601		24.00				
**151-2		1.15	**C9a		3.40	**558-61		1.70	**C136		.30	**1600		1.20	1178-85,87		.90	602		1.75				
**153-4		1.00	**C16a		2.80	**558-61		1.35	**C279-81		.90	1621		1.00	**1188-97		6.25	602 stp of 3		5.25				
**155-6		1.15	**C23		3.00	**562-5		1.25	**C310-2		6.75	**1689a		12.00	**1216-25		6.30	*605-14		42.00				
*155-6		.90	PALESTINE					**566-9		3.90	**C313		18.75	**1690 imp		18.75	**1511-6		1.65	613		2.40		
**157-8		1.30	PALESTINE					**566-9,75-9,88-91		10.80	**C422		16.90	1697		1.00	*1513.5		.40	637		.95		
**159		1.30	*58b		84.00	**566-7,9		1.55	PENRHYN ISLAND					**1699-1704		13.50	**2381-83		.90	641 thin		.55		
**162		.75	PALESTINIAN AUTHORITY					569		1.40	PENRHYN ISLAND					**1705 imp		30.00	2536		.50	*641a		47.00
**163-6		3.00	PALESTINIAN AUTHORITY					**570		.75	**79-80		2.25	**1731A-F		13.50	2537		.90	647		1.05		
166		1.65	PALESTINIAN AUTHORITY					*570		.60	**79-80 shts		11.25	1731F		3.00	2536-7		1.35	649		2.10		
168 f		.40	**150		8.65	**571-4		1.80	**80d shltt		3.00	**1734f-g		3.00	**2576-80		1.35	*655		4.95				
**174		.20	**B1		5.10	*571-4		1.45	**83a		1.05	1734j		1.50	**2673-5		.65	655		2.00				
**175		.20	**B2		2.80	**575-9		8.25	**87-89 shltts		3.65	**1747A-F		12.00	**2788-91,93		1.50	661		1.40				
**178		.40	PANAMA					**580-3		1.35	**93-95 shltts		19.00	1842		1.50	**2798-2803		1.80	669		2.90		
**178 blk		1.50	PANAMA					*580-3		1.10	**93-96		6.05	**1907		6.75	*2841-6		2.10	673-74		1.70		
**224,6		1.30	**464-4E		6.00	**583		.65	**99a		2.45	**1907 imp		22.50	**2888-93		1.55	*675-82		93.00				
**245		.20	**C100-4		2.65	*584-7		1.55	**100a		2.45	**1955-60		6.75	**2900-2,4,5		.80	680		2.00				
**267-8		2.45	**C237a		3.40	**588-91		4.60	**104d		1.05	**1955-60 imp		18.75	2917-21		.65	680 f		1.60				
**271		.45	*C237a		2.20	**602-3		7.80	**104d s/s(2)		2.10	1959		1.00	**2929 w/ label		.70	*681		49.00				
*279-80		.90	**C301-4,6-8,10-18		16.80	*602-3		6.25	**110a		3.25	**2220		11.25	**2934		1.10	682		3.75				
**312		1.50	**C327-8 imp		3.40	603		5.00	**111-13		2.25	2253b-e		1.60	**2935		.45	*682a		87.00				
**523a blk		1.50	**C329C-H		14.25	603 s/d		2.00	**117 shltt		6.40	**2293e		9.40	**2948-53		2.30	734		1.05				
**586		4.75	**C330a		.40	*604-7		1.90	**118		1.60	2304		2.15	**3056		1.70	746		1.00				
712,5,7		.50	**C338a imp		16.90	**610-3		3.00	**126a		2.45	2328		1.90	**B107		37.50	*784-91		58.00				
**731		1.50	**C367A		2.65	**611-3		2.80	**219-21		4.65	2410-1		8.25	**B132		1.15	*794-97		39.00				
**744		2.65	**C367B		2.65	*613		1.45	**255-59		7.50	**2503		1.50	**B142		.95	*818-21		53.00				
**748-9		5.65	PAPUA NEW GUINEA					614		2.25	**311-4		11.65	*B3		2.75	**B148		1.15	855-6		3.20		
**750		4.15	PAPUA NEW GUINEA					**616-9		2.65	**324-26		7.50	**B10-1		.75	*C13-8 toned		4.00	*856		6.60		
**759		2.25	*28		4.50	**621a-5a		8.05	**336		4.50	*B10-1		.60	C13-18		1.00	862		.70				
778		.30	*94		2.10	**627-30		5.90	**340-42		4.20	C66		1.35	C18		.25	*865		8.40				
778 blk (4)		1.20	*96		2.10	*631		6.75	**346-8		8.25	*C67		9.40	C21-6		1.15	865		.90				
782a		.55	**118-21		1.90	**645-8		7.20	**354-56		7.60	*C67		7.50	C22-6		.65	933		1.25				
**784-5		2.10	122-4,26-31		2.50	**649-50		2.50	*357		12.00	C67		3.25	C23-4,6		.70	*945-46		2.00				
**786-9		4.50	**123-7		2.75	**659-62		5.65	**358		12.00	C76		1.65	C23-6		.95	*947-49		3.35				
790e		1.50	*124		.60	662		2.00	359		.60	C76 f		1.35	C24		.20	*958-60		7.50				
**791		2.45	**124-5		3.20	*676		3.20	*363		6.75	C81		.40	C26		.20	*968-70		7.00				
**794		5.65	*125		2.65	676		2.15	**369-72		6.00	C86		.40	C44		.20	*976-79		4.30				
794		1.50	126-34		3.40	676A		3.75	*373		6.75	C94-5		.50	C53-6 f-vf		1.70	*994-96		7.15				
795		.50	*129		3.00	**682-5		4.70	**379-82		4.70	C95		.20	C55		.35	*997-1000		1.25				
**797		3.00	130,2,3,4		1.65	*691-4		3.85	*384		2.45	*CB3a		3.00	**CB1		2.25	*1004-7		4.40				
797		1.50	*131		2.10	**697-700		12.00	*385		12.75	*CB1a		7.50	*CB1a		7.50	*1008-10		2.10				
816		.40	132,4		1.15	**721-4		5.50	**411-14		6.20	PITCAIRN ISLAND					*CB1a		6.00	*1011-13		3.25		
O22 thin		2.00	*138		1.05	*725-8		3.80	*415</															

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**1610		5.25	**95-96		2.00	105 thin		10.40	C112-8		70	**4298a,4301a		7.50	**C115-20		1.50
**1617-20		2.55	**97-100		3.10	122		8.00	**C160 s/s imp		6.40	**4324		35			
**1617a		3.75	**101		1.45	125 thin		7.00	**C184		7.50	**4339-40		70	RWANDA		
**1618a		3.75	**101a		4.50	127		4.40	**C186		5.65	4342		65	**23-26		1.05
**1619a		3.75	**102-3		2.25	**200-1		2.05	**C187		5.65	**4391		1.50	**27-35		2.40
**1624a		3.75	**104-7		3.25	**200-2		4.50	C187		3.75	**4408		1.30	**76-83		3.00
**1627a		5.65	**108-9		2.75	**203-5		2.35	**C191		5.65	**4415		1.50	**83a		5.45
**1661-62		1.90	**110		2.10	**240a		7.50	**C287		3.40	**4416		2.25	**114-25		13.85
**1663a-68a		15.75	**110a		6.75	**249		45	**3NRA3		1.15	**4459		2.45	**208-9		6.75
**1671a sht(8)		13.50	**111-14		5.45	**262		40				**4472		2.25	208-9		4.50
**1672		2.25	**115-18		5.65				RUANDA-URUNDI			**4572-6		1.60	**210		3.60
**1672a		11.25	**119		1.15	RHODESIA & NYASALAND			**129		85	**4586		3.75	**249		8.25
**1673-76		5.40	**119a		4.50				**146		40	**4589-94		1.60	**249c		9.00
**1690a		2.65	**122		3.00	141-54		13.90				**4608		2.25	**254		8.25
**1691a		2.65	**122a		7.50	172-77		14.40	RUSSIA			**4614		1.50	**255		2.25
**1722a		4.50	**129		1.90				8 thin		2.70	**4644A		1.50	**280		5.25
**1751-53		2.85	**130		7.50	ROMANIA			28		80	**4689		1.70	**283a		2.65
**1772-73		1.15	**138		5.65	31c s/d		10.90	32		60	**4727		1.05	**286a		2.65
**1776		9.40	**152		7.50	56 s/d		75	59c sh perf		105.00	**4780 missing			**309		3.40
**1777-80		4.10	**167		4.50	66 f		1.70	67		1.65	yellow		100.00	**359-66		9.30
**1781		5.65	**175		4.50	66 s/d		65	*68c		360.00	**4783a		1.00	**457-66		8.30
**1799		4.50	**186a		2.80	68 s/d		65	*74,76,77,79		2.00	**4791		65	**495-504		9.15
**1807		6.75	**195a		3.75	73 ave		75	*137a		8.40	**4805		1.50	**505		7.50
**1839-58		14.00	**196a		3.75	87 s/d		3.15	**139		55	**4817		1.15	**549		4.50
**1860		7.50				*159,63 f		10.00	**141		2.25	**4862-64		1.15	**594-601 s/s(6)		9.00
**1896		3.60	QATAR			*196-206 s/d-vf		72.00	**219		1.30	**4877		3.75	**612-13		2.65
**1918-23		20.25	*35		18.00	**287		1.15	303a f		70.00	**4928		3.75	**644-51		3.55
**1946		4.50	*36		39.00	**467-8		4.30	571		4.25	**4936-39		1.50	**652-59		5.75
**1990		3.40	*100Cd		16.50	*468 f-vf		1.80	580a-81a		2.25	**4950-54		1.15	**685-92		4.15
**2053a		4.50	*101E-H s/s imp		33.00	**558-67		3.70	589a		1.75	**5001-6		1.40	**693-98,B2-3		4.60
**2225a		2.80	*102-102A		6.60	863a		7.50	**603a		21.75	**5038		70	*730		3.00
**2421a		2.80	*102-102A imp		10.50	990		20	*628		2.40	**5127		1.15	*730 imp		3.00
**2490a		2.80	*102B		26.00	1018		25	**1254,55-7		5.50	**5148-52		1.50	**738-45		2.80
**2530-34		3.25	*119-119A		48.00	**1082-93 imp		37.50	**1260		1.50	**5157-61		1.50	**754-61		3.30
**2614		2.65	*119-119A imp		48.00	**1107a		9.00	**1345		1.90	**5164-68		1.20	**827		22.50
**2620		9.00	**267-74		21.00	1115		35	**1345-6		4.50	*5213		3.00	**836-43		6.25
**2648		65	**290-1,2-8		95.00	1131		30	**1346		2.60	**5222-25		75	**905-12		11.30
**2649		1.05	*290-1,92-8		76.00	1258		20	1468		9.00	**5280-84		1.00	**986a-89a		9.00
**2650		3.40	**303-10		19.00	1259		25	1514		3.00	5286-9		1.90	**1009-18		9.00
**2652a		1.90	**308a		28.15	1286		35	1593		40	**5319-23		2.25	**1027-34		5.20
**2657		3.40	**317-20		20.25	1478-85		80	**1652		1.00	**5321-23		1.90	**1112-21		5.80
**2658-63		8.25	**331-40		20.50	**1489		3.20	**1653		1.20	**5341-44		1.50	**1114,7,19-21		4.60
**2664		2.65	**347-53		28.45	**1501		3.75	1653		45	**5377		1.15	**1121		2.25
**2665		2.25	360C		12.50	1502-9		80	**1654		3.40	**5429		1.15	**1130-9		12.80
**2666		65	*415-22		30.00	1553-60		85	**1689		60	**5435-39		1.55	**1158-65		8.20
**2667		2.65	**534-5		5.10	1597-1604		90	1689		25	**5532,4-5		1.10	**1175-82		6.15
**2668		1.80	*542-3		4.15	**1691-8 imp		5.25	**1753-55		5.65	**5539		1.30	**1353-54		15.00
**2671-74		3.40	555		1.25	**1729-36		5.50	*1761-63		8.10	**5557-59		1.50			
**2675		3.40	556		2.50	**1830-35		3.60	**1767a ovpt "1962"		56.00	**5560-64		1.60	RYUKYU ISLANDS		
**2677		1.90	*563-4		4.00	**1835a		4.50	**1786a		7.50	**5580-2		75	**22		2.00
**2682		3.75	**579-82		20.80	**1837-44		6.45	**1787a		15.00	**5585-89		1.95	**31		75
**2688		3.75	**585-6		6.00	**1845-48		2.80	*1916-23		5.90	**5603		1.70	**39		10.00
**2689		8.25	**587-90		6.95	**1859-64		5.35	*1924-29		9.00	**5605-9		1.75	**43		65
**2694		5.25	598		1.10	**1879-86		3.05	**1943a		26.25	**5623		3.75	**43 sht(10)		6.50
**2810		1.90	606		1.35	**1907-12		3.10	**1979a		15.00	**5635		40	**54		95
**2904		2.25	626		1.10	**1913-19		1.90	**1991		2.65	**5665		1.50	**56		55
**3211		2.25	627		2.25	**1958		2.45	*1991		2.10	**5674		40	**57		1.00
P1		70	628		3.25	1964 Tokyo			**1992-3		2.10	**5675		55	**58		25
P1_a		1.40	**647-8		9.75	Olympics s/s		2.50	**1995 gttr pr		15.00	**5687-91		2.15	**65		1.50
*1S 45 dblt ovprnt...		50.00	658		1.50	**2038		2.25	**1995 cr gttr blk		30.00	**5757-60		1.20	**66		2.25
*2 S 8		65	659		3.00	**2094		1.95	**1995		7.50	**5761		95	**67		75
*2 S 8 ng		30	**724-5		5.65	**2148-51		1.60	**2002a		37.50	**5783-5		90	**68		75
**Portuguese Colonies			**728		8.25	**2217		3.75	*2003-17		9.00	**5785a		4.15	**72		4.30
Anti Malaria set of 8		4.60	**729-32		7.70	**2235-40		1.80	**2032-5		3.75	**5837		1.70	**73		75
			**731		2.10	**2248		2.25	**2083		1.90	**5851-53		1.15	**74		4.20
			**732		3.00	**2268		1.30	**2086-87,2147-51 imp		11.65	**5903		1.50	**75		1.40
PORTUGAL-AZORES			**762-5		6.65	**2269-84		8.50				**5906-8		1.00	**98		30
**315a		2.80	**781-4		5.80	**2307		1.25	2086-7,2147-51			**5906-8 sht (9)		2.90	**107		25
**322a		3.40	**840-1		2.90	**2609		1.65	imp blks		31.00	**5909-11		70	**114		95
**333a		3.75	*842-3		4.50	**2642		1.85	*2089-91		3.15	**5920-24		1.15	**117		40
**336		1.15	**869		1.90	**2712-17		1.95	**2095-99 imp s/s		18.75	**5936a		1.50	**125		40
**336a		4.50	**897-900		6.40	**2718-22,B442		2.70	**2095-2106 imp s/s(2)			**5938-40		90	**127		30
**344		1.15	*904		1.90	**2803-8		1.55	**5941-5		1.75	**5945-8		1.75	**150		20
**344a		5.25	**919		18.50	**2968		1.45	**2147		7.00	**5954-8		1.50	**153		30
**353a		4.15	*923-4		25.50	**3038-41		1.05	**2148		12.00	**5957		40	**156		20
**356		1.70				3102-9		80	**2149		12.00	**5961a,5963a		1.15	**162		20
**356a		5.25	RAS AL KHAIMA			3102-17		1.90	**2151		17.50	**5977a		2.25	**163		20
**361-62		2.75	**13a,14a		3.75	**3575-82		2.95	*2213-19		3.85	**5977b		3.00	**165		20
**363		1.15	**MI# BK16-8		3.90	**3634-8		1.30	**2280		90	**5977c		7.50	**167		25
**363a		4.50	**MI# 18-20		5.40	**3639-48		2.65	2287-8		2.95	**5977e		7.50	**168		35
**364-65		3.00	**MI# 86-8		1.25	**3652-7		2.05	2287		80	**5994-8		1.30	**169		25
**366-69		5.85	**MI# 148-51		2.00	**3658-63		1.75	2288		2.10	**6002		2.25	**170		25
**370		4.50	**MI# 174		1.80	**3686		45	**2290-1		35	**6008a		3.75	**171		25
**370a		5.25	**MI# 181		1.50	**3690		1.15	**2290-3		1.15	**6011a		3.20	**172		25
**371-74		5.25	**MI# BK25		1.00	**3694-5		1.15	2292		10	**6016a		3.00	**173		25
**375-76		2.25	**airmail horse s/s		1.00	**3698-703		2.05	**2305a		1.50	**6023-5		70	**174		30
**380a		2.45				**3723-7		1.50	**2325		50	**6029		1.15	**175		20
**381		1.90	REUNION														