



WORLDWIDE

ABU DHABI - CZECHOSLOVAKIA

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shltl = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
ABU DHABI																	
*12.....		8.10	**B26b.....		1.90	**341-43.....		13.75	**361.....		1.65	*112.....		1.45	**B30,CB29.....		80
**12-14.....		68.00	**B31.....		.95	**362-4.....		11.25	**371.....		.75	**116.....		3.40	**B31-34.....		2.45
**13.....		12.75	**B39-42.....		12.00	**365-8.....		15.20	**372-73.....		3.40	**182a.....		8.65	*C110.....		2.25
**14.....		21.75	**B43.....		12.40	**B39-42.....		3.00	**374.....		1.30	*232-34.....		1.70	**CB23-4.....		.90
ADEN																	
13-4.....		1.40	AJMAN														
ADEN-MAHRA STATE																	
**MI# 48-56.....		3.15	**18.....		5.65	**B47-50.....		12.00	**375.....		1.05	**241-57(249 rd cor)		29.95	**CB34.....		.40
AFARS & ISSAS																	
**317.....		2.25	**19-26 imp.....		13.15	**B88-9.....		13.50	**376-77.....		2.45	254.....		2.90	ARGENTINA- BUENOS AIRES		
**347.....		5.25	*19-26.....		7.05	**B88-89.....		10.80	**386a bklt.....		7.50	**262-66.....		3.70	13 thin.....		18.00
**374-5.....		3.00	*22-6.....		6.60	*B91.....		4.80	**388c bklt.....		9.40	**266a.....		4.90	ARMENIA		
AFGHANISTAN																	
**371.....		7.50	*25.....		2.05	*B95.....		4.15	**398.....		1.05	*287a.....		5.65	ARUBA		
**425-6 imp.....		6.75	*26.....		4.15	*C15.....		6.40	*401.....		.75	*311a.....		3.00	**19.....		1.50
**470-1 s/s imp color switched.....		4.50	*27-36.....		6.75	ANDORRA (SPANISH)											
*470-1 s/s imp color switched.....		3.60	*27-36.....		5.40	*81-2.....		4.15	*406-7.....		2.45	*332a.....		.50	**21.....		2.25
*476-77 imp s/s.....		4.15	*36.....		2.45	*250.....		1.15	*408-9.....		2.25	*333a.....		2.45	**22-3.....		5.10
*476-7 imp.....		1.90	*37-44.....		4.50	ANDORRA (FRENCH)											
*483a.....		4.50	*43a perf & imp.....		6.75	*11.....		24.00	*413.....		.60	*344a.....		.60	**24.....		3.00
**502-3 s/s perf.....		2.80	43a-4a.....		4.00	*56B.....		.30	*420.....		1.15	*369-73.....		4.30	**25-6.....		3.00
**518-19 perf s/s.....		3.40	*44.....		1.65	*57.....		36.00	*422.....		1.50	*373A.....		6.00	**27-8.....		3.60
**518-19 imp s/s.....		3.40	*C8.....		2.25	*64.....		11.10	*424.....		3.20	*402-4.....		5.50	*38-9.....		3.00
**538x perf imp.....		2.60	*C9.....		3.40	*78-84.....		1.60	*427a.....		1.90	*437a.....		1.90	*50-2.....		100.00
*565-74 s/s(4).....		6.60	*CO1-4.....		8.25	*85-89,91-93,96-101		5.25	*437a.....		1.50	*464.....		.55	*58.....		2.10
**578-79,C15-16 cr.....		1.00	*CO1-4.....		6.60	*90 toned.....		2.15	*442.....		1.50	*464 bklt.....		2.80	*61-3.....		4.15
**603 s/s perf.....		2.65	*O1-5.....		2.00	*123.....		24.00	*447a.....		1.50	*482.....		2.25	*73-4.....		4.15
*618-22.....		1.80	**MI# 287b World Jamboree.....		3.00	*136.....		24.00	*451.....		1.00	*513.....		1.00	*154-7.....		5.45
*622.....		1.50	*Joe Dimaggio sht.....		1.00	*138.....		28.50	*452.....		1.00	*547-50.....		2.60	*180-1.....		2.70
*637-41.....		2.25	ALBANIA														
*656-6D.....		1.75	54.....		6.00	*143-47,50,53.....		3.60	*453.....		1.00	*586.....		1.00	*397a.....		16.90
*667-7D.....		.95	54-61.....		40.00	*154.....		1.20	*454.....		1.95	*623-5.....		1.35	*B1-3.....		4.50
*671.....		.20	*523-5.....		3.10	*155-57.....		16.50	*455.....		1.30	*627.....		3.00	*B4-6.....		6.60
*671-1D.....		.75	*523-5.....		2.45	*159.....		16.90	*456.....		1.00	*721.....		1.70	*B10-2.....		4.90
*672-2D.....		.75	*523-5.....		1.80	*159-60.....		27.00	*457.....		1.65	*735.....		1.50	*B13-5.....		5.25
*674-4C,G.....		1.50	*523-4.....		1.35	*161-64.....		1.45	*458.....		1.30	*749.....		2.45	*B16-8.....		5.10
*750a.....		1.50	*552.....		6.00	*165-66A.....		4.30	*459.....		1.00	*759.....		2.65	*B24-6.....		1.90
*912a.....		2.10	*552a.....		4.90	*165,6.....		1.60	*460.....		1.00	*778.....		4.00	*B35-6.....		3.20
**1041-2.....		1.35	*576.....		4.00	*166.....		1.00	*461.....		1.00	*790-1.....		6.00	ASCENSION		
*B7-8.....		2.35	*606.....		8.25	*167.....		4.90	*462.....		1.00	*839.....		4.50	*8 crease.....		35.00
*B11-2.....		2.50	*613-5 imp.....		22.50	*167.....		3.90	*463.....		1.00	*889.....		3.30	19.....		31.25
*B13-4 imp.....		2.45	*613,15.....		2.35	*169-70.....		3.00	*464.....		1.00	*905-8.....		2.75	20.....		58.00
*B36 s/s imp.....		4.00	*615.....		2.00	*172.....		2.25	*465.....		1.00	*934-7.....		6.95	*21.....		55.00
*B41 s/s imp.....		3.75	*616-20.....		4.40	*174-5.....		6.45	*466.....		1.00	*938.....		6.00	*41Ac.....		4.80
*B42-6.....		1.90	*616-20 (2 thins).....		2.45	*175.....		3.00	*467.....		1.00	*956-7.....		5.45	*42b thin.....		1.15
*B47-51.....		1.50	*620.....		1.05	*177.....		7.30	*468.....		1.00	*958-61.....		4.15	*43b.....		3.45
*B47-51.....		1.20	*639-41.....		4.20	*178-80.....		2.40	*469.....		1.00	*1112-5.....		2.40	*44Ac.....		8.10
*B51 s/s perf.....		3.75	*640.....		1.05	*178-80.....		1.90	*470.....		1.00	*1144.....		2.45	*44Bd.....		1.90
*B51 s/s imp.....		3.75	*645.....		1.80	*185-7.....		2.60	*471.....		1.00	*1145-51,3-8,61-1A		27.15	*45a.....		4.50
*F1.....		1.80	*649-50.....		1.00	*185-7.....		2.10	*472.....		1.00	*1328.....		5.25	*46a.....		7.80
*F2.....		1.50	*649-52 imp.....		36.00	*188-9.....		13.90	*473.....		1.00	*142.....		4.90	*47a.....		1.00
*RA1-2.....		4.90	*651.....		1.70	*188-9.....		11.10	*474.....		1.00	*1603,5-6 (7).....		12.35	*48a.....		8.10
*Year 1996 Bears(6).....		4.35	*651.....		1.35	*189.....		1.90	*475.....		1.00	*1607.....		4.50	*49.....		1.90
*Birds Of Prey imp.....		6.75	*654-6 imp.....		33.75	*190.....		1.90	*476.....		1.00	*1670.....		9.75	*203-5.....		1.00
AITUTAKI																	
**63.....		.75	*654-6 imp prs.....		67.50	*192-4.....		2.45	*477.....		1.00	*1670.....		9.75	*209 blk.....		1.60
**63-65.....		2.75	*657 imp.....		37.50	*196-7.....		15.00	*478.....		1.00	*1966.....		15.00	*212.....		1.70
*78a.....		.60	*660-1 thin.....		.55	*199-201.....		2.95	*479.....		1.00	2417a singles.....		.90	*213.....		.40
*102 shltl(5).....		2.80	*662.....		5.25	*200-1.....		2.25	*480.....		1.15	*MR1-2.....		5.20	57.....		1.00
*103a.....		1.50	*662.....		4.50	*202.....		1.50	ANGOLA			ANTIGUA-REDONDA					
*109a.....		1.90	*666-70.....		6.50	*207-9.....		4.00	*386-93.....		8.10	**1983 5 200th Ann.....			*90.....		1.90
*116a.....		1.40	*666-8-9.....		1.70	*210-11.....		12.60	*386-93.....		6.45	Balloon Flight s/s.....		10.00	*182a.....		1.30
*117-20.....		1.95	*671.....		10.15	*214-15.....		1.65	*410-2.....		3.10	*5 Yachting 1984.....		1.40	*221-24.....		1.00
*120d.....		3.00	*672-3.....		2.40	*218a.....		4.50	*432B.....		1.40	Olympics s/s.....		8.00	*229.....		1.50
*123a.....		1.20	*684.....		3.00	*218a.....		3.60	476.....		4.76	*100th Ann. Chagall "Red Donkey" s/s.....		7.00	*247.....		1.50
*126d.....		5.00	*684.....		2.40	*219-20.....		15.00	486.....		1.25	*100th Ann. Chagall "Summer's Dream" s/s(7).....		10.00	*328-31.....		1.00
*130a.....		2.25	*697-700.....		19.60	*219-20.....		12.00	488.....		1.15	*Easter 1983 s/s.....		5.00	*339.....		1.15
*142a.....		.40	*721.....		2.70	*221.....		1.70	ANGUILLA			AUSTRALIAN STATES					
*143-44.....		.50	*730-33.....		1.95	*222.....		1.35	*144a.....		1.90	NEW SOUTH WALES			PAIN		
*151a.....		1.90	*733x perf.....		4.20	*229.....		3.00	*159.....		11.40	9 pair f.....		260.00	*299.....		.80
*153a-59a.....		1.50	*740-43.....		16.90	*232-3.....		16.15	*264a.....		6.35	17a f.....		110.00	*300.....		5.40
*166.....		2.10	*740-43.....		3.30	*236-7.....		8.25	*271-4 bklt.....		2.25	31a f.....		40.00	*300 f.....		3.60
*172a.....		2.60	*744.....		11.25	*238-40.....		2.25	*300a.....		1.05	40a.....		80.00	*300.....		4.35
*182.....		2.65	*774 imp.....		11.25	*239-40.....		1.90	*301-4 shts(5).....		9.20	40b f.....		12.00	*301.....		4.10
*191b.....		4.30	*777-85 imp.....		22.50	*246-47.....		6.00	*304a.....		2.10	44 s/d.....		9.00	*301.....		3.30
*192-207.....		3.40	*786 imp.....		18.75	*246-7 ng.....		2.40	*315-8 bklt.....		2.60	104B ave-f.....		2.65	*314-28,29-31.....		37.50
*232a.....		2.10	*796-800.....		14.10	*248.....		1.00	*315-8.....		1.25	O15b s/d.....		15.00	*321.....		1.70
*283.....		1.90	*820.....		8.25	*254-55.....		5.80	*318a.....		1.50	TASMANIA			*321.....		1.35
*322-41.....		48.00	*820 imp.....		9.00	*257.....		1.30	*349-54.....								

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
**549a		2.60	**1708-9 coil pr	1.65	*J80 ng	8.50	556 s/d	.85	B254-5	2.05	**PR6 f	5.60	**165		1.70			
551		.75	**1709a	8.25	**J81	15.00	*557	1.20	*B262	9.60	PR6	3.40	**165 blk		6.75			
**552		1.30	**1718 coil(1)	.80	*J81	12.00	*558	3.60	*B264	7.50	**4N1-17 f-vf	3.35	**165		1.35			
552		.75	**1722a	8.25	*J81 f	2.50	**559	9.00	**B269-71	90.00	Proofs	12.50	**166		.65			
573		.15	**1723	.75	**J83	24.00	*559	7.20	*B269-71	72.00			**166		.50			
**573-4,6,7,9		30.50	**1742De bklt	8.25	*J83	19.00	*559 thin	2.40	B270	15.00	AUSTRIA-CRETE							
**574		2.80	**1742Df	16.90	*J83 f	3.40	**561	2.45	B270 s/d	4.85	10	55.00	**167 blk		1.20			
574		.30	**1746Ef coil (4)	3.40	*J87	.55	562	6.25	B276 thin	2.90	*12	.65	**168-70		6.40			
**575		2.80	**1752a	5.00	*J89	5.00	**565	3.40	**B277	15.00			**169		1.35			
575		.25	**1757a bklt	16.50	*J89 thin	2.00	*565-7	9.60	*B277	12.00			169		.35			
**575,7,9 specimen		10.00	**1764a coil (2)	2.60	**J89a	6.95	**567	6.40	B277 thin	4.00	AUSTRIA-OFFICE IN TURKEY							
**577		7.10	**1772a coil (4)	3.95	*J89a	4.60	570	4.25	**B279	8.65	*6a	24.00	**171		1.20			
**579		13.50	**1775a(5) bklt	14.25	*J90a	20.00	*572	1.35	*B279	6.90	7 f	26.00	**171		13.50			
579 s/d		.55	**1777a(5) shtlt	14.25	**J94	21.75	**573	.90	**B281-85	8.30	7D s/d	4.15	**181-82		1.00			
640		.50	**1794a coil pr	2.25	*J94	3.50	**574	3.60	*B281-5	6.65	8	87.50	**185-95		7.25			
643		.15	**1797a	16.90	*J94 f	2.80	575	1.20	**B286	4.90	15 f	4.80	**186		.25			
**655-8		2.25	**1807a bklt	10.70	OB45	3.25	*588	3.90	*B286	4.00	19 thin	4.00	**186 blk		1.00			
656		.15	**1827a coil stp(5)	5.25	OB52	10.00	*591	9.00	*B294	3.90	21-23	.80	**202		.70			
657		.20	**1829	.75	** 2.50(5) & 7.50(5)			*595	14.40	**B295	1.90	26	.80	202		.45		
**665a,666		3.00	**1832a	13.90	Royal Flying Doctor Service		*598	1.35	*B296	3.00	50	.40	**204		.20			
672-5		.70	**1839-40,2-6	40.00			*602	18.00	*B296	2.40	50	2.75	**204 blk		.75			
**675a		1.95	**1839-46	42.40	s/s	40.00	603	2.75	**B297	2.45	J13 f	64.00	**211		.30			
682-6		.85	1841	1.00			**604	1.80	**B322	.45			**213		.30			
685		.15	1843	1.75	SPECIMEN			*604-5	2.90	**B323	.45		229		1.15			
686		.30	1844	2.90	**SG# 1308S	.50	*605	1.80	**B325	.45	AUSTRIA-LOMBARDY- VENETIA							
**687a		1.50	1845	3.15	**SG# 1359-60S	1.00	*608	9.75	**B327	.55	*1c s/d	975.00	**246		.35			
693		.45	**1856a coil pr	1.90	**SG# 1400S	2.00	*608	7.80	**B335-38	1.35	*3a f-vf ng	1800.00	**249-51		2.10			
**712		.30	**1872a bklt	10.30	SG# 1420S	2.00	*610	7.90	**B343	2.25	4b	12.50	**255		2.85			
717		.20	**1918a coil pr	2.00	*127-9 specimen 1931-6		*610	6.30	**B343 cr	.60	*4f	760.00	256		2.25			
**726		.30	**1924a	12.95	10 sh 1,2	175.00	*610 f	6.50	**B361 sht(8)	14.40	4f ave	9.00	259		.70			
**732-8		4.35	**1932a	8.60			*611	6.60	**B370a	22.50	5 s/d	4.00	**288-89		.85			
**732-9		5.85	**1936a	8.60	MISC. ITEMS			**660	.75	*B371	6.40	5 steamship cancel	18.00	**293a		3.00		
736		.30	**1953a coil stp(10)	10.30	**Lettercard 1982	1.00	*711-7	1.75	*C4-11	7.45	6	34.00	294-97		.75			
739		.30	**1953b	10.30	**10 1993-94 wetlands		**719-24	2.35	**C6-9	1.75	6	29.00	**298-300		.90			
739 str of 3		.65	**1955a(2) bklt	14.25	conservation	10.00	**729-36	2.60	C22	1.20	6a	30.00	**303-6		4.60			
**741		1.50	**1971a coil stp(5)	4.30	**wetlands conservation		**735-36	1.25	C31	4.00	6c	37.50	**303-6		3.65			
741		1.00	1980	.95	1994-5	10.00	*756	.25	*C47-53	5.05	6c steamship cancel	40.00	**313-15,317-22,24-25-27					
755a		.70	**1983a	8.60	**fish and wildlife		**759-60	.65	*C47-53 hh	4.35	6c f	30.00	30		18.90			
759		.15	**1991a coil stp(4)	3.95	Victoria(3)	15.00	**764-69	2.10	*C47-53(C49,53 thin)	4.60	6d f	30.00	**317a-30a		27.00			
776		.25	**1995a,b(2) bklt	10.70	**meter 41 cent.	1.00	**764,66-9	2.00	*C50	1.90	9	60.00	**322		2.00			
780-3		.60	1995g	6.75	westrail	.50	**770-72	1.05	C50	1.25	*11a f-vf	825.00	322		1.50			
793		.35	**1995h	14.25			**785-86	.65	C50-52	3.20	12 s/d	18.75	*327b		1.95			
806		.20	2003a	1.25	AUSTRALIAN			*786a	1.45	*C51	1.60	*15 ave	97.00	**351a		2.25		
814		.20	**2017a coil stp(6)	6.90	ANTARCTIC TERRITORY			**791	.45	*C51	.75	*24 thin	189.00	**361a		1.00		
**816-19		2.20	**2017b	9.60	**L4	1.30	**793-94	.65	*C52	1.60	24 s/d	40.00	**362-85		5.65			
816		.15	**2020a	18.00	**L6	1.05	*795	.25	C54-60	137.00			**362-5		4.50			
**821-24		2.60	**2030a	9.40	L8-17	6.85	*796	.45	C54-60 (no C55)	114.00			**362-5		4.50			
821		.30	**2046a coil stp(6)	5.25	**L39,43,5,6,51		*798	.25	*C56	8.10	AZERBAIJAN							
826		.15	**2046b	8.60	gttr prs	5.20	*805	.40	*C56 ng	3.75	**715a bklt	24.50	467,469,471		2.05			
842-4		.75	**2047a,8a,9b,		*L51	1.00	*811	.45	C56	4.75	*875	4.15	472		1.20			
**844a		1.30	50a,50b bklt	19.50	L52	1.65	**846-53	2.70	*C57	93.00	*921	4.50	**559-62		4.30			
880		.45	**2052a	10.90	*L53-4	1.65	**872,74,76	.80	C57	48.00			**562a		4.90			
**898-901		1.50	**2059a	13.50	L66	.30	**886-87	.60	*C58	90.00	AZORES							
913		.45	**2064a,5a,6a,		L74	.70	*887	.40	C58	47.50	*32 s/d	22.50	**644		8.25			
**949-52 in folder		2.90	7c,7d bklt	15.00	*L97c	30.00	*897	.40	C58 s/d	14.25	*64 s/d	26.00	**667		5.10			
**963-6 in folder		4.65	**2071b coil stp(4)	3.90	AUSTRIA			*897-906	2.70	*C59	39.00	*31 ave	.15	*692		7.50		
**963-6		4.65	**2073a w/ Thailand		7 rd cor	72.00	*912-14	.60	C59 cr	9.50	**P1 ave	3.95	**715		3.00			
**984-87		4.20	2029a in folder	5.00	*15 ng	108.00	*958-76	28.00	C60	4.25	*P3	3.60	**729		6.00			
991		1.15	**2076a(3)bklt	31.50	*23 s/d	28.50	*958-76(958 used)	22.15	C60 on piece	4.20	*P3 f	3.00	**753		4.50			
1000		1.10	2078	1.75	31 thin	1.30	*959,962,963	1.15	C60 crease	1.70	*P3 f ng	1.80	**1241 sht(6)		1.60			
1009-10		.40	**2090a	8.60	36a thin	.70	*963	.55	C60 s/d	1.30	P3 f	1.20	*MR5		2.85			
**1036-39		3.20	**2096b	4.30	*37 ng	48.00	975	.75	*C61-3	1.50	BAHAMAS							
1036-9 FDC		1.70	**2102a coil stp(6)	5.25	39 s/d	28.50	*991-2,94-95,99-		*C63	.70	2 s/d	65.00	3 s/d		75.00			
**1052		.60	**2112 coil (1)	.80	40a	125.00	1000,1002	2.50	*J93-101	1.35	7 s/d	75.00	10 s/d		90.00			
**1109B		.60	**2114a	8.60	40b	95.00	*1006-11	1.60	*J103-13	1.65	*11 ng	42.00	*11 pen		22.50			
1132		.50	**2114b	17.25	42-6 s/d-vf	18.00	*1009	.20	*J189-200 f-vf	1.65	*11a s/d	18.00	*11a s/d		18.00			
1132-3		3.90	**2115a(5) bklt	16.00	45 s/d	.85	*1025	.20	J189-203	2.45	13 clipped perfs	15.00	14 ave-f pen cancel		20.00			
**1134		15.00	**2117a (5) bklt	16.00	*100-102 specimen	175.00	*1041	.85	*used MB1-3	.90	14 ave-f pen cancel	20.00	*96-8		26.00			
**1153		.75	**2119a (5) bklt	16.00	103b	5.00	1041 blk(4)	1.10	*MP3 pr	1.90	14a clipped perfs	23.00	*104-14		7.05			
**1153 gttr pr		1.50	**2120a(5) bklt	16.00	114	1.05	*1042	2.25	*N23 f toned	.75	15 f nib perf	150.00	**150		13.50			
**YVT#1175 John Glover		20	**2147b	8.25	*114,6-20,24	16.00	1042	2.25	*N25 f	1.00	*16 thin	14.00	*160-63		22.80			
**1180g		4.30	2156	1.75	*127	440.00	*1162	.75	*N26 f	11.60	*16 ng	21.00	**180-1		13.15			
**1203-6		4.00	**2164a,6a(2) bklt	8.40	*127	115.00	*1307-33	9.75	*N29 f	34.00	16 f	8.00	**194-5		11.80			
1206		1.25	**2170a coil stp(4)	3.90	*152 paper on back	2.00	*1311	1.05	N55b	63.00	16 s/d	3.00	199		3.50			
1221		.95	**2173a-7a bklt	15.90	*156-8 imperf	37.50	1364	.10	*N62 f	1.00	20 ng	172.00	203		2.50			
**1222-5		4.50	**2182a coil stp(5)	4.30	*175	4.80	1365	.10	N62 f	1.60	22 s/d	2.70	217		.40			
**1246b		10.50	**2182b	8.25	*220	.20	*1389-98	5.75	*N63	1.50	*23 s/d	9.00	232		.50			
**1246c		8.60	**2193-6	3.30	*233 blk (6)	.90	*1526	.70	*N63 ave	.75	*24 ng	18.00	234		.55			
**1246d		6.35	**2198a coil stp(6)	5.60	*248	.60	*1561-64	2.70	*N64 f	.65	*25 cr	140.00	235		1.50			
**1246f		8.50	**2199a,2200a,		248	.80	*used 1561-64	1.50	*N64-8 ave	2.40	27	1.65	**236		6.20			
**1248c bklt		8.50	2201a bklt	15.75	*250-68,70-3,5,8	4.65	*1569	1.50	*N64-71 f	5.15	*27a thin	19.00	236		2.25			
**1276a		2.10	2201</															

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
438		1.25	**493-5		9.00	**104a f		1.00	**B315		26.00	**801-6		4.30	264		75
O16-9		3.00	**493-6		10.10	**107 f-vf		30	*B315		13.50	*807		5.25	*272-75		80
			**496		1.10	116-20		1.95	**B315 single		13.50	**811B-13		3.10	296-97		35
	BARBADOS		**502-5		1.90			165.00	*121		60.00	**B315-16 w/ ovpts		1.00	298-99		70
2 ave-f		28.00	**543		4.50	138		65	**B317		7.15	*813		1.20	304-7		1.85
2a ave-f		78.00	**578-80		1.90	*140-43		1.85	**B399-407		4.30	**814-5		1.50	**318-21		4.75
2a thin		45.00	**622-24,26-27		2.80	*162-67		2.00	*B436		9.60	*816-21		3.45	**322-28		25.00
4		165.00	**672		2.65	*168		8.10	*B450		7.50	*828		4.10	**52a imp		4.50
5 f		90.00	**687-93		4.50	186 88-90 f		5.00	*B451-54		10.00	*842		3.75	**329-32		1.50
5a f		50.00	**687-93 specimen		4.50	*198-211		9.75	*B454		7.20	**843-48		2.70	**337-42		6.10
6 f		28.00	**701-4		4.90	*212		10.50	*B458a		120.00	*849		3.00	*337-42		4.85
6a f		32.00	**724-28		3.50	**213 signed		100.00	*B458a ng		60.00	*856		4.15	**337,340-2		5.40
*33 ng		97.50	**733		2.45	213		12.50	*B460		32.00	*863		4.90	**337-8,40-2		6.55
*60		21.00	**735		4.15	218-20		1.15	*B461		13.50	*864		3.40	337-9		1.65
*60 ng		6.75	**779-81		2.40	*221a thin		20.00	*B466A ng s/d		30.00	**871-6		3.85	**338-42		6.60
60		1.15	**782		5.65	*222-24		14.85	*B466B ng		60.00	*877-82		3.45	**339		1.15
61		70	*782		4.50	*234		7.20	*B477-79		9.45	*883		4.90	341		1.00
**62 pinholes		30.00	**790-1,3		4.10	*234-6 ng		21.00	**B482a		60.00	**884-9		3.70	**351,354		85
63a		25.00	**809-11		5.35	*234-6 f		36.50	*B482a		48.00	*936-41		3.70	**355-8		3.35
*72		3.30	**867-74,6		53.00	*235		15.00	*B489-91		27.50	*942-6		2.85	**355-9		4.20
*82		6.60	**877-89		9.80	*236		33.00	*B490		10.80	*947		3.75	**363-79		22.50
*83		9.00	**986		18.00	236		6.25	*B495-7		41.00	**952-7		5.20	**363-79		18.00
*90		8.40				236 f-vf		5.60	*B497		19.50	*958		4.90	363		1.25
90		1.65				236 thin		2.50	*B500-2		67.50	*959-64		5.20	364		1.50
*92		16.50	**39-40		40.00	*241 ng		60	*B511-13		25.50	*965		4.90	365		80
*93		18.00	*46-56		73.00	246-50		70	*B513a		255.00	*966-71		6.60	365-70		2.25
*96		21.00				*251-53		25.00	*B519-20		61.95	*972		3.75	373		1.00
*98		18.00				*251-3 (253 rd cor)		13.60	B521		40.00	*973-8		8.80	379		3.90
**102		27.00	*33		4.35	*255 ng f		4.30	**B521-22		240.00	*979		6.75	**385-8		2.45
*102		10.80	*39		9.90	Mlf# 28la,b		30.00	**B521-2 ovpt		63.00	*980-5		7.15	**397-400		2.20
*102		10.80				294-302		1.55	B522		40.00	*987-92		5.85	**406-11		3.45
*104		8.40				*336		8.10	*B523-30		45.00	*993		4.90	*412-4		1.50
105		2.75				*352		3.15	*B531		1.65	*994,6-9		6.20	**412-4 gtrr prs		3.00
*109		12.00	*71		9.60	**357 blk		7.20	*B553 f-vf		10.00	*966-71		5.25	**433-6		5.90
*109 s/d		2.40	*76		1.65	*360		2.85	*B554 f-vf		12.50	*980-5		5.60	*434		1.20
*116-8		10.60	*82		2.40	*360a		120.00	*B555-7		42.00	**1001-6		5.35	**437-38		1.15
*127		55	*84		1.65	*368-70		75	*B561-66		105.00	*1007		4.90	*437-9		1.90
*129		1.80	*85		4.20	*382,4-5		22.00	B565		10.50	1022-5,7		1.90	*438		65
**131		6.40	*86		7.80	**386-89		10.75	*B572		15.00	**1029-34		5.35	449-51		1.20
**135		11.25	*105		1.65	*389		4.25	*B572		12.00	*1035		4.90	*453-56		4.75
*151		12.00	*124		1.80	*400		2.80	*B585		16.50	**1036-9		3.15	**453-56 gtrr prs		11.00
164 f		10.00	**124-6		2.95	*400		2.25	*B586-88		8.00	*1040-5		5.60	*453-56		4.40
*167		35	*124-35		24.75	*416		8.65	*B597		8.70	*1046		4.90	*457-60		6.30
*168		5.40	*130		1.95	*416		6.90	*B598		9.60	**1047-52		5.35	457-60		4.25
*180		1.20	*131		2.10	440		45	*B605		2.45	*1053		4.90	*461-4		5.25
**188		2.70	*154-7,59-65		62.00	445		11.25	*B605a ng		55.00	**1053A-C		6.65	*461-4 gtrr prs		11.85
200a		1.50	*158		7.80	*449,a		74.00	*B605b		26.25	*1054		4.90	*461-4		4.75
*201		4.20	*159		1.05	*449a		60.00	*B610		7.20	**1089-92		4.40	*465-8		10.50
*235-46		42.00	*189		3.00	*458		2.25	*B647-52		8.15	*1100		2.80	*474-7		7.00
*235-44,46-7		30.15				*461		71.00	*B660-62		1.05	**478-1		7.50	*478-80 (479 s/d)		2.30
*,used 248-50		65				*463		66.00	**B662a		53.00				482-87,89-90		5.35
**257-264		16.30	**54		30.00	463		8.00	**B662a singles		50.00	*2 ng		158.00	*4	s/d	345.00
**267-80		13.90				*466		71.00	*B662a		42.00	*6 ng		135.00	*6	s/d	67.50
**315a		2.65				*467 crease		2.70	*B665-6,8		9.75	*14 thin		85.00	*509 gtrr pr		13.15
**352a		3.00	*247-51,3,5-6		42.00	**472b no tab		4.90	*B663-8		14.40	*15 f		124.00	*514-8		5.95
**395a		4.70	*253 ng		12.75	*472c no tab		11.25	*B699-704		3.60	*22a		22.50	*514-8 gtrr prs		13.75
*416-19		4.15				*473h no tab		12.00	*B724,6-8		2.75	*37		4.75	*526 gtrr pr		6.40
*416-19 gtrr prs		8.30				*474a no tab		18.75	*B731a		5.80	*37 f		3.80	*528-31		5.40
*423a		1.70				*474b no tab		13.50	*B736-39		85	*42		12.00	*536-40		8.20
*474		1.65				*485-87		3.35	*B745a		13.50	*503		95	*516-25 (517 s/d)		5.95
*488 gutter pr		1.10				*501		30	*B754-56		65	*B766-71		1.10	*516-25,C15-20		7.80
**494		85				*503		95	*B766-71		1.10	*B766-71		1.10	*528		2.25
**495-511		30.00				*516-25 (517 s/d)		5.95	*B797-9		50	*B797-99		70	*545-52		8.00
502		35				*516-25,C15-20		7.80	*B797-99		70	*B810-14		1.30	*578		7.00
505		75				*528		2.25	*B797-800		1.50	*B815		75	*619-21		60
*532-33		1.70				*545-52		8.00	*B810-14		1.30	*B836,838		60	*641-58		2.70
*570-72		14.65				*578		2.00	*B815		75	*B800		75	*663 ng		10
**602-5		9.75				*619-21		60	*55-60,67-69		86.00	*B1000		1.50	*674		15
645		1.40				*641-58		2.70	*68 f		7.20	*B1016,17,20		2.55	*689		60
645a		4.00				*663 ng		10	*71-79		73.00	*B1026-8		4.50	*1068		1.95
646		1.00				*674		15	*81-3a,b,4-7a,8-93		112.85	*C15-20		1.90	*1082		30
650d		30				*8		55.00	*81-93 f		48.00	*E3		3.40	*1112-14		3.20
**658a		15.75				8a f		104.00	*83		10.20	*E5		10.70	*1169-70		2.05
**697-700		2.80				*9 f		112.50	*83b s/d		3.15	*N6		65	*1208-9		1.95
**706-9		4.35				9		63.00	*84		8.25	*N10-3		1.00	*1270		1.30
**714-7		5.80				9 f		50.00	*84		8.25	*N11		50	*1280		1.30
**739-42		13.70				9-12 f		117.00	*86 f		75	*O5 thin		1.40	*1399-1400		2.80
**769-72		10.75				*10 f-vf		265.00	*87		45	*Q3 f-vf		4.50	*1483-84		2.25
**795-8		10.50				*10 f		3.60	*87a		3.30	*Q15		126.00	*1550-51		2.50
**847-50		6.25				*10 ave		3.15	*87a		3.30	*Q15		126.00	*1692-95		3.30
**884		8.65				10 thin		1.80	*87a		3.30	*Q15		126.00	*1724-27		3.30
**919-20		2.65				10 pr ave		5.50	*87a		3.30	*Q15		126.00	*1836-40		9.85
*928		85				10,11 f		7.20	*87a		3.30	*Q15		126.00	*1864-68		4.15
*974		1.30				11 f		3.60	*87a		3.30	*Q15		126.00	*1910a		4.90
**975		1.90				11 ave		2.70	*87a		3.30	*Q15		126.00	*1918		8.65
*976		2.10				11 s/d		1.35	*87a		3.30	*Q15		126.00	*1932		9.40
995		7.25				*12 ave-f		1300.00	*87a		3.30	*Q15		126.00	*1937a		12.00
1003		95				12 f-vf		67.50	*87a		3.30	*Q15		126.00	*1945		9.00
1012		90				12 f		60.00	*87a		3.30	*Q15		126.00	*B18		9.60
						13 thin		5.20	*87a		3.30	*Q15		126.00	*B19		23.75
						13 s/d											

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
**378-83		2.85	**1886		6.30	**349		13.50	**1222 imp	2.45	**148-53		3.25	**1152-8		4.10		
**384-7		2.05	**1887-90		5.40	**374-77		15.00	**1222 imp pr	4.90	**149-53		3.80	**1159-65		4.50		
**384-7,C176-8		3.80	**1887-90		4.00	**378-81		8.25	**1378 w/tab 2 diff	3.75	**157-8		5.45	**1175-81		6.50		
**411-3,C205-7		7.90	**1900		2.65	**382-5		9.00	**1378 w/tab	1.90	**157-8,C26 imp shts			**1182		5.25		
*418-22		6.50	**1901		1.30	**386		7.75	**1588-93	4.60	French, English(6)	68.00		**1183-5		3.40		
*450		15.00	**1902-3		2.10	**430-2		22.50	**1617-21	1.30	**202-6		3.00	**1186-8		3.00		
*450		12.00	**1904		4.70	*489		3.60	**1782	2.45	*239a sht imp	3.00		**1189-93		2.80		
450 f		5.00	**1905-10		3.30	**C1		21.75	**1782 thin	.75	**240-51		10.90	**1197-1201		3.75		
**467,C245		3.30	**1914-15		2.25	**C2		19.50	**1911	3.20	**283a		1.70	**1202		2.80		
**537a		19.50	**1917-20		3.30	BRITISH CENTRAL AFRICA			**2140-45	3.65	*305a imp	1.80	**1212-6		5.60	*145 s/d	3.40	
**537b		19.50	**1926-27		3.75				**2146	3.40	**329-35	3.60	**1217		3.60	**151	37.50	
**C118		.45	**1942		1.80				** (see note after #2553 in Cat., 5 l value) s/s			113.00	**1218-22		3.60	**153	22.50	
**C138-9		3.20	**1954		2.80	14 ave	240.00		2578	2.25	**589-600	141.00	**1223		2.65	**156	64.00	
*C138-9		2.55	**1955-7		3.85	27 rev canc	6.00		**2593	1.15	**589-600	113.00	**1224-8		5.60	**157	90.00	
*used C138-9		.80	*1976		1.25	37 s/d	24.00		**2687-92	4.60	594a	13.75	**1229		3.00	**159	430.00	
**C157-62		11.00	**1976-78		5.10	BRITISH EAST AFRICA			595a	20.00	596a	30.00	**1230-4		4.50	**170	12.75	
**C163-4		3.75	**2001-4		4.35				597a	33.75	599a	33.75	**1235		3.75	**171 f	27.50	
**C176-81		5.35	**2027-30		1.80				**Bird sht(6) ESSEN 1980	40.00	599a thin	16.00	**1236-40		3.40	**181 f	18.75	
*C176-81		2.60	**2070		2.60	BRITISH GUIANA			(see note in Scott after #2705)	30.00	600a	45.00	**1242-6		3.75	**183	26.25	
*C181		2.10	2070		1.25				**2718-22	1.55	601a	50.00	**1253-5		3.20	**198	71.00	
C195		.75	2071		1.50				**3080a	2.25	**709a	18.75	**1278-82		6.50	**200	56.00	
**C197-201		11.65	2072		1.40	113	1.75		**3232-7	2.50	**B8 imp	9.00	**1284-8		4.15	**201	60.00	
**C239a		9.50	2073		.90	116	3.50		**3256-8,60-1	2.50	**B14 imp	.55	**1289		3.00	**223 cr	2.50	
C270		.25	**2088A		2.45	118	3.65		**3305a	1.30	**B15-22	7.50	**1290-4		3.40	**259	8.45	
**C282-6		11.00	**2168-70		3.70	*119	1.45		**3343 imp	9.40	*B27	2.45	**1295-9		3.40	*260 s/d	1.80	
**C331-5		11.80	**2259-73		7.00	*121	15.60		**3392-7	2.70	**B27	1.95	**1334-8		4.30	*262	75.00	
**RA21-2		2.25	2273		1.25	*122	28.50		**3397a	2.10	B38-44	1.30	**1334-8		2.80	*287a single	2.40	
			**2285b		6.75	*130-1,4,708,44	36.40		**3521a	2.25	*C8-9,11-6	15.30	**1340-4		3.75	**338a	3.40	
			**2295,2300		1.05	132-3,5-6,9-42,4,6	48.70		3531	1.30	*C73	7.50	**1345		2.80	**338a s/d	1.15	
			**2297		.60	*153	24.00		**3545a	2.25	*C74	12.00	**1346-51		3.95	**341b s/d	1.75	
			**2299a		2.60	*158a in blk 4 vřng	25.00		**3551-6	2.20	*C96a	2.25	**1352		3.40	*402a	6.00	
			**2308A		3.40	215(3),36 each on			**3562a	2.25	*C126	2.25	**1359-63		4.10	*404b	9.00	
			**2312-3		4.15	town canc	5.00		**3640a	3.00	C127	12.50	**1379-83		4.10	*405b	9.75	
			**2314-15,20-21,24-25			*253,55-56,58,60,63	6.20		**3656-61	4.10	C146	.45	**1385-9		4.15	*434a	6.00	
					6.10	253-60	1.00		**3710-11,13-14	1.90	C150	.95	**1388-9		4.15	*434a s/d	2.00	
			**2322-23		2.10	268-70	.45		**3842	1.60	*C282	26.00	**1390-14		2.40	*443a	5.25	
			**2330a		2.25	**J4	13.15		**3929-30	2.45			**1396		2.60	*443q	6.75	
			**2333-34		2.10	BRITISH HONDURAS			**3932-35	1.50	CAMBODIA			**1409-14		5.25	*451a s/d	1.15
			**2335-37		1.80				**3932-35 s/s in folder	2.00				**1415-19		5.65	*451q	4.50
			**2349-50		7.90				**3936	.75				**1420-24		4.70	*457b	18.75
			**2363-66		4.15	26c on pc	175.00		**C72-4	1.80	**20	1.45	**1420-25		6.75	488a	1.95	
			**2367-69		2.80	28a on pc	60.00		*C72-4	1.45	**59-61	3.40	**1425		3.00	488q	2.40	
			**2416		2.25	*115-8,20-3 ng	4.75		*C76 imp	9.35	**62-4	2.80	**1426-30		4.10	502a	1.80	
			**2781		1.50	*131-6	4.50		*C76 imp pr	18.70	**65-7	2.20	**1431-3		3.00	502q	2.40	
			**3010		2.25	*131-6	3.60		*C77 imp	9.35	*105a	5.25	**1434-6		3.00	**585a sht(4)	18.00	
			C31		1.00	*133-36	3.75		*C77 imp pr	18.70	**116,C18	2.45	**1437-41		4.90	*756a	2.65	
			C31 f		.80	*143	.40		*C79	3.75	**207-9	1.85	**1442		3.75	*832a	3.40	
			C31 s/d		.30	**145	1.90		*C80	3.75	**213-16	7.50	**1443-5		2.60	*858a sht(8)	4.20	
			C66-7		.55	*156-58	1.00		*C83	4.50	*217-19	8.25	**1452-6		3.75	858a sht(8)	3.10	
			C76		.55	*168	1.20		*C84-5	4.15	*228-30	1.20	**1456-8		4.50	*913a	3.40	
			C76 pair		1.10	*182-86	2.85		*C92-93	3.75	*231-33	3.85	**1472-4		4.50	*1012	.50	
			P3 f		5.20	*235	1.50		*C99-101,CB3	2.00	*231-33	3.10	**1475-7		4.15	*1013	.50	
			**RA9		.30	J3	3.50		** (C101 s/s 50s imp, see note in Cat.)	3.00	**231a	30.00	**1480		.45	*1015	.50	
			*Brasiliانا '83 soccer		21.00	BRITISH INDIAN OCEAN TERRITORY			**243-45	1.60	**243-45	1.60	**1484-90		3.70	*1079	.60	
			*Brasiliانا '83		21.00				**C120	2.10	**263-68	2.30	**1489		.75	*1130	.45	
			early flying		21.00				*C120	1.65	*315-17	1.30	**1497-1502		4.50	*1154	.45	
			Brasiliانا '83		21.00	**37-38	1.90		**C158a	.90	**321-23	9.00	**1503		3.00	*1162	.60	
			Olympics		21.00	**43	12.40		BURKINA FASO (UPPER VOLTA)			**359-67		6.75	**1504-6	2.25	*1171	1.30
			*Brasiliانا '83		21.00	**75	2.45					**411		5.45	**1514-9	3.75	*1203	.85
			Olympic Sailing		21.00	**110	10.15					**434-40		5.65	**1520-5	3.20	*1241	.85
			*Brasiliانا '83		21.00	**111-14	11.45		**97-102	8.80	470-3.5	1.00	**1526		2.10	*1271	.85	
			Formula 1		21.00	**115-18	11.80		**111-14	.75	**477-9	2.80	**1548-50		7.90	*1310	.85	
					21.00	**119-23	17.05		**244-47	2.25	*480-6	4.90	**1551-6		3.75	*1419	.70	
					21.00	**124-27	7.90		*294	3.40	*496	4.10	**1557		2.25	*1466	1.15	
					21.00	**128-31	5.10		350	.65	*497-503	7.15	**1564-8		3.40	*1516	1.15	
					21.00	**136-39	5.35		352-57	1.30	*583-5	2.60	**1569-71		2.45	*1545	1.30	
					21.00	**140	6.75		355-57	.95	*596-602	3.40	**1572-6		3.40	*1602	1.15	
					21.00	**141-44	5.25		357	.50	*603-9	3.60	*1577		2.25	*1621c bklt	11.25	
					21.00	**145-46	10.15		*365-7,C209-10	9.00	**627-33	3.40	**1578-80		2.10	*1630	.70	
					21.00	*147	5.10		sheets	9.00	*635-7	2.65	**1582-4		2.80	*1635	1.35	
					21.00	**148-50	7.15		365-7,C209-10	2.10	*653-9	4.15	**1590-5		3.75	*1647-48	1.70	
					21.00	*151-61	61.00		*395-7,C234-6	6.00	663-8	1.20	**1598-1603		10.15	*1656	.55	
					21.00	**163-66	8.10		*436	1.30	*670-6	5.25	**1604-9		6.00	*1673-79	1.30	
					21.00	*167	4.15		*436-7	4.00	*677-83	3.40	**1610		3.40	*1699 bklt(18)	37.50	
					21.00	**168-71	8.60		*452-55	8.15	*691-97	4.15	**1611-6		3.75	*1708a	1.20	
					21.00	*181-84	7.60		*550-2	3.15	*712	2.60	**1611-7		6.40	*1724b	2.80	
					21.00	*197	4.15		*625-7	1.60	*713-9	3.00	**1617		2.60	*1737a	1.05	
					21.00	BRUNEI			**1132	4.30	*720	5.45	**1618-20		2.60	*1738	.60	
					21.00				721	1.20	*728-34	2.65	**1621-3		2.80	*1738	.45	
					21.00				*C5-6	1.90	*742-4	3.00	**1624-9		8.25	*1754	1.15	
					21.00	*1	30.00		*C8	3.75	*745	3.75	**1638-43		3.60	*1767	.60	
					21.00	*3	19.50		*C14-7	3.35	*749-51	2.25	**1640		2.65	*1800	1.15	
					21.00	*4	29.00		*C17a	7.50	*760-6	2.65	**1645-7		3.00	*1836	.60	
					21.00	*5	6.50		*C17a	6.00								

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**2227		1.15	**C23a		13.50	**C43-4		6.75	**2414A		1.20	**2859-62		1.30	**3287-88		1.50
**2228		.75	*C23a		11.00	**C56		20.65	**2422		1.20	**2860a 62a		2.40	**3289		1.70
**2234-38 shts(50)		.56.00	**C24		1.90	C62		.15	**2429-30		1.10	**2863-66		1.50	**3290		.75
**2238a		1.15	*C24a		6.00	C63		.15	**2431-32		1.95	**2867-69		2.30	**3291-92		1.80
**2258		2.45	**C54		3.40	**C64-66		3.00	**2433-34		1.00	**2867		.75	**3293-96		2.25
*2258		1.95	**C81		10.15	**C71-3		2.35	**2435		1.00	**2868-69		1.55	**3297-99		2.45
**2260		1.90	**C84		2.65	**C74-9		4.30	**2436-37		1.50	**2870-73		1.30	**3300-3		2.00
**2265a		5.65	**C93-4		2.65	C150		1.50	**2438-41		1.60	**2874-75		1.20	**3304		.75
**2270 sht(16)		12.00	**C105-9		3.25	C153		1.50	**2443a		.65	**2876-78		1.25	**3305-7		2.45
**2280 bklt (4 diff)		18.00	**C125		5.65	**C160		3.00	**2444-47		1.60	**2879		2.95	**3309-10		1.50
**2283 sht(16)		12.00	C143		.45	**C165		3.40	**2448		2.70	**2880-82		1.65	**3311-13		2.00
**2295b		22.50	C144		1.00	**C181-5 cards		10.00	**2448a		3.20	**2886a		2.10	**3314		7.50
**2296		1.00	C149		.50	C186		1.50	**2448a (2) shts in			**2886a sht(4)		8.25	**3314, Hong Kong 1062,		
**2299		4.70	C153		.40	C194		1.50	folder		13.50	**2887-88		1.70	Macao 1128 bklt		15.00
**2321		.60	**C159		7.50	**C246-7		3.70	**2449-52		2.00	**2889-92		1.40	**3315-19		3.20
**2322		2.80	**C282-5		7.50	**J24a-34a		9.90	**2453-56		1.90	**2895-96		1.20	**3315-19 bklt		5.65
**2328 sht(50)		9.40	**C286		4.30	*O1-6,8-11		5.00	**2458-61		1.95	**2897-99		1.00	**3320		.75
**2334 bklt		6.00	**J2a-12a		9.05				**2462		2.25	**2900-3		1.15	**3321		1.50
**2340		10.15	*J2a,4a,6a		1.25				**2462a		7.50	**2904-6		1.30	**3322-25		11.25
**2371		1.90	**J4a		.60				**2462b,2b serial #,			**2906a		2.20	**3326-33		4.90
**2376		1.90	**J6a		.65				2681a, Thailand 1747b			**2907-10		4.00	**3334-35		1.60
**2406-10 shts(50)		.56.00	**J12a		4.90				1748b,9b,50c in folder		55.00	**2911-15		2.40	**3336-37		2.80
**2436 sht(16)		12.00	**M2		12.00	C199-200		.95	**2462b serial #,			**2916-19		2.00	**3338		1.60
**2440		1.90	*O10		3.75	C200		.90	Thailand 1747b,8b,9b,50c,			**2920-21		1.60	**3339-42		2.45
**2465a sht(8)		27.00				**C207		.60	50b imp, 24a perf & imp			**2922-24		1.25	**3344		.75
**2465b		3.40				**C270		.30				**2925-28		2.10	**3345		.85
**2466a		9.40				*C307		.30	in folder		53.00	**2929-30		1.90	**3346-49		1.20
**2471		4.70							**2463-66		1.45	**2931		6.60	**3350-51		.75
**2477		1.90							**2467-70		1.50	**2932-33		2.80	**3353		1.50
**2477b		1.90							**2478-79		3.30	**2934-41		8.15	**3354-57		1.30
2526a-b FDC		2.00				813a s/d		3.30	**2480a		5.65	**2942-47		1.90	**3358		.75
**2540		2.25				**977		.60	**2481-2		1.00	**2948-51		1.75	**3359-62		2.10
**2555a		1.95				**979		1.80	**2528-29 shts(20)		15.00	**2956-57		1.25	**3363-65		1.80
E2 s/d		1.80							**2530a		3.00	**2959a		1.20	**3366-69		2.05
									**2550-51		1.45	**2960-65		2.40	**3370-73		1.35
									**2552-53		1.45	**2966-67		1.00	**3375		.65
									**2554-57		1.50	**2969-70		1.70	**3376-77		.75
									**2563-66 s/s perf		3.75	**2972		.85	**3378-79		1.45
									**2568a		18.00	**2973		.85	**3380		3.75
									**2570a		2.45	**2974-75		1.20	**3381-82		1.00
									**2571-74		1.65	**2976		15.00	**3383-84		1.65
									**2575-78		1.60	**2977-78		.75	**3385		2.10
									**2580a		1.00	**2979		.85	**3386-89		1.30
									**2581-85		1.60	**2984-85		1.20	**3390-91		.85
									**2587-88		1.45	**2986-87		1.20	**3392-93		1.90
									**2589-92		2.35	**2990-91		1.50	**3394-3405		2.80
									**2593-96		1.20	**2992-99		4.80	**3406-7		1.05
									**2599-2606		3.20	**3000-1		16.50	**3410-13		1.20
									**2607-10		1.00	**3002-4		1.95	**3414-17		2.45
									**2611-13		1.65	**3007-12		7.60	**3418		1.30
									**2614-19		2.50	**3013-16		2.50	**3419		1.70
									**2620-21		1.00	**3017-20		2.00	**3421-24		1.30
									**2622-23		1.20	**3024a		1.50	**3425-28		1.90
									**2624-27		1.30	**3025-28		1.55	**3429		.45
									**2628-31		1.20	**3029		.75	**3430		.75
									**2632-35		1.60	**3030-37		3.70	**3432		.60
									**2636-40		2.00	**3038-41		2.80	**3433-34		1.80
									**2641-42		2.05	**3042-43		1.20	**3436		1.20
									**2646a		1.05	**3044-47		2.45	**3438		1.35
									**2647		.85	**3049		2.45	**3440		1.45
									**2649a		1.00	**3050		2.10	**3441-44		1.90
									**2650-53		1.40	**3052		1.20	**3452-53		1.50
									**2655-60		3.60	**3053-54		1.50	**3448		1.60
									**2661-64		2.40	**3055-58		1.70	**3449		1.00
									**2666a-70a		2.50	**3059-64		6.60	**3454		6.00
									**2671-74		1.20	**3066-69		2.80	**3458-59		1.30
									**2676a		.90	**3070-73		2.25	**3461		1.20
									**2677-80		1.25	**3074-77		2.20	**3463		.50
									**2681		5.65	**3078-82		5.25	**3466		1.20
									**2681 imp in folder		18.75	**3083-84		7.30	**3467-70		2.10
									**2681a		6.40	**3085-90		4.15	**3471-75		3.75
									**2682-85		1.20	**3092-97		3.20	**3476		5.25
									**2686		1.00	**3098-3101		2.45	**3477		3.00
									**2687-88		1.00	**3098-3101 s/d		.65	**3478-81		3.60
									**2689-90		1.20	**3103		2.25	**3482-85		2.05
									**2691-94		1.45	**3104-6		2.00	**3484-85		1.00
									**2695-98		1.00	**3108-9		1.00	**3487-90		4.00
									**2699		.75	**3110-12		2.00	**3608-13		3.00
									**2700-3		1.65	**3113-17		3.20	**3608		.65
									**2704-7		1.40	**3118		1.30	**B3-6		1.80
									**2709-12		1.50	**3119		1.00	**B10a		1.15
									**2713-16		1.80	**3120-22		1.80	**B10B		.90
									**2717-20		2.85	**3123		3.60	**Dinosaurs 1989		
									**2721-22		.90	**3124-27		1.60	set of 36		18.00
									**2723		.60	**3128-30		1.30			
									**2724-29		2.20	**3131-34		2.50			
									**2730		5.65	**3135-36		1.80			
									**2731-32		.85	**3137-40		2.45	**1-10		15.50
									**2733-34		1.00	**3141-42		2.80	**1-10		8.25
									**2735-36		2.50	**3143		.70	**11-20		6.60
									**2737-40		1.65	**3144		4.90	**80		.60
									**2741-44		2.50	**3145g, 3145h in folder			**83		.75
									**2745-54,6-74C,76-				24.00	**86		1.15	
									91.96-2826 in folder		69.00	**3147		1.70	**86		.90
									**2745		.75	**3147 sht(6)			86M		1.90
									**2746		.70	in folder		30.00	**90		1.15
									**2747-48		2.50	**3147c		2.50	**222-5		4.70
									**2749-54		3.75	**3148-51		2.50	**222-5 gtrr prs		9.40
									**2755		.25	**3152-55		2.40	**274d		10.15
									**2756-59		2.50	**3152a-55a bklt		6.00	**343-46		9.40
									**2760-62		1.50	**3156		1.20	**350-53		6.45
									**2763-64		1.30	**3157-59		2.45	**363		5.25

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
**133a		5.65	**434-36		1.75	**673		1.15	**755-56		2.10	CZECHOSLOVAKIA –						
*133a		4.50	**447		10.15	**971-72		3.40	**799a,801a		4.15	BOHEMIA & MORAVIA						
**137-9		3.65	*447		8.10	**1173-75		2.75	*843-56		17.00	*54-55		.50				
**206-7		2.80	**451-54		2.20	**1554-55		1.15	**863-64		2.25	80-81		.85				
**208-13	116.00		**454c		2.65	**1633-39		6.45	**903-4		2.40							
**222-28	9.20		*454c		2.10	2947-52		.90	**918-19		2.50							
*222-5	2.10		**464 shtlt		9.75	3017-23		1.00	**989a bklt		14.25							
**237-42	4.65		**478a		1.70	3709-14		4.85	**1034		1.65							
**259	4.00		**479		1.50	3755-57		1.20	CZECHOSLOVAKIA									
**260	5.25		**480-2 shts(5)		18.75	**3773-77		5.05	*176		1.35							
**268-75	11.45		**480-2		3.75	3827-31		2.05	**239		1.90							
*268-72	2.25		**482a		3.60	4785		3.00	246-48		.40							
**305	3.40		*482a		3.15	4789a		3.25	*251a-b s/d		1.15							
**408-12	6.75		**487e		2.25	4875a		3.40	**272 blk (4)		.75							
**445	2.45		**501a		13.50	**5576-9		2.45	367		1.50							
**456	4.50		*501a		9.60	**5595		4.50	396		.90							
**457	6.00		**513a		2.25	**5660		1.50	400		1.00							
**458	11.25		**514-16		2.80	*C2 s/d		.90	432-3		.50							
*458	9.00		**516e		3.00	C32		.75	504-6		.50							
474-7	1.10		**537-40		.75	C109		.30	509-10 blks		2.10							
**580-83	5.40		**541-43		1.50	**C136,8-43		9.75	521-22		.85							
**584	3.75		**547-49		1.00	**C149a		13.50	582-83		.45							
**659-61	3.30		**554 shtlt of 9		5.40	**C193-4		3.00	598-99		.50							
**716-7	4.50		**555		1.15	*C193-4		2.40	620		.75							
**720-2	16.25		**581		4.70	**C195-6		3.00	645-57		1.65							
**739	3.75		**660a		1.70	**C198		2.25	658-60		.45							
**1008-15	17.10		**669-72		2.45	**C219-21		5.25	670-72		.50							
**1016-20	13.30		**687-90		6.50	*E3		4.50	696-98		.45							
**1021-5	11.90		**732-37		6.45	*E3 f		3.00	711-15		3.50							
**1021-6	18.60		**744-47		3.60	*E3 s/d		1.15	724		.50							
1021-4	1.90		**767-78		13.80	*E18 ng		1.20	781-84		.50							
**1026	6.75		*767-78		11.05	**E26-27		19.50	796-97,99-800		1.00							
**1043-7	13.70		**855-7		8.00	**RA26-29		6.00	836		.35							
**1043-8	12.25		**871-74		2.80	*RA35-38 ng		2.10	836-8		1.00							
**1048	9.75		**876-78		3.40	**RA39-42		4.50	**849-53		2.65							
**1054-8	6.90		**884-86		3.15	*RA39-42 ng		1.80	*849-53		2.10							
**1063-6	3.80		**888-91		7.10	CYPRUS												
**1067-71	2.95		**897-901		7.70	*2 pl 218		19.50	**870A		.90							
**1071A	3.75		**910-12		11.65	*2 pl 218 f		13.00	**890-5		5.80							
**1089-94	5.25		**913-15		3.75	*2 pl 218 s/d		4.90	890-3		.55							
**1095-1100	5.50		**919-21		8.35	3 pl 14		9.50	897-901		.65							
*1095-1100	4.40		**922		10.50	*8 pl 201 f		46.00	*908-11		1.10							
*1101	1.80		**991-2		6.00	11		26.25	914-17		.65							
**1102-7	6.60		**993-95		7.90	13		18.75	*961-64		6.10							
*1109-13	3.00		**996		6.40	*19a ng		7.50	961-64		.90							
*1127-32	4.00		**997		8.25	*28		3.15	968		.25							
**C1	7.15		**998		11.25	*30		5.10	*1008-12		5.15							
*C2-4	15.00		**1002-5		11.10	*31		11.40	*1013-18 ng		2.40							
**C8	3.00		**1007-10		13.50	*49		3.60	*1078		1.20							
*C8	2.40		**1024-27		6.55	*53		12.00	*1082-90		10.65							
**C8-9	9.00		**1029-32		4.50	63		1.20	*1147		1.00							
*C8-9	7.25		**1033		5.25	*74 f		1.50	*used 1241-46		3.75							
**C20-3	4.30		**1034-37		7.00	*79 ng		10.50	1339-43		.75							
**C23a	6.75		**1040		4.90	*98		9.00	1354-59		1.10							
*C23a	5.40		**1041		9.75	*99 f		3.60	1380-85		1.25							
**C26	1.05		**1125-28		6.35	*127		2.10	*1475-80		5.00							
**C28 imp	7.50		**1142-46		10.45	*128		1.80	*1484		1.50							
*C37-8	2.10		**1344-49		7.30	135 f-vf		49.00	*1531-36 s/d		.65							
*C41a	1.35		**1390e		9.75	137		1.50	*1540A,41A		.40							
**C45	1.20		**1399-1400		15.00	*145		4.35	*1542-7 gtr prs		4.30							
**C46	2.45		**1407a		8.25	148		2.25	*1542-7		2.15							
**C47	2.45		**1520-23		6.60	*167		1.20	*1546		.65							
**C52	6.00		**1524		6.60	*167		1.00	*1557		1.20							
**C53-6	4.55		**1539-40		5.45	*182		20.40	*1569-78		1.90							
**C64	1.30		**B29		1.50	*185		1.35	*1579-80		.45							
*C67-8	5.25		*B29		1.25	194		1.25	*1604-9		2.10							
**C69	1.15		**B87		1.20	**201-3		1.60	*1629-30,2,3		1.60							
**C138-9	1.70		**B97-8 shts (4)		9.00	**204-5		.55	1664-73		1.30							
**C155	3.00		**B100-2		13.30	*204-5		.45	*1674-9		2.75							
**C169-71	6.75		**B103		12.00	*219-21		16.00	*1679		1.40							
**C190	5.10		B103		8.00	*219-21		12.80	*1680		.30							
**C192	1.90		**B104		12.00	*229-31		13.75	*1727-32		2.00							
**C194	3.20		**C20-22		2.65	*229-31		11.00	*1740		1.15							
C236	1.00		*O29 sht (5)		21.75	**230		5.65	*1740A		1.60							
C256-60	1.50		*1O29 sht (5)		5.65	**231		37.50	*1740A blk		6.40							
**C260	3.60		CORFU								1.60							
C261-5	1.60		**NJ7		25.00	**232-6		1.20	*1741A		1.60							
**C263-5	7.90		COSTA RICA								6.40							
C282-6	1.90		**201-8		22.60	**232-6		1.00	*1741A blk		.45							
**J34-45 prs	5.00		**614		4.00	**243a		3.90	*1748-9		.80							
**J34a-9a	5.00		**C274-82		5.25	*244-46		6.45	*1754-7		1.70							
*J34a-9a	3.70		**C680-82		2.60	*251-53		.80	*1791-94		1.35							
**J46-51	3.40		CROATIA								1.30							
*J46-7	.50		*9-12 ng		16.00	*253a		1.35	*1808-10		1.30							
*J46-8	.80		**134-36		2.25	*257-59		11.75	*1885		1.30							
COOK ISLANDS			*B31 perf		18.00	*257-5												