



WORLDWIDE
DAHOMEY - FUJEIRA

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
DAHOMEY			6 f.....	76.00		85a,90b,95a,91a			*246-51.....	20.00	1041.....	.15		Q46,Q48 on pc.....	6.00	**B33x perf imp.....	6.00
*101.....	1.20		6 ave-f.....	66.50		postally used.....	800.00		246-51.....	3.25	1053.....	.25		Q46-7,Q48(3) on pc.....	17.00	SG# R1 postally used.....	5.00
*135.....	.50		6 ave.....	57.00		91.....	3.65		*247,51.....	3.75	1059.....	.15		*cut sq similar		SG# R2.....	10.00
**156-9.....	1.80		7.....	4.50		97-109,111-25,.....			*249-50 s/d.....	4.80	1064.....	.15		to DWI U1-2.....	2.50	SG# R3.....	6.00
*156-9.....	1.45		7 on pc.....	4.50		7-9 f-vf.....	55.75		**250.....	30.00	**1066a.....	4.90		cut sq similar to DWI ..	5.00		
**160-71.....	9.65		7 f.....	3.40		97-109,111-3,115-21,.....			*250.....	9.60	**1070a.....	10.50		cut sq.....	1.00	DOMINICAN REPUBLIC	
**202.....	1.30		7 ave-f.....	3.15		123-31(*101).....	98.00		**251.....	4.90	1075.....	.15				*356.....	1.95
*202.....	1.05		7 ave.....	2.70		97-109,111-9,21-5 f-vf.....	49.00		**252,4-5.....	10.00	**1082-85.....	6.75				375 s/d.....	1.60
**215-8.....	3.65		7 s/d.....	1.35					*252,4-5.....	3.15	1082,84-5.....	3.00		7.....	99.00	**471-2,C96.....	4.30
*215-8.....	2.90		7a.....	4.00		98 ave.....	.75		252 blk.....	.50	**1086-89.....	4.70				**474-8 perf.....	5.65
**225a.....	2.25		7a f.....	3.80		**103 f-vf.....	25.75		252-6.....	3.50	1087.....	.15		DJIBOUTI		**474-8 sht perf & imp.....	11.25
*225a.....	1.80		7a s/d.....	1.40		*103 ng.....	3.45		*256.....	9.60	1092.....	.15		**485-8.....	5.00	*474-8,C97-9 shts (3).....	
*232-3.....	1.05		8 pair f-vf.....	95.00		**107.....	150.00		*258-61.....	13.50	**1097a.....	4.50		494.....	.25	perf.....	9.00
**234.....	1.15		8 f.....	38.00		107.....	4.40		258-61.....	1.65	**1100-1.....	2.45		495.....	.35	**478a,b perf,.....	
*234.....	.90		8 ave-f.....	34.00		*111.....	21.00		*259-61 vf-s/d.....	8.35	**1109a.....	9.00		510.....	.40	imp sheets.....	3.60
**237-8.....	1.35		11.....	17.50		112 f.....	1.00		*261.....	11.40	1144.....	.15		**513-4.....	3.40	**478a,b,C99a,b.....	
*243a.....	2.70		11 s/d.....	5.25		**114.....	40.50		261.....	1.40	**1150-1.....	2.50		**515-6.....	2.65	perf, imp.....	7.95
**250-1.....	1.50		11-15.....	194.00		115.....	3.25		*262.....	1.05	**1159a bklt.....	11.25		**517-8.....	3.25	**479-83,C100-2.....	1.80
**262.....	1.05		11-15 f.....	155.00		116.....	2.00		*263 single.....	1.70	1180.....	2.15		**519-20.....	2.75	**479-83.....	.75
**262-3,C105.....	3.40		12.....	37.50		118 f.....	.60		*264-66.....	1.80	**1213a.....	4.90		*521-3.....	6.60	*479-83,C100-2.....	1.45
**270,C124-5.....	3.00		12 f.....	30.00		118.....	.80		*264.....	.20	**1214-17.....	4.85		**525-7.....	4.50	*479-83,C100-2 imp.....	1.80
**271-4.....	5.55		12 s/d.....	11.25		119.....	1.00		*264-6.....	1.35	**1328b.....	3.00		**529-30.....	4.15	*501-5 s/s perf, imp.....	3.00
271-4.....	1.25		13 s/d.....	1.20		120 s/d.....	1.15		*265-6.....	1.15	**1344a.....	3.00		*529-30.....	3.30	*501-5,C106-8.....	1.70
*274.....	.60		14 xf.....	67.50		122a.....	3.90		267-72.....	4.15	**1356a.....	4.90		529.....	.45	*501-5 sht imp.....	1.90
**277-82.....	6.50		14 f.....	36.00		124.....	.40		269.....	3.00	**1373a.....	3.75		*531-2.....	3.85	*501-5,C106-8.....	1.60
**321-23.....	5.10		15 xf.....	120.00		125.....	1.15		*277-9.....	2.25	**1379a.....	3.40		**533-4.....	5.10	**1277-82.....	13.00
**330-33.....	4.90		15.....	87.50		128.....	1.55		280-7A.....	1.55	**1392a.....	9.40		**535-6.....	3.40	**1283.....	4.30
**336-37.....	2.10		15 ave.....	52.50		129.....	10.50		*283 blk ng.....	.40	*B15-7.....	1.35		**538-41.....	2.80	*C57-61.....	25.20
*B12,14.....	1.45		15 reper f.....	40.00		132-34.....	9.15		*284 blk ng.....	.50	*B28.....	.75		545.....	.35	**C97-9 s/s perf &.....	
*B14A.....	.50		16 s/d.....	4.10		133 f.....	2.80		*286B ng.....	.15	*B32-33.....	1.50		**545-6.....	5.80	imp.....	11.25
**MI# 646-9.....	4.00		16a s/d.....	4.10		**156.....	2.80		*286B,287 ng.....	.30	*B49-52.....	2.45		**561.....	6.75		
*C14-5.....	10.05		18 s/d.....	1.50		156-7.....	4.00		302-3 f-vf.....	1.00	*B82.....	1.90		561.....	1.15		
*C16a.....	5.25		19 s/d.....	11.25		156-7,60 f-vf.....	6.25		*306.....	1.95	*B83.....	1.70		*C110-2.....	5.25	**33-38,C36-38.....	4.60
*C16a.....	4.20		20 s/d.....	26.25		**156-8.....	26.25		*306.....	1.95	*B89.....	1.80		C116.....	.50	*43-47.....	.75
*C18.....	3.75		25 s/d.....	2.25		156-8.....	2.70		* used 333-41.....	3.55	*B91.....	2.10		*C127.....	9.00	*127-30.....	4.35
C18.....	1.00		25c f.....	6.40		156-8 f.....	2.15		*361-2 creased.....	.90	*B92.....	2.10		*C128.....	2.25	**131-3.....	3.00
**C20-3.....	15.00		26,a-c.....	17.30		**157 s/d.....	1.00		*382-94.....	10.75	C2.....	55.00		C128.....	.30	*144-5.....	5.45
**C28.....	1.70		26c s/d.....	2.40		*157.....	1.80		*395-400.....	35.00	C2 s/d.....	15.00		*C129-31.....	5.55	*147-50.....	4.15
*C28.....	1.35		27 f.....	29.00		**158.....	16.85		*399.....	6.75	C3 sh perfs.....	15.00		*C132.....	6.75	*151,C57-9.....	5.50
*C31.....	1.80		27 s/d.....	10.95		*158.....	7.50		*406.....	.30	11-5.....	3.75		*C133-4.....	4.30	*152-3.....	2.95
*C38.....	1.05		28a.....	2.50		158.....	2.25		*417-9.....	2.40	*I2.....	6.75		C137.....	.90	*152-3,C60.....	3.70
*C45.....	1.15		29.....	2.00		158-9 f-vf.....	6.00		*437,8-41,2-4.....	7.80	C137 blk (4).....	3.50		*C137 blk (4).....	3.50	*C20-4 s/s.....	45.00
*C45a.....	1.95		29 f.....	1.60		158,60 f-vf.....	7.90		*444.....	3.15	I2 f.....	.60		*C138-9.....	4.15	*C20-4 s/s (5) imp.....	36.00
**C46-48.....	12.60		29 s/d.....	.60		159-60.....	6.75		*458.....	.60	I2-3.....	.90		C139.....	.30	*C25-7.....	2.80
C46.....	1.15		29b.....	5.00		159-60 f-vf.....	6.00		*476-77.....	1.20	* used J1-7 s/d-vf ..	18.75		C142.....	.35	*C25-7 imp.....	2.80
C46-7.....	2.75		29b f.....	3.95		160.....	6.50		*505.....	2.25	J3.....	3.25		*C143.....	2.25	*C25-7 imp.....	2.25
**C46-8.....	12.60		29b s/d.....	1.50		160 f.....	5.20		*506.....	2.25	*J5.....	39.90		C146.....	.30	C55-6.....	.30
*C46-8.....	10.05		29c.....	2.00		160 s/d.....	1.95		*509-12.....	1.75	J6 thin.....	1.55		*C149-50.....	3.20	*C57-9.....	4.90
C47.....	1.60		30.....	3.25		161.....	2.50		*530b.....	4.05	*J7.....	21.00		*C151-52.....	3.20	*J1-2.....	1.50
**C49-50.....	4.90		30 f.....	2.60		162.....	7.50		*546.....	.60	J7.....	3.25		*C155-57.....	3.60	**MI# 273-5.....	1.30
*C50.....	2.45		30b.....	2.15		164-6,8-75.....	42.50		*565.....	5.65	*J8 f-vf.....	22.75		C157.....	.50		
*C57a.....	2.40		30b f.....	1.70		164-75.....	47.00		*573-75.....	2.35	J8 f.....	6.40		C158.....	.45		
*C58.....	1.50		31,31a(1 short perf).....	26.00		164-75 f-vf.....	42.00		*585.....	3.40	*J9-11.....	13.30		C158-59.....	.90		
*C58a.....	5.10		31b ave-f.....	11.40		164-75 s/d-vf.....	34.00		*591.....	7.50	*J38.....	3.15		C176.....	.40	ECUADOR	
*C59a.....	2.10		32 f.....	16.00		*165.....	5.25		*600-1.....	2.70	J38.....	3.25		C178.....	.35	*46.....	7.20
**C63-6.....	6.50		32a s/d.....	9.40		*167a.....	22.50		*602-5.....	2.45	O3 s/d.....	49.00		C180.....	.65	*377.....	2.25
C66.....	1.00		33 f.....	15.00		*167a,71a.....	45.00		*613.....	.45	*O6-9.....	40.00		C180-81.....	1.65	*378.....	2.40
**C69-70.....	2.25		33 (unlisted wmk).....	200.00		*171a.....	22.50		*624-5.....	1.30	*O7.....	7.20		*C190-1.....	3.00	*497-502.....	6.15
*C70a.....	2.25		33a.....	87.50		*173 f.....	4.20		*651-52.....	3.00	O7.....	4.50		*C241.....	13.50	**555-7.....	2.05
**C77-80.....	7.50		33a ragged perfs.....			*173-4 f.....	11.00		*655-58.....	3.10	O7 f.....	3.60				*717.....	.45
C80.....	.50		at bottom.....	25.00		*175a s/d.....	14.00		*670-71.....	1.45	O7 s/d.....	1.35		DOMINICA		*765-5E.....	7.80
**C85-88.....	5.55	</															

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**631a		1.90	CB4		13.75	**22		5.40	**1L84-87	5.65	408a bklt	6.00	**540-3	14.25	289-90	1.60	
**632-44		7.30	*E8		9.60	*23a f		6.80	**1L92-95	3.00	**409-12	7.15	**554-9	8.20	*,used 297-99	1.65	
**646-49		2.80				*30		1.80	**1L94A	14.95	**413	3.75	**564-9	6.75	297-9	1.75	
**664		1.15				*32 f		12.00	**1LB1	2.25	**414-15	2.80	**571	30.00	**305	3.20	
**674-76		1.40	**152 imp		4.70	*41 f		1.40	**2L1-2	70	**416-17	2.25	**579-82	7.30	306-7	1.10	
**674-77		2.45	**152 imp pr		9.40	42		1.05	**2L1-8	19.00	**417a bklt	12.00	**595-8	3.80	*,used 312-23	29.00	
*674-77		1.95	**B60-2		2.25	*55		2.70	*2L1-8	15.25	417a bklt	8.00	**633-6	4.90	*,used 312-23	6.95	
**684		3.75				*57		3.60	**2L6	14.25	422 FDC	2.25	**644	3.75	*318	6.00	
**702		3.75				**81-83		3.00	*2L6-7	14.40	**425a bklt	15.00	**649-52	5.25	327-28	1.00	
*702		3.00	**120-34		17.65	*81-83		1.75	*3L1-8	15.15	425a bklt	10.00	**661-3	9.30	*336-8A	14.55	
**739		2.45	**240		5.25	*85a		13.50	**3L1-2	55	426	2.75	**661,3,4	11.40	*340	1.00	
**807		11.25	*271 thin		1.70	*85B		1.20	*3L1-3	85	**428a bklt	11.25	**684-86	7.50	**341	2.65	
**837		2.45	**278-80		8.65	*86-87		2.25	*3L6	11.40	428a bklt	7.50	**687-90	6.75	341	3.25	
**1075a		1.00	*278-80,C21-22		27.50	*86A		85	*3L6-7	14.40	**432	11.25	**691	6.60	342-44	2.00	
**1076-84		5.10	**351-54		5.65	87A		4.25	*4L1-8	15.40	**437a bklt	13.15	**691a	6.75	**343	1.15	
**1092-6		2.70	*351-54		4.50	*88		1.65	**4L1-2	70	437a bklt	8.75	**698-701	12.75	343	1.10	
**1097,99-1101		2.65	**355-56		3.60	*89		4.50	*4L6	11.40	438	5.50	**713-8	7.00	*343-4	4.90	
**1102		2.45	*355-56		2.85	*90		9.00	**5L1-2	70	**442	10.50	**713-8 gtrr prs	14.00	343-4	1.40	
**1104-5		2.65	**369-72		3.30	*91		18.00	**5L1-8	18.60	**443	3.60	**772-5	8.10	**344	6.00	
**1106-10		1.80	**369-74		11.60	**97-98		70	*5L1-8	14.85	446a bklt	9.00	**788-91	9.05	347-48	1.25	
**1111		2.80	**375-7		5.80	*97-98		55	**5L6	14.25	**450a bklt	13.50	**797-802	5.75	*349-50	8.40	
**1139		2.80	**378-82		5.95	*99		1.25	*5L6-7	14.40	450a bklt	9.00	**810-3	5.20	*350	7.50	
**1194		3.00	**383-85		3.30	*101		4.50			**451	15.00	**820	3.95	351-3	1.50	
1285A		1.90	**386-90		13.30	*101-2		8.55			**453	14.25	**821-24	6.70	**354-55	1.80	
**1291-3		1.65	*386-90		10.65	*102		9.75			**455a bklt	11.65	**824a	5.65	*354-55	1.35	
**1295-1302		5.10	*386,89-90		9.50	*103-6		8.40	**8(3),11(2) bklt	2.10	455a bklt	7.75	**849-52	6.00	**357	16.50	
**1304-7		1.75	**391-5		3.00	*115		18.00	**8 (6),11 (2) bklt	2.40	**462	15.00	**858-61	6.75	*357	13.20	
**1308-16		4.30	**396-402		6.70	*118 thin		4.00	**9,13,5 corner		462	10.00	**867-72	4.90	361-62	1.00	
**1319-31		7.00	**415-9		8.00	*121		70	# blks of 4	4.35	466a bklt	8.00	**903-6	4.70	*363 ng	1.70	
**1346-8		1.95	*416		1.70	*121		55	21	75	469	3.40	**908-13	5.10	**375	.80	
**1350		90	*425-7		3.95	*122-27		22.20	21 s/d	20	470	9.50	**947-50	4.90	375	.25	
**1350-9		4.85	**434-8		5.55	*128		3.75	**24-7	7.10	**474a bklt	11.65	**951-54	4.70	*376-77	1.05	
**1353-59		3.00	*468-9		2.50	*128		3.00	33	30	474a bklt	7.75	**955-58	5.25	*380-1	14.95	
**1351		.40	**476-80		13.40	*128-37		22.60	**36-8	2.10	**477	15.00	**959-62	6.20	*381	12.00	
**1361-3		1.80	**481-3		3.60	*128-37		16.95	**42	4.90	477	10.00	**993-96	7.30	**388-90	4.90	
**1365,7,8		1.55	**484		11.25	*129		3.20	**43	4.40	**479a bklt	13.50	**1098-1101	5.65	*398-415	62.90	
**1370-1,3,4		2.15	**488-91		10.15	*130		3.40	**45-7	1.10	479a bklt	9.00	**1103-6	5.25	398-415	4.00	
**1376-82		3.85	**492-6		4.00	*131		1.90	**48-52	2.20	*480	1.50			398-400,3,4A-5A,		
**1388-92		2.20	**530-5		4.90	*138		9.30	**49-52	1.85	**482a bklt	13.50			7-8,10-3,4A	2.50	
**1388-94		3.75	**536-40		5.00	*139		22.50	**53-4	75	482a bklt	9.00	3 s/d	250.00	**408	7.75	
**1394		1.20	**541-3		2.30	*139		19.50	**59-62	1.45	**483	11.25	*4 regummed	255.00	**412	1.20	
**1400-7		3.80	**544-7		3.25	*140		16.50	**63-4	70	483	9.50	*5 f-vf ng	218.00	*415	12.60	
**1400-10		4.80	**548-52		3.90	*141		28.50	**65-9	4.60	**484	12.00	6 f	68.00	*419	.75	
**1409-10		70	*548-52		3.10	**143-45		2.30	86	30	484	10.00	6a	2250.00	**431-2	2.10	
**1425,7,8,30		2.10	**553-7		2.30	*146		6.30	**90-2	3.00	**485-86	3.10	*6b ave	120.00	*439	2.70	
**1440-2		90	**572-4		2.65	*147		1.20	**94a bklt	13.15	**487	3.75	*7 f-vf	178.00	*441,4,6,8,53,5,71,3	5.00	
**1445a		1.05	**582-6		6.00	**150-53		8.75	94a	8.75	**492-93	2.55	7 sht perf	50.00	**450-52	1.80	
**1490,3,6-1500		3.25	**592-4		3.10	*154-55		4.90	**97-100	4.90	**493a bklt	14.65	7 ave-f	70.00	**457-70A(*458,464A)		
**2039		17.00	**599-603		4.15	*156-57		4.50	**106-7	1.50	493a bklt	9.75	7 s/d	34.00		30.00	
**2112-13		1.90	*604-7		1.30	*162-65		1.25	**108-11	3.00	**494	9.00	7b f	120.00	*,used 457-70A	5.40	
**B1		3.40	**604-8		2.50	*166-79		42.00	112	45	**496	2.65	7d ave-f	131.00	458-70A	5.05	
**B2		7.50	**609-12		6.30	*166,8,73		1.25	**112-4	4.95	**497-98	2.95	8 f	140.00	**461A	.30	
*B3-6		1.30	**611		2.80	*188-91		6.05	**120a	28.00	**498a bklt	18.00	8 s/d	60.00	**464A	.60	
**B9-12		7.30	*612		2.80	*197-209		25.00	**120a bklt	28.15	498a bklt	12.00	8a f-vf	200.00	**470A	7.50	
*B9-12		5.85	**617-9		4.15	*210a		11.25	120a	18.75	**499	12.00	9 ave	17.25	*,used 471-73	1.30	
**B13-5		3.40	*620-4		3.85	**213		4.50	**121-4	5.25	**500	3.00	9 s/d	10.00	*475-80	2.75	
*B26-8		6.60	*625-9		3.05	*213a		22.50	**125-26	2.10	*502-3	2.55	9a f	39.00	*484-85	1.25	
*B26-8		5.25	**634-6		4.10	*218a		1.60	**127-9	4.15	**504	6.75	10	38.75	*487,489	1.10	
**B27		2.25	*643-5		3.75	*223-24		.60	**130-3	5.50	**505	18.75	10 f-vf	34.00	*494-96	1.45	
*B28		2.25	*651-5		3.60	*227-30		21.00	**138a	10.50	*506-7	3.25	10 f	27.90	*498-99	.85	
*B48-9		4.00	*656-60		5.60	*227-30		16.80	**138a bklt	12.00	*507a bklt	18.00	10 ave	20.25	**502	.55	
**C101		2.80	*656,58-9		2.50	*232-34		.90	138a bklt	8.00	507a bklt	12.00	10b vf	46.00	*503,5-6	1.45	
**C103		2.10	*660		2.65	*235-36		1.90	**139-42	5.35	**513	13.50	10b f-vf	41.60	**512-3	6.40	
**C104		1.70	**661-63		3.20	*236a		6.00	**143-4	2.90	**518a	18.00	10b f	37.00	**517	.75	
C108-9		2.70	**669-71		2.20	*237-40		16.50	**145-7	4.20	**522-3 (4) bklt	19.50	*10b ave	172.50	518-22	1.60	
**C146-8		8.45	*690-4		3.45	*241-44		5.15	**148	7.50	522 (4),523 (4) bklt	12.80	11 s/d	129.00	**522a	7.50	
*C147		2.25	*695-9		3.25	*245-49		7.50	*149	1.70	**525-28	6.10	12 ave	48.00	**525	.55	
**C157		2.25	*712-5		4.20	*254a-56a		10.80	**149-51	6.15	**533	4.50	13 space filler	29.00	527	.25	
**C169-70		3.70	*731-5		6.70	*254a-56a bklt		15.35	**151	3.00	*536-37	4.90	16 f	170.00	*529-32	1.55	
**C174		1.90	*751-57		4.75	*256a		4.50	**152-5	5.80	*544-45	3.20	18 s/d	2.25	533-7	1.00	
**C191		1.00	*758-62		4.00	*257-59		3.75	**158-60	5.10	*546-47	3.75	23 thin	12.00	**537a	20.65	
**C204-5		4.00	*768-70		4.00	*260-74		13.90	**161	9.40	*569a	9.40	23 s/d	9.00	**544	.70	
*CB2a		7.50	*776-78		2.85	*260a-73a		11.00	**161-5	6.25	*572	2.25	26 thin	1.25	**545	.80	
**E4		4.50	*779-83		2.75	*275		3.00	*163	1.45	*575-78	6.25	27 thin	5.40	555-7,8-70	3.55	
**J60-4		9.40	*782		.70	*278-81		1.25	*165	1.70	*581	4.50	28	1.00	**571	2.45	
**M14-15		10.50	*784-88		2.30	*291-93		1.05	**166-7	3.00	*582-83	3.75	28 f	.80	*572-73	1.90	
**N57		3.75	*807-11		3.20	*294		1.15	**169-72	5.45	**591	15.00	28 ave-f	.65	*587	2.45	
**N57 f		2.50	*827-31		4.20	*295-97		1.00	*175-8	4.90			28 s/d	.30	*608-9	6.75	
**N70-1		8.25	*854-58		6.15	*304		1.20	**179-81	5.85			34 s/d	.50	*634	.75	
*O1 f		1.90	*864-68		6.70	*306-9		2.40	**182-5	5.80			35 s/d	3.75	*644-45	1.90	
**O51-59		8.50	*869-73		3.10	*314-15,17		1.05	**186-8	4.70			37 thin	150.00	*675-76	.85	
*O51-59 f-vf		5.70	*884-8		4.60	*318-23		1.95	**189-90	2.85			43	1.85	*685-86	1.30	
**O80-90		16.75	*889-93		3.90	*327-30		1.05	**191-								

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**1109-10		1.45	**280		1.15	*53 ave ng		45.00	129 f-vf		1.25	**312		24.40	**929-30		1.05
**1111-12		3.00	**281		1.15	53		3.75	129 f		1.15	*312		9.60	**937		35
**1114		.85	**281a bklt		9.00	53 f		3.00	*130 f-vf		42.50	*312 ng		4.80	**943-8		5.00
**1117-19		2.80	**284d bklt		13.50	53 ave		2.25	*130 f ng		25.50	312 s/d		1.45	**943-9		6.90
**1256 sht		16.90	**290a bklt		12.00	*53a f		60.00	*130 s/d		12.75	*313-14		10.20	**943-5,7-9		3.75
B1		5.00	**291-2		3.75	53b s/d		39.00	130		2.50	*313-14 s/d		2.55	**944-9		5.35
B6		8.25	**292		2.15	*55 ave ng		79.50	130 f		2.00	313-14		2.60	*949		1.50
**B7		1.50	**293		2.10	*55 s/d		39.75	131 thin		3.40	*314		7.80	**968		10
**B9-11		6.20	**305		1.70	56		2.25	133-7 ave		9.70	*314 ng		3.90	**970-1		40
**B12-4		12.40				56 f		1.80	133-7 s/d-ave		4.95	*314 f		5.20	**987		40
B12		8.00	FIUME			56 s/d		.70	*136 ng		30.00	314		1.85	**997-1001		3.05
**B18-20		8.65	32a		1.50	56,9 f		4.20	*136 ave		30.00	*320 s/d		4.50	**1014-7		7.90
**B24-6		41.00	*36		1.35	*58 ave ng		33.00	136 f		.90	320 s/d		.60	**1024,24B		.80
*B24-6		8.85	36		1.15	*58 s/d		16.50	136 ave		.70	**321		20.65	1024-24B		.55
*.used B27-30		5.10	37 f		.60	*59 f-vf		235.00	*137		150.00	*321		7.50	**1024B		.60
*B35-8		10.00	59		1.00	*59 ave		142.50	137 s/d		2.20	321		2.00	**1039		.75
**B39-42		10.45	60		1.00	59 pr on pc		6.00	*138 s/d		1.20	321 f		1.60	**1049		1.70
*B39-43		8.65	61 ave		.60	59		3.00	138-54 ave-f		12.00	**322		10.50	**1049-51		6.75
*B39-42		7.80	**73 f		1.00	59 f		2.40	139-41 s/d-f		.55	*322		4.20	**1050		1.65
**B44-6		8.50	*196-207		20.15	59 ave		1.80	*139 f		1.60	*322 lt toning		2.10	**1054-5		4.25
B44-47		7.85	E3 s/d		3.75	59 s/d		.90	*139 ave		1.20	322		.90	**1059-63		1.15
**B46		5.80	*E16-17		4.80	*60 ave-f		114.00	*139 s/d		.60	**323		2.80	**1073		2.80
*B48		.65	*P4 thin		.80	60-3 f		12.40	*140,1 s/d		21.40	**324		3.00	**1074-5		.45
**B49-53		10.70				61 f		1.30	*141 f		30.00	*324		1.35	**1076		.85
B49		.65	FRANCE			61 ave		1.00	*141 ave		22.50	324		.65	1076		.45
*B54-57		4.95	*1 s/d		225.00	61 crease		.50	*141 f ng		22.50	*325-6		4.05	**1076-7		1.20
B56		1.20	*1a f ng		547.50	61 s/d		.50	*141 s/d		11.25	*326		3.75	**1084		.85
**B60-63		1.70	3b f		54.00	*62 ave-f		193.00	*142 s/d		26.25	326 s/d		.60	**1090		.40
**B60-63		2.25	7 s/d		54.00	62		2.65	*144 f ng		8.25	*327-8		5.00	**1092 sht(25)		4.70
**B65-68		1.00	7 thin		72.00	62 f		2.10	*144 ave		8.25	**330-1		10.70	**1100		13.15
*B65-8		1.25	9 s/d		98.00	62 s/d		.80	*144 s/d		4.15	**330		2.45	**1106-7		.90
B65-7		1.15	9b s/d		120.00	62a		238.00	*144-5 s/d		5.10	**332		3.40	**1109-10		.40
B67 f-vf		.40	10a pr f		420.00	*63 ave-f ng		192.00	*159 ave		.45	*332		1.50	**1109-10 blk (4)		1.50
**B69,72		.85	14,14a,14b f-vf		23.70	63 ave		3.45	*160 ave		.40	332		1.00	**1112		.70
**B69-73		2.10	14c f		7.60	63 s/d		1.75	*162 ave		.45	**337		11.25	**1113-7		1.30
*B69-73		1.80	14c s/d		2.85	*64 ave ng		37.50	*162 s/d		.20	342-6		4.80	**1114		.30
*B69-73 ng		.60	*18 s/d		300.00	*68 ng		240.00	*166 ave		.90	342-7		14.25	**1115		.25
B69-73		3.65	18		5.00	*68 f		320.00	*166 s/d		.45	*343 s/d		.70	**1116		.25
**B74-5,7		1.35	18 f		4.00	*68 s/d		120.00	*168 f		1.00	344		2.50	**1117		.25
**B74-7		1.75	19 f		16.00	*70 ave-f		201.00	*168 ave		.75	*347		22.50	**1119		.20
*B74-7		1.00	19 s/d		6.00	*70 ave		172.50	*168 s/d		.35	349		6.75	**1133-4		.40
B74-7		1.50	20 f		17.00	70 strip of 3 f		21.00	*173 ave		1.10	*350		2.25	**1142-4		.60
B74-7 f-vf		1.40	20 ave		12.75	73 f		3.30	*173 ave		1.15	350		2.25	*1142-44		.50
**B75-77		.85	20 s/d		6.40	73 s/d		1.25	175 on pc		.45	*352		.40	**1149-53		1.50
B77 f-vf		.55	*22 ave(stain)		42.00	75 f		5.00	*175b f		60.00	*364 f part gum		1.00	**1149-51,53		1.20
**B80-1		1.15	*22 s/d		21.00	75 ave		3.75	*178 ave		.75	*369		5.65	*.used 1149-53		1.00
**B82-83		1.20	22 s/d		4.50	*76 s/d		138.75	186,8-190-1,3-6 f-vf		7.60	*369		2.25	**1150 imp s/s		1.50
*B82-6		3.50	*22a s/d		21.00	76pr f-vf on piece		9.00	*191 s/d		.70	*370		2.10	**1150 s/s(mentioned in Scott)		un gummed
*B82-6(B82 thin)		3.30	22a s/d		5.25	76 f		4.00	*193 s/d		1.65	**372		12.75	**372 blk		51.00
*B87-90		1.70	22-3,5-8 s/d-f		21.00	76 ave		3.00	193		1.75	*372 blk		4.80	**1162		.15
B91-93		6.15	*23 f		76.00	76 s/d		1.50	193 f		1.40	*372		4.80	**1171		.20
**B94		.70	*23 ave ng		57.00	76 pr ave-f		7.00	193 ave		1.05	*372 f-vf		4.00	**1171 blk (4)		.75
**B98-100		2.50	*23 s/d		28.50	*77 ave		53.00	193 s/d		.55	372		3.25	**1172		.20
*B98-100		1.70	23 ave		3.00	*78 f		10.00	*195 s/d		3.75	372 f		2.60	**1172-75		.90
**B101-3		6.05	23 s/d		1.50	*78 s/d		3.75	195 s/d		1.20	*372-3		9.90	**1175		.20
B106		1.75	*24 ave		540.00	*80 f-vf		370.00	*196 f		2.10	*372-4,88		20.70	*1176		.25
*B107-9		6.75	*25 ng s/d		202.50	80 s/d		.30	*196 ave		1.60	*374		4.25	**1185-91		3.30
**B109 rd cor		1.20	*25 s/d		202.50	*82 ave		24.75	*196 s/d		.80	*374 toned		2.00	**1195-6		.75
**B110		1.60	*26 ave		60.00	82		.70	*198 ave-f		2.20	374		3.50	**1195-6 blk (4)		3.00
**B110-3		6.70	27 f		2.60	82 f		.55	*198 f		.90	*374 f		2.80	**1197-8		.40
*B110-13		5.70	28 f		12.00	*84 ave		43.50	*198 ave		.70	*388		6.60	**1199-1201		.75
*.used B110-3		5.50	28 ave		9.00	84		3.75	*198 s/d		.30	*388 f-vf		5.50	**1202		.20
**B117-9		8.45	28 s/d		4.50	84 f		3.00	*198-201 f		16.30	388		2.50	**1202 blk (4)		.75
*B119		1.65	28a s/d		5.25	84 ave		2.25	198-9,201		3.90	**390		2.65	**1204		.40
*B120-2		6.75	*29 f		15.00	84 s/d		1.10	**201 f		45.00	*396		4.80	**1204-7		1.50
*.used B120-22		6.15	*29 s/d		5.65	84 pr f		6.00	*201 toning		7.80	*419		.15	**1205		.40
*B123		1.15	29 f		6.40	86,88-96 f		72.70	*201 f		10.40	*427-9 imp prs		12.00	**1208		.20
B123-25		3.00	29,32,6 s/d		6.15	88 f		.75	*201 f ng		7.80	*475-76H		22.30	**1208 blk (4)		.75
B126 blk(4)		4.00	*30 se		15.75	88 s/d		.30	*201 s/d		3.90	*475-76H		17.85	**1211		.20
**B126-8		6.40	*30 s/d		15.75	*90 s/d		.75	201 f		2.30	**503		.30	**1215		.30
**B127		2.25	30 f		10.00	90a s/d		.70	*220-1,23-5 f		9.70	**523A-J f-vf		2.50	**1217		.20
B127		1.25	30 s/d		3.75	91,92 ave		.50	*220-5 f-vf		12.50	548-52		2.30	**1217 blk (4)		.75
**B128		2.25	*31 s/d		24.75	*92 f		9.00	*220-5 f		10.00	*568-71 s/d		.75	**1219		.20
B128 blk(4)		5.00	31 s/d		5.65	*92 s/d		3.40	*220-5 ave-f		8.75	*575		6.00	**1220		.20
*B135-37		5.15	*32 f		86.00	*92b s/d w/cert		67.50	*224 s/d		.55	575		.45	**1220 blk (4)		.20
**B142-4		7.00	*32 ave-f		75.00	93		12.50	*225		10.80	**590		2.65	**1222		.20
*B151-3		4.75	*32 ave		64.50	93 f		10.00	*225 f		7.20	*612-15		9.00	**1222 blk (4)		.75
*B152		2.00	32 f		2.00	93 ave		7.50	*225 f rd cor		3.60	*623		.25	**1230-9		.75
*B154-6		7.80	32 ave-f		1.75	93 s/d		3.75	*226b		75.00	*630-2		11.15	**1237-6		.60
**B160-2		5.10	*33 perf toning		52.00	93 perfin		3.75	*228a f-vf		450.00	*634-36		.85	**1236-9		1.20
*B166-8		2.45	*33 reper f		35.00	94 s/d		5.25	*242 s/d		.30	*649		3.00	**1243		.30
**B176-8		2.70	*33 ave		52.50	95 f		.85	*242,5 f		1.55	*649		3.00	**1243 blk (4)		1.20
**B179-81		2.25	*33 ave ng		52.50	95 s/d		.30	*243-4 f		2.10	*650-54		12.60	**1247		.30
**B185-7		2.05	*34 f		250.00	96 s/d		10.50	*244		2.40	650-54		1.20	**1247 blk (4)		1.20
**B194-96		2.20	34 f		5.00	97 ave		.50	*244 f		1.60	*654		9.00	**1251-5		2.20
**B197-99		2.85	34 ave		3.75	97-102		24.80	*244 s/d		.60	*659-63		1.10	**1256		.30
**B200-2		3.00	34 s/d		1.90	98 ave		1.30	248		1.20	*668		.45	**1256 blk (4)		1.20
**B224-6		2.50	34a		15.00	98 s/d		.65	252		3.25	*671-2		1.80	**1257-9		1.05
**B227-9		2.60	34a f		12.00												

Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET
B282-3.....	4.50	YV#**1816B.....	3.00	**C207.....	5.50	**14.....	.75				
*B283.....	6.00	**YV# 1880,2 imp....	14.00	**C211.....	7.15	*14.....	.60				
**B290.....	19.50	**YV# 1914/21(4)....	25.00	**C215.....	2.10	**15.....	.90				
*B291-92.....	12.30			**C218.....	6.60	**16.....	1.80				
**B291a bklt.....	82.50			**C220.....	3.60	**17.....	1.70				
**B293.....	2.80	FRENCH COLONIES		**O16-9,21-5,27-8....	12.05	**18.....	5.65				
*B294-99.....	67.00	5 f-vf.....	6.00			**19-26.....	4.75				
B299.....	5.50	**B7.....	4.00	FRENCH SOUTHERN & ANTARCTIC TERRITORY		*19-24,26-7 s/d-vf....	3.15				
*B301.....	3.15			**1.....	7.50	**19-27 (25 ng).....	4.50				
**B303-8.....	26.80	FRENCH EQUATORIAL AFRICA		**8-10.....	7.50	**19-27 blks.....	32.00				
*B303-8.....	21.45	**195-8.....	2.50	*8-10.....	6.00	**19-27.....	8.00				
**B309-10.....	3.60	*195-8.....	2.00	*12-4.....	6.65	**25-7.....	6.30				
*B309-10.....	2.85	**199.....	1.20	**15.....	10.15	36-7 s/s.....	1.00				
**B312-17.....	12.05	**202.....	1.80	*15 imp.....	20.00	*C9.....	2.70				
*B312-17.....	9.65	*B36-37.....	1.00	**16-19.....	79.00	**CO2-4.....	6.40				
*B313.....	1.15			**20.....	16.90	**C O 3.....	1.90				
**B320.....	.90	FRENCH GUIANA		*20.....	13.50	*C O 3.....	1.50				
*B321-26.....	5.75	18-30 s/d-f.....	275.00	**21.....	18.00	*C O 4.....	2.70				
*B330-35.....	3.75	(s/d165.00).....		*21.....	16.50						
**B337-38.....	2.70	FRENCH MOROCCO		*24 imp.....	75.00						
*B337-38.....	2.15	**136b bklt.....	49.00								
**B337a.....	22.50			*28.....	170.00						
*B341-46.....	8.15	FRENCH POLYNESIA		**29.....	16.50						
*B347-48.....	3.15	11 pr on pc.....	27.50	**54.....	7.50						
**B350-55.....	8.85	**191.....	9.75	**74.....	1.90						
**B356-57.....	3.10	*191 s/d.....	1.95	**75.....	1.30						
*B359-64.....	6.30	**195.....	4.15	**76.....	4.70						
*B365-66.....	1.45	**199-202.....	29.00	**77-78.....	1.70						
*B367-69.....	1.45	*203-4.....	16.00	**77-79.....	3.45						
*B371-73.....	1.70	**205.....	11.25	**80-1.....	1.45						
*B377-81.....	1.80	**206.....	11.25	**84-5.....	1.55						
**B387-90.....	1.15	**207.....	13.50	**87-8.....	2.65						
*B404-7.....	.75	*277.....	7.20	**88.....	1.30						
**B409-10.....	.50	**284.....	9.00	**92-3.....	2.10						
**B416.....	.20	**292-95.....	22.50	**94.....	3.40						
**B417-20.....	.75	**313-8.....	2.30	**95-96.....	.80						
**B421-4.....	1.20	**326.....	2.10	**97.....	.55						
**B423-4.....	.70	**327-29.....	2.75	**98-100.....	1.80						
**B426-31.....	1.80	*352-54.....	4.75	**101-2.....	1.20						
*B426-31.....	1.45	**355-57.....	3.00	**103.....	1.00						
**B512a.....	4.50	**367-69.....	2.15	**104.....	3.00						
**B628-33.....	4.50	**373-75.....	2.25	**105-6.....	.75						
**B662b bklt.....	9.75	**386-88.....	3.10	**107-10.....	2.80						
**B663b.....	9.00	**389.....	1.70	**111.....	.60						
**B663b bklt.....	9.75	**400-2.....	2.35	**114-5.....	1.50						
*C1 s/d.....	30.00	**403.....	2.65	**116-7.....	1.45						
C5 s/d.....	.60	**404-7.....	5.10	**123-24.....	1.50						
*C5-6 ng.....	12.00	**414-16.....	2.65	**130.....	1.00						
C5-6.....	3.10	**422-23B.....	4.70	**131.....	1.00						
*C6.....	11.40	**424-26.....	4.45	**132.....	1.90						
*C6 ng.....	5.70	**430-32.....	2.75	**136.....	1.00						
C6.....	1.10	**436-37.....	2.10	**137.....	1.70						
C15 space filler.....	31.00	**447-48.....	1.60	**138.....	1.50						
*C22.....	24.00	**538-39.....	6.00	**139.....	2.10						
**C23-26.....	65.00	**545.....	4.50	**146-47.....	3.50						
*C23.....	.75	**633.....	3.75	**155.....	1.30						
*C24 thin.....	2.30	**646.....	18.00	**157.....	2.25						
C26.....	2.40	**653.....	1.70	**161.....	1.15						
C26 s/d.....	.75	**771.....	2.40	**162.....	1.70						
C27.....	12.00	**780.....	2.50	**163.....	1.95						
**C28.....	4.00	**794-5.....	3.00	**164.....	2.25						
*C29 ng.....	.70	**798-801.....	8.65	**167.....	1.30						
C29-32.....	12.50	**833.....	6.60	**168.....	1.20						
*C30.....	5.40	**849.....	7.15	**172.....	8.25						
*C32.....	57.00	**855.....	6.40	**225.....	1.20						
*C35 xf.....	21.00	**870.....	8.25	**273a bklt.....	7.50						
*C35.....	12.60	**880-81.....	6.00	*C3.....	24.00						
C35.....	1.50	**883 s/s.....	5.25	**C4.....	25.00						
**C36.....	33.75	**886.....	1.20	**C5.....	21.75						
*C36.....	27.00	**887.....	2.25	*C5.....	17.50						
C40.....	1.00	**888.....	1.50	*C6.....	66.00						
**C42.....	.60	**889-90.....	3.00	**C7.....	75.00						
**C46-47.....	6.60	**893-96.....	7.15	**C10a.....	21.75						
**C54.....	2.65	**901-2.....	4.15	*C10a.....	17.50						
**C62a.....	4.00	**904-5.....	3.60	**C12.....	24.50						
J1 thin.....	48.00	**908.....	3.00	*C12.....	19.50						
J8 space filler.....	21.25	**910.....	1.50	**C15.....	14.25						
**J11.....	1.90	**922-4.....	6.60	**C16.....	14.25						
*J11 ave.....	.75	**931-4.....	7.15	**C16a.....	30.00						
J21.....	88.00	**935-36.....	3.20	*C16a.....	24.00						
*J22 1 sht perf.....	120.00	**961-2.....	5.65	*C35a.....	28.00						
J22 f sh perf.....	11.50	**B13.....	1.50	**C36.....	5.25						
J23 thin.....	70.00	**C1.....	1.00	**C40a.....	14.25						
J24 s/d.....	124.00	**C2.....	5.45	**C41-43.....	13.00						
*J65 ave-f.....	53.00	*C20.....	15.00	**C45a.....	18.00						
**J108,9,13,15.....	2.50	*C21.....	41.00	**C46.....	9.75						
*N2 f ng.....	37.50	*C24-7.....	51.00	**C47.....	2.25						
*N11 thin.....	1295.00	*C24.....	7.80	**C48.....	7.50						
*N14 s/d.....	68.00	**C28.....	2.65	**C54.....	4.15						
**Q223.....	14.25	**C29.....	8.65	**C55.....	1.70						
**1 O 1.....	.60	*C29.....	6.90	**C59.....	3.00						
*1 O 1.....	.45	**C30.....	3.60	**C60.....	8.25						
**1 O 2-6.....	1.70	**C31.....	11.25	**C62-3.....	3.10						
*1 O 7-9.....	2.55	*C31.....	9.00	**C70.....	4.10						
**1 O 10-1.....	.85	**C32.....	7.15	**C71.....	1.30						
**1 O 14.....	.80	**C47a.....	120.00	**C71-2.....	1.75						
**1 O 40-4.....	3.75	**C49.....	12.00	**C72.....	.40						
**1 O 45-46.....	1.75	**C62.....	12.75	**C75a.....	3.40						
**2 O 6-8.....	1.15	**C70.....	8.25	**C76.....	3.00						
**2 O 9-10.....	.60	**C84.....	6.75	**C77.....	7.50						
*2 O 12.....	.90	**C85.....	8.25	**C78.....	.85						
**2 O 16,7,9.....	1.70	**C86.....	6.00	**C82a.....	3.75						
*2 O 37-8.....	1.20	*C106.....	16.50	**C83.....	3.20						
**2 O 39.....	.70	**C117-9.....	15.75	**C84.....	3.40						
*2 O 39-40.....	1.40	**C120.....	8.25	**C85-6.....	1.75						
**2 O 45-6.....	2.10	**C121.....	16.90	**C87.....	3.75						
		**C128-9.....	8.10	**C88.....	8.25						
FRENCH YVERT CATALOG		**C128-9 gltr prs.....	16.20	**C90a.....	4.15						
*YV# 62 f.....	25.00	**C134-6.....	16.30	**C92.....	3.75						
*YV# 63-8.....	2.00	**C149.....	5.25	**C94a.....	4.70						
*YV# 74,6,7.....	10.00	**C152.....	7.50	**C95.....	2.45						
*YV# 80a f.....	29.00	**C154-55.....	4.15	**C97.....	4.15						
*YV# 277a/279b ave.....	2.00	**C160.....	4.50	**C98.....	6.00						
*YV# 360-1 ave-f.....	.80	**C161.....	2.45	**C102.....	3.75						
**YV# 811 imp.....	8.00	**C164.....	2.25	**C105a.....	4.50						
**YV# 1230,34A.....	10.00	**C165.....	4.50	**C106.....	4.15						
YV# 1536B.....	3.00	*C166-7.....	6.75	**C107.....	7.50						
**YV# 1730-1 imp.....	40.00	*C166-7.....	5.40	**C108.....	4.50						
**YV# 1739 imp.....	25.00	**C168.....	9.00	**C109.....	2.25						
**YV# 1741 imp.....	30.00	**C172-76.....	11.25	**C113.....	7.50						
**YV# 1742 imp.....	30.00	*C172-76.....	9.00	**C121.....	7.30						
**YV# 1744-8 imp.....	40.00	**C177.....	6.00	**C122.....	8.25						
**YV# 1750-1 imp.....	30.00	**C179.....	6.00	**C123.....	9.00						
**YV# 1754-5 imp.....	20.00	**C186.....	4.15	**C127.....	9.75						
**YV# 1761 imp.....	20.00	**C192.....	4.90	**C129.....	7.50						
**Yvt 1781.....	12.00	**C196.....	2.10	**C142.....	6.60						
**Yvt 1784.....	9.00	FRENCH WEST AFRICA									
**Yvt 1786.....	9.00	**C199.....	4.50	**C16.....	25.00						
YV# 1814,A.....	3.00	**C200.....	1.90								
YV#**1815B.....	30.00	**C201.....	2.25								
YV#**1816,B.....	4.00	FUJEIRA									
		**C201 gltr pr.....	4.50	**1-18.....	14.00						