



WORLDWIDE
GABON - HUNGARY

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	
GABON													
192	.65	**380	1.15	86	.75	670-73,75-85 s/d	4.75	**766 ng	.15	**1028-44	17.50	1282a	.65
**240-3	3.40	381-84	4.65	87	.75	670-85	18.85	*767 ng	.30	**1029-30,2-3,5-6	2.70	**1283-85	2.25
**284-9	5.80	**388-90	3.55	88	.75	670-85(*674)	18.55	*771-2	2.90	1029-31,33-4,8	.80	1283,86-97	1.90
*294	.60	**391-93	1.00	89 s/d	.20	670-85 f-vf	17.00	**771-2A	6.80	**1033	1.00	1299	.15
**298-300	.80	**394-97	.90	91	.95	671,3 pr	10.00	**772	3.40	1037	.55	**1299,1301	1.00
**514	2.10	**397a	.60	93	2.40	671,5-8	3.50	**772A	4.90	**1044 s/d	.30	1299-1305	1.25
**973-4	4.80	**413-16	1.75	93 f	1.90	671-3,5-82,5	7.20	**776	.90	1044	.15	1300	.15
*C1 thin	1.50	**413-16 gtr prs	3.50	93 s/d	.75	673	1.30	*776	.75	**1046	.25	1301	.15
**C2	3.40	*417-19	.55	99	1.15	675,7 pr	10.00	776	.30	1047-9	.45	1302-5	.70
*C4	3.00	**426-28	.75	100	1.00	676	.45	*790-1	1.80	1052-3,55,60	.55	1308-12,4-5	1.45
**C6	2.25	*426-28	.55	*100c separations		678	2.65	790-1	.30	**1054	.25	1309	.15
**C9-10	3.40	**432-35	47.00	113	.95	679-83,5	9.50	**792 blk(4)	1.20	1063-5	.40	1310	.15
*C14-7	25.00	**485-88	13.90	113 f	.75	680-5	10.20	**793-6	.80	1064-5	.25	1311	.20
**C16	11.25	**493-96	1.30	118-9,21-32 s/d-vf	11.80	*681 s/d	5.65	**793-7	11.40	**1067-69A	1.30	1312	.20
*C25a	8.40	**498-503,505-6	4.20	119	.75	682	.25	*793-7	9.15	1067-9A	.60	1313	.25
**C49	3.40	**515-18	35.25	120	.95	683	7.25	793-7	1.10	1072,75,80	.40	1314	.40
**C50	3.00	**537	9.40	121	1.10	683 f	5.80	794	.15	**1074-85	9.30	1315	.35
C50	.90	**542	3.60	123	1.40	683 s/d	2.20	794 pair	.30	1074-85	1.85	1321-40	3.15
*C59	1.65	**566	2.25	124	.95	684 f-vf	.85	795	.15	1075-82,5	1.60	1322	.35
*C60	.70	**598	4.00	126	.80	684-5	2.10	**796	7.90	**1074,6-82,3,5	7.50	1322-9	1.40
C62	1.00	**620-7	7.05	127 f	.75	685	1.15	*796	6.30	**1077	.30	*1328-9	1.15
**C63	1.90	**628	3.60	128	1.15	685 s/d	.30	796	.40	1078	.15	1330	.20
**C68-9	3.15	**628-9	12.40	129	1.15	685 str of 3	3.40	*796-7	8.55	1079	.15	1331-57	4.20
*C69a	3.90	**629	3.60	130	.95	**686	45.00	796-97	.75	**1080	1.20	1332	.15
*C73a	6.60	**702a-L	12.00	131	.75	686 s/d	2.25	**804b,d	3.90	*1080	1.00	1341-65	3.75
**C83-5	12.75	**708	5.80	132	1.15	**688	18.00	**804b,d,e	5.85	1080	.15	1344-5	.30
**C90	15.00	**709-16	9.60	132 f	.90	688	6.00	804d	3.75	**1081	.75	**1346	.80
**C92-94	4.50	**728	1.70	137	1.00	688 f	4.80	**805-6	1.05	1083	.15	*1346	.65
*C92-94	3.35	**836-43	13.50	137-43	6.00	**689	8.65	*805-6	.80	*1085	3.00	1349-50	.20
**C94a	4.90	**844	6.00	144	.80	**691	11.25	805-6	.30	1085	.55	1350	.20
*C102-2B	6.20	**845	6.00	156	.70	**691 f	7.50	**807-8	1.50	*1089-90	.85	1353	.25
*C104 imp	10.20	**985-87	4.80	160	.70	*691	3.90	*807-8	1.20	**1091	.40	*1355	.75
*C108E imp	1.50	**1016a	4.30	172	.75	691	3.75	807-8	1.00	*1097	.60	1356	.25
**C109-11	6.80	**1017	4.30	177	.75	**692	3.40	*808	1.35	1100-5	.90	*1357	.45
*C109-11	4.45	**1111	6.75	204	.70	**692 f	2.25	*808	1.05	1107,10,4,5,19-21	.75	1358-83	3.90
*C111a imp	3.60	**1227-30	5.40	213	.95	*692	.90	808	.90	**1114-15	.65	*1359	.50
**C141-2	5.25	**1293-1300	9.60	222	.75	**693	32.00	**809	.75	1119-22	.65	1359-60	.30
*C150-1	5.65	**1301-2	9.75	**223	.15	693	6.75	809	.50	1122	.35	1362	.25
*C152	8.25	**1389	13.50	224	.75	693 f	5.40	809-10	.65	1124-31	1.45	1363	.15
**C160-1	3.45	**1538a-d	14.10	**227	.20	*694 ng	1.60	811-2	.50	1129-31	.60	*1364-71	4.85
*C169	8.25	**1539a-d	14.10	227	.75	694	2.25	**812	.50	1132-9,41-4	1.90	**1366-84,B594-604,	
**C222	4.15	**1567-74	8.65	229	.75	694 f	1.80	*813-4	.45	1139	.40	9N471-79,9NB187-97,	
C231	.60	**1576	4.75	231	.75	695	9.50	*813-6	1.40	**1140	1.20	1982 year set in folder	
C237	.40	**1604	7.50	231 s/d	.20	701	7.50	*813-6	1.15	**1142	.40		40.00
*J34-45 prs	4.90	**1613-16	6.75	*251 ng	.10	704,6,8-21	7.65	813-6	.90	**1143	.40	1366-83	2.65
*J35a,37a	.50	**1617	9.00	*289a ng	15.75	704,6,8-17,19-21	6.65	814-5	.25	1144	.25	1367	.15
*SG#1971	5.00	**1617a-l	9.00	298	.95	708	.15	816	.50	1146-58	2.25	1372	.15
		**1618-19	9.00	323-5,7-8	1.45	710	.15	**818-20	1.45	**1146-47	1.80	1372-83	1.80
		**1633	2.65	324a f-vf	95.00	712	2.25	*818-20	1.15	**1150	.65	1384a-c	.40
		**1729-34	9.00	327	.50	712 f-vf	2.00	818-20	.70	1151-3	.50	1384c	.40
*12-19	55.00	**1805	7.25	328	.55	712 s/d	.70	820	.45	*1155-8	1.80	1385-6	.45
*15 f	5.00	**1806	8.25	338	1.75	715	.30	*821	1.70	1159-60,62-9	1.65	1385-1408	4.80
*17 f	5.20	**1805-6	15.50	338 f	1.40	716	.80	*821	1.35	*821	1.00	1392-3	.35
*22	4.20	**1826-39	23.00	347-9	.95	716 f	.65	821	.90	1162-9	1.00	1393	.20
*25 f	8.00	**1898-1900	27.00	350 f	6.00	716 s/d	.25	**821-2	1.90	**1163	.65	1394-8	1.00
*31	3.20	**2007-10	6.40	351-62	9.10	717	.35	821-3	1.20	**1164-65	.75	*1400-1	1.15
*32	14.50	**2011	6.60	351-62 s/d-vf	6.30	717 f	.25	827-9,32,38	.65	**1170-5,7-9,81,3-6		1401-2	.45
*33	6.00	**2012	3.40	351-62(no 356)	8.90	717,20-1	1.85	*834	.25	88-9,92	15.60	1405	.25
*36	7.80	**2013	3.75	353-7,60	1.70	717-18	1.35	**836	.30	*1170-4,7-9,81,83,		*1408	1.00
*45	10.50	**2014	5.65	357	.55	718	1.00	836	.20	85,88,92	6.30	1409-19,21-31	4.35
*79	3.90	**2015	3.75	361	3.75	718 s/d	.30	*844-45	.45	*used 1170-92	8.50	1409-11,13,5-6,8-9,	
*80	3.60	**2133a-l	5.50	362	2.50	719-20	.65	**852-3	.50	1170-92	5.65	23-6,28-31	3.10
111 f	38.00	**2134a-l	5.50	362 s/d	.75	719-21	1.65	*860	.15	1170-83,5-6,8	5.20	*1412-4	2.10
*115-28	7.85	**2203	6.75	366-70,3-4	2.50	719-21 s/d	.50	863-5	.55	1171-2,4,6,9,81	1.05	1414-19	1.20
*129-31	.60	**2204-5	6.75	366-74,6-8,80	6.80	720	.50	*866	.25	1171-9	1.15	*1415-6	1.25
*132-43	60.00	**2346-48a-f	21.00	366-74,6-84	14.55	720-1	1.50	*867-8	.35	1171-9,81-4,6-92	4.95	1415-6	.35
140	1.25	**2349-51	12.50	366-74,76-82,84	11.15	721	1.00	*867-8	.30	1171-9,81-4,7-8	4.45	1428	.25
*146-47	12.80	**2652	7.50	366-84	16.40	*724	5.10	867-8	.25	*1178	.45	1430	.20
*148-51	1.65	*2676	8.25	366-84 s/d-vf	13.00	*724	4.05	868,881	.25	1180	.30	1432-52	4.40
*153-66	69.00	**2753-60	8.25	374	.30	*727	8.10	880-2	.40	1181	.15	1437	.30
*172	.85	**2780	9.75	375 s/d	.60	*728	6.75	*891-4	.75	1182	.30	1439	.20
*173-74	.65	**2844	3.20	377 f-vf	.40	*733	2.25	903-12	1.15				

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
1515A-17,23-8,30,2,4,6-8,40	3.35		1870-75,77	2.10		2261A	35		B372-5	2.45		B843	80		3N20 s/d	60.00	**9N208,10	80
1516	20		1871	30		2264a	40		B375	1.90		B847	2.15		5N28	25	**9N210	30
1517	20		1872	30		2265-8	2.25		B408-11	70		**B855-9	7.60		**5NB8a	43.00	**9N215-6,18-20	1.90
1519	20		1878	25		2270-5	3.00		**B416-17	65		B855-9	5.00		**5NB8b	43.00	**9N217,8,20,2 blks(4)	6.80
1523	20		1878-80	2.15		2288A	35		**B417	40		B856	75		**used6N1-11,13-15	2.00	**9N218	45
1524	20		1879	75		2289-92,94-2306	9.10		B421	45		B858	80		**used 6N16,17,19,21-26		**9N219,21	2.10
1525	20		1881-95	6.40		2289-2306(no2301)	9.10		**B430-33	1.80		**B860-1	2.25			1.65	**9N223-34	
1526	20		1881-2,84-95	5.20		2290	40		B439,40	25		B861	80		6N23	30	(used 9N226)	2.50
1527	20		1882	30		2291A	40		B441	40		B873-7	5.40		**8N1-13	2.65	9N223-31,3	1.75
1528	20		**1869	75		2294	45		**B442-45	1.90		B875	90		**8NB5-6	11.25	9N223-6,28-9,32-4	1.95
1530	20		1889-93	2.15		2305	40		**B454	30		B876	90		9N13	9.75	9N223-34	2.45
1532	20		**1892	75		2307-12,14-15,17-22,24			**B455-58	2.25		B877	1.90		9N13 f-vf	8.75	**9N229	25
1533	30		1893	30		26B	13.00		**B459-62	2.50		B879	70		9N13 f	7.80	**9N231	35
1534	40		1894-5	1.15		2314	35		*B459-62	2.00		B890 s/d	30		9N15 s/d	2.95	**9N235-48	5.55
1536	35		1898-1901	1.25		2315	40		**B460	40		B890-4	6.30		**9N32 stain	27.00	9N237-8,40,2,4-6,8	2.60
1537	25		1898-1905	3.75		2317	50		B460,2	1.00		B892	1.00		9N33	200.00	9N242	25
1537	30		1900	40		2318	65		**B461	75		B893	1.00		**9N38	145.00	**9N243	1.00
**1538	2.25		1901	30		2320	70		**B462	1.00		B896	1.00		9N39	13.00	**9N248	90
1538	30		1902	1.50		2320-1	1.75		**B463-66	1.30		B907	1.20		9N40	40.00	**9N250	1.50
1539	50		1903-5,7,9-10	1.85		2321	1.05		**B475	1.10		B910-4	6.60		9N41	45.00	**9N251-5	3.95
1540	60		1907	30		2326B	70		B475	65		B910-4 s/d	2.00		9N42-4,9N62	38.00	**9N251-4	1.00
**1541-48	6.15		1909-20	4.10		2328-9	1.30		**B475a	2.25		B913	1.00		9N42-6,8-58,60	11.90	**9N251-5 coil strps(7)	4.00
1541-67	5.70		1919	25		2328-33,35-38,40-43	8.55		**B475b-e	2.35		B914	2.65		9N42-60	18.55	9N251-3 strp of 3	1.00
1544	25		1922	45		2329	70		**B476-79	1.45		B923-7	6.60		9N47	20	**9N251b	50
1544-7	90		1926	20		2338-43	2.25		B479	55		B929	90		9N51 pair	65	**9N251c	1.95
1546	30		1938-45	3.60		2344-5B	1.30		**B496-99	4.25		**B936-40	9.90		9N51	35	9N252 blk (4)	50
1556	25		1942	1.15		2344-6	1.65		**B498-9	3.15		B941-45	6.60		9N54	20	**9N252,4	60
1556-7	45		1943	35		2345A-B	60		**B502	2.25		B942	1.00		9N55	35	**9N252a	1.50
1561-67	1.60		1947-8,50-8	3.85		2347A	1.75		**B503-6	2.25		B943	1.00		9N55 pr	65	9N253a	1.20
**1565-83	18.90		1948	35		2349-55	3.30		B506	65		B944	1.00		9N58	65	**9N254-55	3.40
1568-90	5.65		1960-4,66	3.10		2350-5	2.95		**B508-11	3.75		B945	2.65		9N59	6.50	**9N254	50
1569	25		1960-7	3.75		2357-74,76-86	16.15		**B516	60		B947	90		9N59 s/d	1.95	9N254 blk (4)	70
1571	25		**1964	75		2363-6	1.50		**B521-24	1.85		B959-60	1.65		**9N61 crease	25.00	**9N255	3.00
1573-4	35		1967	35		2368-9	2.25		B524	60		B960	90		9N63	16.25	9N255	2.15
1575-7	70		1969-70,72	1.00		2369	1.10		**B525	85		B961-5	6.25		9N64-67	13.35	**9N261	75
1576	25		1970	35		2373-73A	90		**B526-9	2.50		B964	2.65		9N67 s/d	2.20	**9N267,9,71-4	2.25
1577	35		1972	35		2373A	50		B535	30		B965	1.00		**9N68	56.00	**9N267,9,71	60
**1578	1.10		1974	35		2379	45		B544	25		B978-9	1.75		9N77 s/d	1.95	**9N280-2	1.20
**1579	1.10		1974-6	1.15		2384	1.30		B553	15		B980	2.40		9N78 on pc	25.00	**9N288	60
1579	30		1975	35		2390-3,5-8,400	4.10		**B553-6	1.80		B980 s/d	75		9N78	25.00	**9N292	60
1582-4	85		1976	35		2391	45		B553,5	45		B981	1.05		9N79 s/d	1.95	9N295	95
1584	25		1977-93	7.65		2402	40		B555	30		B983	90		9N80	9.75	**9N297	75
*1584-6	1.65		1979-84	2.00		2407	40		**B564 sht (10)	7.15		B990-1	1.75		**9N82-3	16.50	**9N300	1.35
1586	25		1980	35		2420	30		B567	30		B991	95		**9N83	11.50	9N301	60
1587	25		1980-1	75		2424,26-9	3.20		B577	25		B992-5	5.50		9N83(2) on pc	21.00	**9N302-4	1.10
1589	25		1981	35		2428A	40		**B577-80	2.10		B996	1.05		*used 9N84-93	15.35	**9N310	1.00
1590	25		1982	40		2431-8	30		B578	30		B1002-5	4.70		9N84-5,87-93	14.95	9N310	80
1590-3	95		1983	40		**2440	85		B579	35		B1006	1.05		9N85(2),9N88		**9N312	50
1591	25		1988	40		2440-8	5.50		**B581 sht (10)	4.90		B1008-9	1.60		9N85,89,92 on pc	12.65	**9N316-24	5.85
1591-1618(no 1610)	7.15		1989	40		2441A	40		**B581	50		B1009	90		9N88-93 s/d-vf	8.95	**9N316-21,23-4	
1593	40		1992	40		2442	40		B582	40		B1010-3	5.15		9N92	3.25	coil strps of 3	16.70
1594	30		1994-7	1.50		2444	3.00		B590	25		B1010-4	6.05		9N93 pr on pc	2.00	**9N317-8,20-1	90
1594-7	1.10		1996	40		2451-6	30		B591	35		B1014	90		9N93	1.00	**9N321-4	4.80
1600	30		1998-9,2001-4	3.10		2460-1,63-9A	6.85		B600	25		B1024-25	1.60		*9N94-98	14.20	*9N322	1.00
1600-4	1.25		2001	1.20		2464	40		B600-1	55		B1026-9	3.80		9N97	4.90	9N322	55
1601	20		2006-9	1.70		2466	35		B600-2	90		B1026-30	4.70		9N98	11.50	**9N323	1.20
**1603	1.00		2010-3	1.40		2468A	70		B600-4	2.00		**C24	125.00		9N101-2	2.65	9N323	95
1607	30		2015-28	7.70		2469A	1.15		B601	30		**C25	320.00		9N102	1.00	9N323A	45
1608	25		2015-9,21-3	4.40		2471-6	3.00		B602	50		**C26	409.00		**9N103	5.25	9N324	50
1608-9,11-13	1.45		2021	1.15		2478,80-81,83	2.00		B604	50		C46-56(C49 missing)37.50			**9N104	6.00	**9N326-7	70
*1609,11	1.30		2021-2	2.25		2484-9	2.25		B611	25		C46-52,54-5	15.15		9N109	1.30	**9N328-30	1.05
1611	25		2022	1.15		2486-9	1.50		*B611-4	2.05		C53	1.90		9N109 pr	2.60	9N328-30	60
1612-6	1.35		2024	40		2490	40		B611-15	2.25		C54	1.30		*9N109-10	68.50	**9N331-33	1.60
1613	40		2024-5,27-32	4.20		2491-4	1.45		B612	30		C55	9.50		*9N110	51.00	**9N332-33	85
1614	25		2029-31	1.30		**2492	90		B613	55		**C56 hor gum	200.00		**9N111	6.40	9N332-33	40
1616	30		2032-9	3.40		2494	40		B623	30		C56 hor gum	250.00		*9N111	5.10	**9N334	45
1617-8	60		2034-9	2.55		2495,97-2511	7.90		B623-27	2.60		**C61-4	17.50		9N111	1.50	**9N335-7	1.50
1620	30		2043	40		**2498	1.00		B625	50		**C61-4 blks	70.00		*9N113-14	5.70	**9N341-2	95
1620-5	1.35		2043-50	4.85		2504-17	7.00		*B627	80		C61-4	14.00		*9N113-14	4.55	**9N346	1.50
1621-5	1.10		2050	1.05		2513-18	3.00		**B635a	3.40		C61-4	6.25		*9N113-14 dist gum	3.00	9N346	65
1622	25		2052	40		2514	30		B636-9	1.85		C61,64	3.25		9N113-14	1.85	9N349	25
1625	25		2056	1.20		2531-5	2.10		B638	50		C61-2,4	3.75		*9N113-15	15.00	**9N353	50
**1626	1.20		2057	40		2532	40		B647,8,50	1.15		C62-4	5.90		*9N115	13.15	**9N354-8	3.00
1627	25		2058	45		2534	40		B648,50	95		*C63	3.45		9N115	10.50	9N358	60
**1627-9	2.40		2059	40		2537-40	1.45		B650	55		C63	2.50		9N115	8.25	9N360-65,67-68	1.15
1627-9	60		2060-78	9.05		2537-43	3.30		**B651	1.05		C63 f	2.00		9N118-9	1.95	9N369	40
**1630-4	4.95		2078	60		2540	50		B658	55		C63-4	5.40		*9N120-30,2,4-6	26.70	9N370	55
1630-3	75		2080	40		2546-7	80		**B658-61	3.25		C64	2.90		*9N120,21-24,26-35,30.00		9N375A	95
1636-7	50		2080-2105	15.85		2553-4	1.40		B658-62	2.75								

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
9N469		30	**9NB193-6		3.75	* MI#S108		10.95	*164-70		15.80	**B44-8		2.05
9N471 s/d		20	9NB193-4		75	* MI#S110		30.00	*87		8.70	**used B79-83		1.45
**9N471-3		2.00	9NB194		45	* MI#S112		30.00	**89		3.00	**B91a		80
*9N471-3		1.60	9NB195		65	* MI#S119,123		14.40	*89		2.40	*165		9.00
**9N474-5		1.50	9NB197		40	* MI#S123		13.20	*89 ng		1.00	*166		3.10
9N475		50	**MI#B198-201		4.00	* MI#S124		72.00	89		1.00	**172-3		3.40
9N477		40	**9NB202-3		2.25	* MI#S126		72.00	*90		3.40	172-3		2.25
*9N479		80	9NB204		25	* MI#S140,142		16.80	*90		3.00	173		1.25
9N479		50	**9NB204-7		3.60	* MI#S157		4.80	*90 ng		1.20	**187-204		173.00
**9N480-3		4.10	**9NB213-5		3.65	* MI#S169,170		26.40	90		1.00	*187,92,4,9,202-3		21.95
**9N484		1.10	9NB213-5		2.05	* MI#S191		60	*91		3.75	*187-90,92-204		28.00
9N484		70	9NB216		40	* MI#S196,198		26.40	*92		3.75	187-94,6-203		2.15
**9N484-5		1.70	9NB216-8		1.70	* MI#S219		6.60	*92-3		5.25	187-96,98-204		1.70
*9N484-6		1.95	9NB218		90	MI#S219		3.25	*96-7		3.60	187-96,99-204		1.60
**9N487		1.00	**9NB220		75	MI#S227		4.50	*96-7		2.85	187-204		2.25
*9N487		80	**9NB221-2		2.40	* MI#S228		13.00	*98		2.25	187-8,90-203		2.00
19N487		55	9NB226		1.50	* MI#S230 s/d		3.30	**100-2		5.65	188a		14.00
**9N488-91		3.70	9NB227-30		2.70	MI#S231		65	*100-2		4.50	188b		14.00
*9N488-91		2.95	**9NB231		75	MI#S234		1.50	*102 ng		90	*189		2.40
9N491		80	9NB231		45	* MI#S235		1.20	102		1.50	*192-5		49.00
**9N492-7		4.60	**9NB232		1.10	** MI#S237		1.20	103		2.40	*195		36.00
*9N492-7		3.70	**9NB232-3		2.40	* MI#S240		22.80	103-5 s/d		2.15	*197		1.95
9N495		55	**9NB234-7		3.90	* MI#S242		22.80	*104		1.95	*198		1.20
**9N498-501		3.30	9NB234-5		1.30	* MI#S243		6.60	**108-9		3.00	**203		3.00
9N499		60	9NB238		50	* MI#SK15		5.00	*used 108-9		1.50	**216-9,221-3		13.85
9N500		45	**9NB238-41		3.70	* MI#SK29		95	108-9		1.15	*216-22		8.20
**9N502		90	*9NB238-1		2.95	* MI#SK30		1.00	*109		1.35	**216-23		14.55
9N502		45	9NB239		65	MI#SK30		85	*110		1.05	**216-23		13.00
9N508		50	9NB239-40		1.25	* MI#SK31		1.20	*111		1.30	*216-23		11.65
**9N510-1		1.95	**9NB242		60	*MI#W16		1.80	*111		1.00	216-23		1.00
9N512		60	9NB242		45	* MI#W21		30.00	113-15		2.65	216-9,21-3		90
**9N512-4		2.85	**9NB243		1.00	* MI#W27		4.50	*114		15.75	**223		6.00
*9N512-4		2.30	9NB249		35	* MI#W28		7.80	114		75	*224-5		2.70
9N514		70	*9NB249-52		2.65	* MI#W29 s/d		4.80	*115		15.00	*225		1.20
**9N515		1.00	9NB249-52		2.40	* MI#W30		7.20	115		65	**226a cr		10.00
*9N515		80	9NB252		80	MI#W30		1.75	**118-9		2.25	**227		1.15
9N515		55	9NB253		40	** MI#W41		3.35	*used 118-9		1.85	227-7b		25
9N516		90	9NB256		80	* MI#W46		36.00	118-19		2.30	**227-30A		17.65
**9N516-8,20-32		35.00	9NB261		45	MI#W47		7.50	*119		1.10	*227-30A		14.80
9N519		1.65	9NB263		50	* MI#W55		24.00	*119		90	*227-30A (no 227B)		13.35
9N520		1.15	9NB272		90	* MI#W55 s/d		6.00	119		1.50	227,28-30A		60
9N521		1.65	9NB272-4		3.50	* MI#W57		24.00	*120-1 ng		5.10	227a		14.00
9N522		1.15	9NB274		1.50	* MI#W58		36.00	**121		7.50	*227B		1.45
**9N530		4.90	9NB283		90	* MI#W67		3.60	*121		6.00	*227B, 30A		6.50
9N530		8.00	9NB285		1.50	MI#W71		60	121		25	**228		1.30
9N532		14.00	French Legion Official			* MI#W102, S237		9.00	*122		1.50	**229		3.00
*9N536		1.00	Courier *III/V ng		100.00	* MI#W104		2.60	**122-36		265.00	*229		2.25
9N536		65	**Einheit II		35.00	MI#W104		2.40	*122-8,31,3-4,6 toning			**229-30A		13.30
*9N537		2.40				MI#W105		1.60				*229-30A		11.10
9N538		45				MI#W106		2.40	*used 122-36		92.00	*230		4.70
*9N540		90				MI#W107		2.00	*used 122-36 s/d-vf		42.00	*230		3.75
9N540		80	MI#35c		150.00	MI#W108		2.75	**123		2.10	**230A		6.40
**9N542		50	MI#48b		25.00	* MI#W109 f		1.60	*123		1.50	*230A		4.50
9N542		50	**MI#49 la blk		165.00	MI#W109		1.75	*124		1.50	*237a		13.10
**9N544-55		11.35	*MI#60 II		23.00	* MI#W110		3.30	*124 f		1.20	*237a		10.50
*9N544-55		9.10	*MI#73-96		60.00	* MI#W111		6.00	*124		1.00	*237a stuck		2.65
9N547		90	MI#80A s/d		7.50	* MI#W111 s/d		1.50	*124-6,8,30		35.65	*237a s/d		3.30
9N548		50	MI#81A s/d		10.00	* MI#W112		10.80	*125		3.75	*243a		16.50
9N549		50	MI#**81 H Blatt Bklt		75.00	* MI#W113		7.00	*125		2.70	*243a light cor crease		7.70
9N551		1.90	MI#82A		3.50	** MI#W115		1.20	*126 f		7.50	*264		49.00
9N552		50	** MI#84 II		1.35	* MI#W115		95	*126 s/d		1.90	*264a singles		31.00
9N553		65	*MI#85(2),99(4) bklt pn			MI#W115		80	*126		6.00	*274		11.40
9N569		55				** MI#W121		1.20	*127		2.40	*280		6.60
9N576		65	* MI#90 II		12.00	MI#W121		80	*128		3.90	**284-5		9.95
**9N579		95	* MI#92 II a,b		13.20	MI#W123		65	*130		9.00	*330 ng		1.50
9N579		55	MI# 94A11		80.00	* MI#W128		10.80	*130		9.60	*330c,33a,477b		11.25
**9N586		1.20	MI#95A,II		29.00	MI#W131		80	130 s/d		1.20	*330c, 33a, 477b		
9N587		80	* MI#95 B II a		4.20	MI#W133		80	*131		3.00	bklt		11.25
9NB4-5		62.50	MI#96 B II f		2.20	MI#W144		80	*131		1.95	*330c,3a,477b bklt		9.00
**9NB8-11 toning		5.40	* MI#96 B II b		9.00				*131 fg		2.40	*330c,3a,477b ng bklt		4.50
9NB8-11		82.00	*MI# 97A1		225.00				*131 ng		1.20	*333a		2.40
**9NB12		9.00	*MI# 97B f		25.00				*132		15.00	*427		2.70
**9NB19-20		1.50	MI#99 a,b		2.50	MI#23-33		20.00	*132		12.00	*475		5.70
**9NB20		1.05	MI#100 II		85.00	MI#36/50		16.50	*132-5		28.35	535-9		65
**9NB21-4		1.65	MI#101 a,b		2.40	* MI#52-6		13.00	*133		3.60	*576-81		6.55
**9NB25-28		1.05	MI#124 PF VII		20.00	*used MI#57-64 f-vf		19.80	*133		2.40	583,85		25
**9NB33-36		85	MI#164 blk		4.00	MI#57-64 f-vf		33.00	133		1.65	*656a		1.30
**9NB37-40		1.00	MI#166		3.50	MI#116b		17.50	*134		4.90	*656a		1.05
**9NB53-56		1.90	MI#167		1.25	** MI#118 blk		24.00	*134		3.90	*740a		15.00
**9NB57-60		85	MI#170		5.50	** MI#118		6.00	*134-5 ng		4.20	*742a		4.50
**9NB61-64		1.50	MI#171 strip of 3		6.75				*135		9.00	*744a		4.50
**9NB65-68		1.30	MI#172 strip of 3		30.00				*135 ng		3.00	744a		1.50
**9NB69		25	MI#173		2.25				135		4.00	**941-4		3.60
**9NB70-73		1.65	MI#176 a,b		82.50				*136		48.75	*945-48		2.50
**9NB74-77		1.35	** MI#176a,b		22.40				*136		39.00	*977-81,B146		2.80
**9NB78		25	** MI#179 blk		4.80				*137-46		15.55	*984a		2.10
**9NB92-95		3.40	*MI#180Z		30.00				*137-46		12.45	1430-3A		2.30
**9NB96		40	** MI#203A		1.95				*137-46 toning		6.20	*1433		60
**9NB97-100		2.30	** MI#208W		4.90				*used 137-46		9.90	1494A		1.50
**9NB105		45	** MI#209b		8.25	*48		6.40	*used 137-46 s/d-vf		6.95	**1585-8		1.15
**9NB106-9		1.80	** MI#209b blk		33.00	*48		5.10	137-39		70	*1711		1.50
9NB109		65	**MI#226Z		25.00	*48 ng		2.55	*141-2,6		3.90	2062a		1.50
**9NB110-3		2.45	** MI#231a,b		4.80	48		4.75	*142		1.90	2071-5,7		80
9NB110,112-3		1.30	MI#246 A,b		6.50	48 f		4.00	*143		1.50	2071-83		2.50
9NB112		35	MI#253,B		5.50	48 s/d		1.60	143-5		2.90	2071-85		2.90
**9NB114		50	MI#256A,B,C		27.50	*51 s/d		1.00	*144		1.40	2071-84		3.00
*9NB114		45	** MI#261a,b		17.25	**53		12.40	*144 f		1.15	2071, 3-7,9-85		3.35
**9NB115-18		3.15	MI# 261A,B		25.00	54		90	*144		75	2076,8-85		3.60
**9NB119-22		1.80	MI#262a,b		10.50	54-5		1.25	*144 ng		60	2083-4		95
9NB121		30	* MI#265a		60.00	54-5,7		2.15	*144,6		2.80	2084		55
**9NB123		55	*MI# 279Y		14.00	54-7		6.40	*144a singles		45.50	2084-5		1.30
**9NB124-26		1.25	MI#305A		8.00	54-7 f-vf		5.75	*144a		75.00	2146a		1.20
**9NB124-27		2.15	** MI#321A		75	**54-7A		85.00	*144a imp		27.00			

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
*10-3.....		4.35	**390-2.....		.60	*30 ave-f plt 15.....		202.00	108a s/d.....		701.00	173.....		.80	**2056.....		7.75
**14-6.....		1.10	**393 shltts.....		2.40	30.54 pr ave on pc.....		33.00	109.....		308.00	173 sht perfs.....		32.00	**334-6.....		4.30
**17-20.....		.75	**396a.....		.75	*32 pl 3 ng.....		165.00	109 s/d.....		92.00	173a s/d.....		36.00	336.....		2.00
**25-7.....		5.80	**400-1.....		.40	32a pl 1 s/d.....		18.75	110 looks vf, thin.....		570.00	179.....		35.00	**338-40.....		1.80
**32-5.....		1.35	**435-36 shts(10).....		4.50	*34 s/d.....		338.00	111.....		.70	179 sh perfs.....		15.00	338.....		1.50
**36-8.....		40.00	**483 sht (10).....		6.00	*37 s/d.....		435.00	111-2.....		5.35	179 blk stains.....		16.50	340.....		1.10
**41a.....		.60	**484 sht (10).....		10.50	39a f.....		44.00	111-5.....		19.85	179 f.....		22.00	340 s/d.....		.30
*41a.....		.50	**552-55.....		7.15	42.....		175.00	111-20 f.....		82.00	179 s/d.....		10.50	358 blk(4).....		.50
*78-81.....		.90	**627a,629a.....		6.00	42 f.....		140.00	111-22 f-vf.....		157.00	179-80 f.....		58.00	359.....		.20
**81a.....		.30	**640.....		.95	43 f Malta canc.....		25.00	111-22 f.....		140.00	179-81.....		135.00	359 blk(4).....		.80
**104a-6a.....		3.75	**654a,656a.....		4.90	43 f.....		25.00	112.....		4.65	*180 rd cor.....		66.00	362 blk(4).....		.50
*104a-6a.....		3.00	**656a.....		2.65	43 pl 10 ave.....		45.00	112 f.....		3.70	180.....		58.00	367 blk(4).....		.70
**104a,106a.....		3.40	**677a,679a.....		5.45	43 pl 10 s/d.....		22.50	112 s/d.....		1.40	180 heavy canc.....		22.50	368 blk(4).....		.70
*105a.....		.75	**680a-2b.....		19.50	43 pl 11.....		36.00	112-19 f.....		59.00	180 f-vf.....		40.50	369 blk(4).....		1.40
**106a.....		2.65	**702.....		4.90	*43 pl 12 ave ng.....		143.00	113.....		8.75	180 f.....		36.00	371 blk(4).....		.90
*107-9.....		.90	**710a.....		7.75	*43 pl 12 s/d.....		.71.00	113 s/d.....		2.65	180 s/d.....		13.50	371-4 s/d.....		2.00
**109.....		.75	**716.....		5.25	43 pl 14 f.....		37.00	113-22.....		170.00	183.....		17.50	372.....		.30
**109a.....		2.65	**739.....		1.30	43a pl 8 s/d.....		13.50	113-22 f-vf.....		152.00	183 f.....		14.00	373.....		1.00
*109a.....		2.10	**794-7.....		5.10	43a pl 13 f.....		19.00	*114.....		17.40	183 s/d.....		5.25	*374.....		7.50
**131a.....		.95	**802-4.....		2.80	45 plt 5 s/d.....		24.00	114.....		2.90	*187.....		.45	374.....		3.65
*131a.....		.60	**831a.....		5.50	48 ave.....		98.00	114 f.....		2.30	187a s/d.....		.60	374 ave-s/d.....		1.10
*134.....		1.05	**837-40.....		4.15	48 ave pl 4.....		98.00	114 s/d.....		.90	*188 s/d.....		.30	374 s/d.....		1.20
*139-42.....		2.50	**853c,d.....		10.15	50 s/d.....		32.00	114-22.....		161.00	*188.....		.45	**382-84.....		.60
**142a.....		3.20	**871-4.....		7.00	*51 pl 9 ave ng.....		255.00	115 s/d.....		.90	*188 f.....		.45	**387-88.....		.40
*142a.....		2.55	**900a.....		3.00	51 s/d.....		16.50	116.....		10.50	188.....		.40	389.....		1.00
**166a.....		.70	**916a.....		4.15	51a s/d.....		16.50	116 perfin.....		4.80	*189.....		1.05	*397p.....		27.00
**170a.....		.60	**917.....		6.00	*53 pl 1 s/d.....		637.50	116,19 s/d.....		5.80	*189.....		.50	**398-400.....		3.20
*170a.....		.50	**928-31.....		4.30	53 pl 1 sh perf.....		97.50	117.....		26.25	189.....		.40	399.....		1.40
**178a.....		.80	**941.....		6.00	55 pl 1 f.....		104.00	117 f.....		21.00	189b f.....		1.60	403.....		.15
**185a.....		1.00	**965.....		10.90	*55 pl 1 ave ng.....		1575.00	117 s/d.....		7.90	190.....		.75	*4410.....		.20
*185a.....		.80	**1005-8.....		9.00	55 pl 1 s/d.....		39.00	117-8.....		35.00	191.....		1.75	417.....		1.00
**186 sht(12).....		11.25	**1010-13.....		6.20	57 used in.....			118.....		8.75	192.....		1.40	*470-76.....		1.30
*191a.....		1.80	**1040-43.....		3.75	Constantinople f.....		310.00	118 f.....		7.00	193 f.....		1.10	*492.....		.20
**192-99.....		5.10	**1044-47.....		4.50	57 s/d.....		117.00	118 s/d.....		2.65	194.....		2.00	*493.....		.20
**194a.....		2.80	**1048-51.....		10.50	57 s/d perfs trimmed.....		90.00	118a f.....		56.00	195.....		.90	*518-21.....		.75
*194a.....		1.65	**1055a.....		9.40	57 pl 2 f.....		700.00	118a s/d.....		21.00	198.....		2.00	*524.....		1.50
**194a,9a.....		7.50	**1056-59.....		9.00	57 plt 2 s/d.....		263.00	119.....		8.75	200 s/d.....		.70	527 s/d.....		.60
**199a.....		4.70	**1142-45.....		7.50	*58 plt 3 ave.....		83.00	119 f.....		7.00	205-8.....		8.00	*572-4.....		.60
*199a.....		3.75	**1182.....		1.30	*59 s/d.....		139.00	119 s/d.....		2.65	*207.....		1.50	574 blk(4).....		.70
**203a.....		3.60	**1190-7.....		7.75	*59 pl 11 s/d.....		139.00	120.....		28.00	207.....		.90	*580a.....		.80
*203a.....		2.85	**1207.....		1.00	59b s/d.....		21.75	120 f.....		22.40	208.....		5.00	*600-4.....		.95
**207a.....		7.75	**1233-36.....		7.90	*60 s/d.....		330.00	121.....		26.25	208 f.....		4.00	*608-11.....		.75
*207a.....		6.00	**1266.....		7.15	60 f.....		140.00	*122 s/d.....		49.00	208 s/d.....		1.50	*621.....		.20
**211a.....		1.00	**1272a.....		13.15	60 pl 12.....		175.00	122 cds.....		70.00	210a.....		1.40	645-7.....		.40
*239a.....		1.95	**1273.....		13.50	60 pl 12 f.....		140.00	122.....		46.00	*218-20.....		68.60	655.....		.20
*250a.....		17.00	**1278-82.....		7.75	60 pl 12 thin.....		70.00	122 3 shades.....		75.00	222.....		12.50	661-3.....		.50
*254a.....		8.25	**1283.....		9.00	61 s/d.....		13.90	122 hor prs.....		50.00	222 f.....		10.00	663.....		.25
*254a.....		6.60	**1289a.....		7.50	61 plt 12 se.....		13.90	122 f.....		37.00	222 s/d.....		3.75	680-2.....		.40
*268a.....		16.50	**1300.....		5.25	61 pl 12 s/d.....		13.90	122 s/d.....		13.90	222 blk stains.....		40.00	709-13.....		.90
*278.....		4.80	**1314-8.....		5.25	61 pl 14 s/d.....		15.00	122 pr.....		92.00	222-3.....		42.50	709-14.....		1.05
**284.....		4.50	**1325.....		7.15	61 pl 16.....		47.00	125.....		1.35	222-3 sh perfs.....		29.00	732-4.....		.50
286-99.....		8.00	**1333.....		8.25	*61 pl 19 s/d.....		79.00	125 s/d perfin.....		.40	222-4.....		67.50	740-4.....		.70
**305-7 shltts (12).....		4.35	**1346.....		4.90	61 pl 20 s/d.....		24.75	126 2 shades.....		135.00	222-4 f.....		54.00	*802-5.....		1.00
**307a.....		1.50	**1351.....		4.90	*62 plt 14 s/d.....		86.00	126 blk(1 s/d).....		235.00	223.....		30.00	*802-5 blk (4).....		4.00
**308-10 shltts (12).....		9.90	**1352.....		7.30	62 pl 14 f.....		42.00	126.....		75.00	223 f.....		24.00	*810-4.....		1.20
**310a.....		4.50	**1358a.....		6.20	62 pl 16 se.....		15.75	126 f.....		58.00	223 s/d.....		9.00	821-6.....		.75
**314a.....		3.00	**1374.....		7.50	62 pl 17.....		105.00	126 s/d.....		20.25	226-9 s/d-f.....		2.25	*834a.....		1.00
**318a.....		16.50	**1375-7.....		6.00	64 pl 10 thin.....		46.00	127.....		.75	229.....		2.25	*835-8.....		.75
**323-6.....		1.00	**1383.....		4.70	*66 pl 1 s/d.....		116.00	127 f.....		.60	*229 f.....		1.90	*843-6.....		1.00
**323-6 shltts (12).....		9.90	**1386-9.....		6.20	66a pl 3.....		3250.00	127 s/d.....		.25	229.....		2.00	*843-6 gtrr prs.....		2.00
**326a.....		2.45	**1405-10.....		6.00	*66a f ng.....		350.00	*used 127-38 f-vf.....		164.50	229 f.....		1.60	847 gut pr.....		.25
**335a.....		5.10	**1418a.....		10.50	*67 plt 11 f-vf ng.....		120.00	*128.....		1.35	*235-7,39.....		1.00	*863-6.....		1.00
*381a.....		2.25	**1419.....		3.75	67 pl 13.....		50.00	128.....		.80	239a f-vf.....		13.00	*871-4.....		1.00
**389a.....		5.25	**1442-6.....		10.90	68 pl 20.....		32.50	128 f.....		.65	*240 v-vf ng.....		1.00	*874a.....		.80
*389a.....		3.75	**1452.....		5.10	*70 pl 15 f ng.....		648.00	128 s/d.....		.25	243 blk.....		1.30	874a.....		.60
*389a w/ ovpt.....		15.00	**1458-61.....		7.90	*70 pl 15 s/d.....		278.00	129.....		12.00	*248 ng.....		.90	879 single, pr, gtr pr.....		.60
*402-5.....		8.40	**1462.....		5.10	70 f plt 15.....		150.00	129 f.....		9.60	248.....		.50	*909a.....		1.10
*408a.....		4.20	**1481.....		9.40	78 s/d.....		3.90	129-33,5,8 s/d.....		25.95	250.....		1.00	909a FDC.....		1.10
*425a.....		7.80	**1482.....		4.90	78-9 f.....		17.40	130.....		11.25	250 f.....		.80	*915-16.....		.40
**524a.....		1.50	**1488.....		7.15	79.....		8.75	130 s/d.....		3.40	251A.....		2.25	*915-16 gtrr prs.....		.85
**644.....		22.50	**1588-93.....		9.00	79 f.....		7.00	130-1,3,6.....		69.50	*253.....		.85	*920-3.....		1.30
**678-81.....		1.90	**1611-18.....		13.15	79 s/d.....		2.65	131.....		7.50	*253,6.....		1.20	*920-3 gtrr prs.....		2.60
**708.....		1.30	**1623-31.....		15.00	*81 part gum.....		100.00	131 f.....		6.00	257 s/d.....		.90	*933-34.....		.55
**718.....		2.25	**J4-6.....		1.20	*82 s/d.....		79.00	131 s/d.....		2.25	262 blk.....		.80	*933-34 gtrr prs.....		1.10
**760B s/s (5).....		1.50	*8 diff cut sq.....		5.00	82.....		20.00	132.....		2.25	*267.....		.30	*937-40.....		1.30
**762.....		.60	SG# Z70,7(2) on pc.....		21.00	82 f.....		16.00	132 f-vf 3 shades.....		6.00	*SG# 274 ave.....		10.00	*950.....		.50
**821.....		1.50				82 s/d.....		6.00	132 f.....		7.60	*SG# 276 f.....		9.00	*950-1.....		1.50
**911.....		2.45				82 pl 21 f-vf.....		23.65	132 s/d.....		2.85	284b s/d.....		2.00	*989.....		.65
**974.....		1.50	GILBERT ISLANDS.....		7.50	82 pl 22.....		26.25	*133.....		19.00	285.....		1.00	*1002-5 gtrr prs.....		4.05
**1051-4.....		1.50	255a.....		2.10	82 pl 22 f.....		21.00	*133 f.....		16.20	287.....		.90	*1026.....		.60
1054C.....		2.50	**303a.....		6.75	82 plt 23 ave-f.....		14.00	133 Isle of Man canc.....		15.00	288.....		2.50	*1093.....		.30
**1810-14.....		3.60	**312.....		1.05	*83 pl 20 part gum.....		300.00	133.....		17.50	288 s/d.....		.75	*1098-1102.....		2.10
**J1-5.....		.95				84 pl 18 s/d.....		13.50</									

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
**BK1139A		15.00	576		5.00	818		4.0	**1656Bc bklt	5.25	103		1.20	**1854-6		4.75	**1368-74	11.25
**BK1183		8.25	577		9.00	**857c		22.50	**1658A-B	4.90	111		4.0	**1857		3.75	**1374	3.40
**BK1195		10.50	**578		10.80	*884		3.60	**1666	2.25	127		35	**1918-9		7.80	**1375-81	11.00
**BK1200		7.90	578		12.00	**989-94		6.10	**1679Bd bklt	12.00	131		90	**1951-8		9.10	**1389-94	7.75
GREAT BRITAIN MACHINS			**579-82		8.20	**1214		4.30	**1685-99	14.65	134		35	**1959-60		9.75	**1389-95	9.00
			**579-82		6.55	**1241c		4.30	**1710-2	3.25	135		65	**1959-60		7.80	**1395	3.60
			**581		2.10	**1542		1.20	**1716a	6.00	138		2.00	**1984-8		15.00	**1396-1402	11.15
	**MH7 f	2.25	*582		1.95	**1895		7.00	**1739Bc bklt	12.00	140		2.10	**1997-8		9.90	**1403-9	10.90
	MH19	35	GUERNSEY			**J1-6		38.00	**1765-71	7.70	147		1.05	**1999-2002		44.60	**1409A-F	5.20
**MH21	2.40				**J2		3.00	**1773Bc bklt	10.90	153		90	**1999-2005		56.00	**1409A-G	11.30	
MH22-4	70	*8-22		17.50	**J4		11.25	**1774-77	4.65	158		50	**2000		5.00	**1409G	2.65	
MH40	70	**135-6 shts(9)		6.00	**J5		18.75	**1778	3.60	160		90	**2001		8.25	1410-4	1.40	
**MH70	35	**135-6 shts(9)		5.70	**J6		32.00	**1785Bc bklt	7.90	**231-32	12.40	140	**2002		28.00	**1417-22	5.80	
MH94	35	**147-8		75	**J6 f		21.25	**1789	4.70	232		5.00	**2003-5		11.25	**1417-23	9.00	
*MH97	45	**199-203a		21.00	**J7-20		4.75	**1804	1.70	242-49 (3)	24.00	140	**2069-70		10.15	**1423	3.20	
MH97	35	**200-3A		20.75	**J20		1.45	**1805	3.20	243		8.50	*2069-70		8.10	**1424-9	5.80	
MH102	35	**203		4.15	**J21-32		4.90	**1806-9	6.85	**283a bklt (2)	18.75	140	*2081-2		9.60	**1431-6	6.00	
MH112	55	**203A		12.00	**J32		1.80	**1811Bc bklt	7.90	305 FDC blk(4)	1.30	140	**2083-7,9-90		8.40	**1443-8	5.80	
MH114	40	**207-8	45	GREECE			**1812-19	9.25	**322a	7.30	140	*2091-2		7.80	**1450-6	12.75		
MH115	55	**222-3	60		*8	294.00	**1820-22	5.15	**354a	6.75	140	**2191		4.30	**1501	6.00		
MH117	45	**226	70		*8 ng thin	70.00	**1825-6	2.00	354a	4.50	140	**2194		9.00	**1503	11.25		
MH120	45	**281-2	75		8 s/d	73.50	**1828-31	8.10	375,464,591 on pc	13.70	140	**2219		4.70	**1535-41,3-4	8.75		
MH126	45	**380,431	1.40		*8a s/d	195.00	**1836Bc bklt	8.65	**386	3.60	140	3015		1.35	**1908-10,2	7.90		
**MH130	95	**436-40	4.00		14 f	190.00	**1837-40	6.90	**396	3.00	140	3015-6		2.65	**1925	13.90		
MH130	35	**490b bklt	3.40		16 ng	18.00	**1843-51	13.70	**402a	6.40	140	**3173a-d,f		1.75	**1927	13.90		
MH135	70	**731a	6.00		16 s/d	9.00	1850	1.50	402a	5.25	140	**3248 sht(9)		6.10	**B12-6	5.50		
MH142	70	**832-37	6.45		20 f	9.60	**1852-55	4.20	**408a	10.90	140	**3362		4.50	**B17-8	10.50		
**MH142-3	2.50	**892	6.00		43c a thin	7.00	**1856-59	6.00	**426a	5.25	140	**3432-4	15.75		**B17-8 red ovpt			
**MH143	1.45	**961-8,70	10.45	43c f	24.00	**1860-63	5.50	**428a	3.95	140	**3467		4.50	transposed	10.50			
**MH160	1.90	**997k	8.25	43d f	35.00	**1864-68	6.00	**438	2.10	140	**C29-32		1.45	*B17-8 red ovpt	10.50			
MH161	75	ALDERNEY		43d ave-f	30.50	**1869-72	5.50	**462a	8.25	140	**J10 f		9.00	**B19-24	14.00			
**MH165	70				43e f	35.00	**1874Bc bklt	7.90	489,523,62 on pc	15.50	140	J13	2.25	**B25 orange ovpt				
MH165	50		**13-7	6.00	46 str of 3 ave-f	47.00	**1875-9	6.90	**492a	4.30	140	**J14	2.25	shifted to left	9.50			
MH165-8 s/d	45		**18-22	6.75	53	4.75	**1887-94	7.40	B1	3.60	140	*J14	1.80	**B25-9	3.85			
**MH166	75		**23-27	2.85	53 f	3.80	1898	65	B1	95	140	J15 s/d	1.35	**B25-9 black/orange				
*MH166 ng	30		**32-36	9.00	53 ave	2.85	**1905	2.65	**B2 toned	1.45	140	**J15-8	1.80	ovpt	5.15			
*MH166 s/d	15		**80b bklt	4.30	56 s/d	1.20	**1907Bc bklt	10.15	B2	3.60	140			*B25-9 red ovpt	4.10			
**MH167	1.50		**89	3.20	56a f	3.30	**1908-17	13.90	*B2	2.85	140	GRENADA GRENADINES				**B25-9 orange ovpt	5.15	
MH167	30		**170-5	5.80	56b f	7.00	**1936a	4.50	*B3	60	140	**2a	55	*B26 orange ovpt				
MH167 f	25		**326 sht(10)	12.00	68	2.00	**1968-9	3.75	*B15	11.25	140	**28	1.30	shifted to left	9.50			
MH167 s/d	10	**327 sht(10)	14.25	90,2-6	15.00	1975	90	*B17-18	3.75	140	**31	60	*B26-9 orange ovpt	4.35				
MH167,9,75	1.35	**328 sht(10)	15.00	113a ave	1.00	**1991	3.75	*B26a	5.25	140	**50-7	1.85	*B30-5	5.60				
**MH168	3.60	**329 sht(10)	15.75	*117 f	1.60	**1992	5.10	*B27a	5.25	140	**58	1.15	*B36-7 orange ovpt	2.00				
MH168	65	**330 sht(10)	22.50	117-20	7.75	1999	1.05	Q6 s/d	1.80	140	**91-8 shts (5)	8.25	C14-5	1.50				
MH168 f	50	**333 sht(10)	9.40	119	1.50	**2002	7.15	GRENADA				**136	60	*C15	2.25			
MH168 s/d	20	**334 sht(10)	12.00	119-20	2.60	2019	1.50	*3 ave	30.00	140	**213-5 shltts	6.90	*C17-21 (C21 thin)	4.50				
*MH169	3.00	**337 sht(10)	18.00	119 ave	1.60	2020	3.00	3 f	6.00	140	**216	70	*C24-26	54.00				
MH175	75	**389	6.60	119 s/d	1.00	**2031	5.25	5a ave-f	96.00	140	**270-2 shts (3)	1.95	*C24-26 ng	21.50				
MH176	2.00	**476a	7.50	119,22 s/d	2.35	**2044	13.50	5B f	19.00	140	*273	60	*C24-26 double ovpt					
*MH183	1.20	**518	7.00	120 ave	2.15	**2061	7.90	**2110	7.90	140	*297	12.75	error	89.00				
MH192	1.25	ISLE OF MAN		120 s/d	1.10	**2192	6.75	30	90	140	*307	1.80	**C31 imp s/s	7.50				
MH227	1.00		**13(2),21(3) bklt	1.15	121	4.10	**2254	6.75	79-80	1.00	140	**318-21	1.15	C32-4	2.85			
MH237	1.65		**16a	60	121 f	3.30	*2306	6.60	*97	6.40	140	**328-31	1.30	*C34	6.75			
MH238	50		**16a(4),17a(5) bklt	7.50	121 s/d	1.25	**2319	10.15	97	5.00	140	**435-8	1.70	*C34	5.40			
MH279	1.50		**17a bklt	16.90	121-2	9.35	**2429	7.15	97 f	4.00	140	**440-2	70	C34	2.00			
**MH279a	24.40		**17b	70	122 f-vf	4.75	*2429C	7.15	115a	1.75	140	**443	1.05	*C41-3	15.00			
**MH280-3	34.50		**17b(3),18a bklt	3.75	122 s/d	1.60	*C1-4	16.30	*131	30	140	**449	1.50	*C42-3	13.15			
**MH287	1.20		**18a	3.75	329 rd corn	45	*C2 thin	2.40	131	35	140	*460-63	3.60	*C42-3	10.50			
**MH292b	15.00		**26	1.50	*used 437-8,51	1.95	C2 thin	2.20	*131-4,36-7,39-42 ng12,70	12.70	140	*464	3.75	*C44-6	9.00			
**MH300a	8.65		**35	70	486	65	*C72	28.15	*132	50	140	*465-8	1.40	*C44-6	7.20			
**MH301	8.50	*35	60	*490-7	49.00	*C73	49.00	132	40	140	*480-4	8.10	*C45-6	8.50				
**MH301b	17.25	**88a,91a	1.20	500	25	*C73	39.00	*132a	2.10	140	*534-7	1.25	*C45-6	6.90				
**MH302a	16.50	*88a,91a sht(3)	2.90	518-19	2.20	C73	1.75	132a	45	140	**538	95	*C46	4.50				
**MH304a	31.90	**96-8	95	*520-2	120.00	*N122 f	24.00	132a,9a	1.20	140	*544-53	4.15	C47-8	1.40				
**MH306a	31.90	**109-12	1.05	*524	1.50	*N202	33.00	**133	40	140	*554	2.45	*C47-9	11.25				
**MH321-4	34.50	**133a sht(9)	3.40	537 s/d	1.10	*N208a	60.00	133	30	140	*727-30	2.50	C47-9	3.65				
**MH322	6.00	**133a shltl	1.00	543	1.15	*RA1-2	60	134	50	140	**762-5	11.35	*C48	4.70				
**MH344,6,9,51,2,4-8		**133a,6a 2 shltts	1.20	*544	75.00	*RA45	5.10	*134a	75	140	**1186-8	3.15	C48	1.20				
61,3,6,71,3	19.20	*133a,6a shts(3)	2.90	547	1.15	*RA45 s/d	1.30	135	30	140	*1189	3.20	*C51	3.00				
**MH346,9,52,5,61,3		**133a,6a	1.20	*554	28.00	RA46B	28.75	135a										

DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
GUYANA																
**192a s/s.....	4.10	198 f.....	5.20	**411-14.....	6.75	**787.....	1.00	**2239a.....	7.50	*C81.....	24.00					
**C195a s/s.....	4.10	**199.....	5.45	411-12.....	.70	**788-91.....	2.85	**2268.....	6.40	C89.....	.45					
**C202a.....	1.50	**199.....	4.35	**413.....	1.50	*791a.....	1.35	**2281.....	1.15	*C96-106.....	6.60					
**1A.....	1.90	**C226a.....	1.95	199.....	.90	**792.....	1.30	**2305.....	2.45	C107.....	.50					
**1-1A,3.....	2.70	C248.....	1.15	**200-2.....	5.00	**793-8.....	3.10	**2367 sht(3).....	2.25	C109-10.....	1.00					
**8.....	1.05	C279.....	1.25	203-17.....	22.30	**793-8a.....	3.95	**2401.....	2.45	C109.....	.50					
**13.....	4.90	C295.....	.70	203b.....	.50	**431-4.....	15.20	798a.....	.65	2566-7.....	.75					
15.....	6.25	**C326-9.....	12.20	*205.....	2.25	**431-4 gtrr prs.....	30.40	**799-802.....	2.25	2567.....	.35					
**16.....	.55	**CQ3-4.....	3.40	205a.....	1.50	*433.....	2.40	804-5.....	.80	**2572 sht(3).....	18.75					
**17.....	3.40	*JA15 ct sq.....	10.00	**206.....	2.10	**435-8.....	11.70	**816-21.....	3.15	**2608 imp.....	21.00					
*17.....	4.50	Q4.....	1.20	207.....	2.15	**435-8 gtrr prs.....	26.30	825.....	.75	**2648 shltt(3).....	2.25					
**19a.....	2.10	*RA1-4.....	3.35	207a.....	2.00	**446b.....	22.50	829.....	.70	**2657.....	1.90					
**320.....	4.50	*RA1-8(1 sm thin).....	6.00	210b.....	.75	**461-64.....	11.70	**834-7.....	2.65	**2695.....	1.90					
**38a shltt(3).....	2.25	HELIGOLAND	**212.....	18.75	*461-4.....	10.35	**834a-37a.....	26.50	**2696.....	2.05	*C158-65.....	7.45				
**38a.....	.75		213-6.....	2.50	**464a.....	21.00	**838.....	5.65	**2702.....	1.30	*C158-65.....	6.00				
**39-53.....	13.10		213c.....	1.40	**465-69.....	6.60	**849-54.....	3.40	**2742.....	1.90	*C166.....	19.50				
*68-82.....	6.10		*3 perf reprint s/d.....	1.00	214.....	.50	**478-81.....	6.30	**859-74.....	22.00	**2753.....	1.90				
**204a.....	1.50		*3 rouletted reprint.....	2.00	214c.....	1.65	**482-85.....	7.75	871.....	.65	**2792.....	2.25				
**259-62.....	6.00		*3 reprint.....	2.00	214c blk.....	5.00	**485a.....	30.00	872.....	1.25	**2812.....	2.25				
**331-33(2)bklt.....	13.50		*5 reprint s/d.....	2.00	215b.....	12.25	**486-9.....	10.45	873 s/d.....	.75	**2869.....	1.50				
**334,334a.....	6.00		*6 f w/ berlin rpt.....	87.50	216.....	1.50	486,488.....	.90	**874a.....	16.00	**2951.....	1.30				
**334a.....	3.00		*8 reprint.....	2.00	216 f.....	1.20	490-92,97,99.....	2.50	**882.....	.55	*2978 imp.....	9.35				
**334a-5a gtrr prs.....	15.00		*8 s/d.....	20.00	216-7.....	15.00	**490a-504a.....	83.00	**889a-b.....	14.25	**2978 pr imp.....	18.75				
**334a-5a.....	7.50		*10 reprint s/d.....	2.00	217.....	13.75	490c.....	.65	**916.....	3.75	**2979-84.....	2.20				
**335.....	3.00		*12 reprint.....	2.00	217 f.....	11.00	492c.....	.45	**918-21,21a,21b.....	9.00	*2985.....	2.65				
**335,335a.....	7.50		*14 reprint.....	2.00	217 s/d.....	4.15	493.....	.65	**922.....	33.75	**2985 imp.....	13.15				
**SG 420a.....	57.00		*15 reprint.....	2.00	**225.....	2.10	493a,b,c.....	.85	**924 sht(18).....	30.00	*2986 imp.....	3.75				
**SG 421a.....	2.65		HONDURAS	228.....	494a.....	.40	**937a shlt(16).....	8.50	**2986 pr imp.....	7.50	C261.....	1.50				
**SG 422a.....	2.65	228 s/d.....		1.15	495d.....	.80	**956-59,59a,59b.....	8.65	**2987 imp.....	18.75	*C286a sht(4).....	2.60				
**SG 423a.....	73.00	**229-30.....		8.45	496a.....	.50	**961-4.....	3.00	*C2988 imp.....	3.75	*C295.....	3.00				
**SG 424a.....	3.00	*34.....		1.80	498.....	.65	**974-7 bklt.....	6.00	**2988 pr imp.....	7.50	*C308.....	1.50				
**SG 431a.....	25.30	*C158.....		1.20	231-33.....	37.00	**982a.....	3.75	**2990-95.....	2.05	*C310.....	1.20				
**574.....	48.00	*C376a.....		15.00	*232.....	12.00	500c.....	.40	**986a.....	3.00	**2996.....	.40				
**608.....	.75	**C699-702.....		1.30	**234-35.....	14.25	501.....	1.00	998-1002 5,8,10,11,133.35.....	18.75	*C301 imp.....	18.75				
**608-10.....	4.30	HONG KONG		**237-38.....	13.00	501d.....	1.00	1012.....	1.50	**3002 imp.....	3.75	*C315.....	2.25			
**610.....	2.80			*239-44.....	30.00	502.....	2.50	**1013a.....	20.65	**3002 pr imp.....	7.50	*C324.....	3.00			
**625-8.....	3.75			*239.....	1.00	502c.....	3.00	**1018-21.....	3.00	**3003 imp.....	3.75	*C324.....	2.40			
**647.....	12.00			*245-6.....	10.20	502d.....	3.25	**1026-29,29a,29b.....	9.50	**3003 pr imp.....	7.50	C324.....	2.00			
**703a.....	2.65			**246.....	6.40	503a.....	6.00	1240.....	.70	**3006-11.....	2.10	*C325.....	1.50			
**715.....	5.25			35 ave-f.....	42.00	503c.....	6.00	1243.....	2.65	**3006-11 imp.....	13.10	*C326.....	2.05			
**715-18.....	14.25			36.....	16.25	**502g.....	16.90	1244.....	6.50	**3006-11 prs imp.....	26.25	C327.....	1.25			
**756.....	52.50			*36b.....	30.00	503c.....	6.00	1299.....	.75	**3029.....	6.00	*C336.....	2.80			
*SG# 845.....	.75		36b.....	1.40	**252.....	13.90	1347.....	26.25	**3035-40.....	2.10	C336 imp.....	30.00				
**918-22.....	3.80		37,39.....	1.05	**253-54.....	38.00	1430a-b.....	4.00	**3041-45.....	2.05	*C345.....	2.05				
**920.....	1.05		*40.....	39.00	**255-56.....	1.60	1432 sht.....	31.50	**3052-57.....	2.10	*C346.....	2.05				
**921-2.....	1.75		*41.....	22.50	255-6.....	1.05	*J1.....	1.65	**3052-57 imp.....	15.00	*C346.....	1.35				
**1355-8.....	3.00		41.....	6.50	257-58.....	.90	*J1a.....	1.20	**3065-68.....	1.60	*C348.....	2.00				
**1394-8.....	4.75		42 s/d.....	3.15	258.....	.75	*J1a.....	.95	**3065-68 imp.....	13.10	*C350.....	1.90				
**1412.....	6.50		43.....	1.25	259.....	.50	*J1a.....	1.75	**3071.....	2.65	*C361.....	1.50				
**1413 shltt(4).....	22.50	44.....	.90	**260-61.....	18.85	*J6.....	4.75	**3075-80.....	2.10	*C361.....	1.20					
**1461.....	2.20	44 thin.....	.55	264.....	4.50	Scott Cat. after #940J22.50.....	*J6.....	4.05	*3081.....	2.25	*C362.....	3.00				
**1505-8.....	2.30	45.....	1.65	267.....	3.00	*J7.....	7.50	**3085.....	1.30	*C363.....	2.10					
**1826-8.....	8.25	47 s/d.....	4.90	**268-69.....	27.00	*J7 f.....	5.00	**3087-92.....	2.65	*C365.....	2.80					
**1828.....	3.00	48.....	17.50	270.....	.90	*J8.....	2.10	**3093.....	2.65	*C376.....	3.40					
**1854a.....	10.15	*61 foxing.....	15.75	272.....	.65	*J9.....	4.50	**3094-99.....	2.75	*C416.....	2.10					
**1855.....	7.50	61.....	8.75	**273-74.....	8.10	*J10.....	13.15	**3100.....	2.65	*C425.....	2.25					
**1867-68 shltts(2).....	18.00	61a.....	8.00	*275-88.....	70.00	*J11.....	9.40	**3102-6.....	2.50	*C426.....	2.45					
**1869.....	9.00	62 f.....	2.60	275,78-81,83.....	6.20	*J13.....	6.75	**3107-10.....	2.70	*C427.....	2.45					
**2006.....	13.50	*74 sh perfs.....	5.50	282.....	5.75	**556-59.....	10.00	**J22-22E.....	17.50	*C311-16.....	2.75					
**2035-36.....	13.50	74.....	6.50	*283.....	1.20	*559a.....	12.40	HUNGARY	*3118.....	.40	*CB30b.....	2.80				
**2371.....	9.00	78.....	4.15	284-7.....	6.40	**560-63.....	8.50		*3120-2.....	1.35	CB36 thin.....	.70				
**2379-81.....	38.00	86.....	.65	284a.....	.45	**563a.....	13.50		**3123-6.....	1.80	*J276-81.....	4.55				
2406.....	7.50	87 f.....	1.10	284a-7a.....	4.75	**564-69.....	7.25		**3224-9.....	3.25	MH#26-36 ave-vf.....	70.00				
**2590-92.....	16.30	88.....	1.00	284a-88a.....	10.25	**578-83.....	5.60		462.....	1.00						
**2652-59.....	9.85	*90.....	10.80	*285.....	5.65	**588-91.....	5.35		463.....	1.50						
**2660-61.....	9.00	*91.....	55.00	285.....	.60	593.....	1.75		*481-85.....	8.60						
**2662-64.....	15.75	*91 ng.....	18.75	285-87.....	6.00	*605.....	10.50		*635-6.....	3.20						
**2671.....	7.50	91.....	13.00	285a.....	.85	**606-10.....	6.75		*570-72.....	1.70						
**2674.....	10.50	*95 toning.....	17.25	*286.....	8.25	*628.....	6.00		*621-24.....	.75						
**2694-96.....	8.65	*109.....	5.40	286.....	1.75	**630-31(3).....	1.30		*723-24.....	.40						
**2769.....	6.25	113 s/d.....	1.95	286a.....	1.50	**630-6,38-9.....	.40		*785-88.....	9.00						
**2827.....	9.00	118.....	5.40	286a s/d.....	.45	43-6,8-9,651B-E.....	30.75		**811.....	.25						
**2860-61.....	12.00	119.....	2.65	287.....	4.50	630A.....	.75		839.....	.40						
**2881.....	4.75	120.....	3.75	287 f.....	3.60	633.....	.65		**844-47.....	8.25						
**2883.....	4.75	131 f.....	6.70	287 s/d.....	1.35	633-34.....	.80	918.....	2.00							
**2912.....	1.05	132.....	.75	287-8.....	20.75	**636,638.....	.75	959-61.....	.90							
**2913 set (12).....		*133 s/d.....	1.10	287-8 s/d.....	6.25	636a.....	.50	**1057-61, C123-27.....	6.00							
Babe Ruth.....	37.50	133.....	.50	288.....	9.25	**638b bklt.....	7.50	**1085-7 imp.....	22.50							
**2931-42.....	9.15	136 s/d.....	.65	288 s/d.....	4.90	*639.....	1.70	**1088-95.....	7.60							
**3020.....	5.65	138.....	3.00	**291-93.....	4.30	*641.....	1.50	**1109-12 imp.....	26.25							
**3027.....	22.50	*147-50.....	35.00	**294-95.....	12.00	*645.....	1.15	**1160-67.....	3.30							
**3071-73(4).....	15.75	147-50.....	10.50	296-8.....	7.15	**645b bklt.....	9.50	*1160-67.....	2.65							
**3219-26.....	25.50	147.....	1.50	297.....	1.90	*646.....	1.30	**1171-2 imp.....	18.75							
**3234.....	6.25	*148.....	5.40	298.....	4.00	*647.....	1.90	*1181.....	.55							
**3235-36.....	7.50	*151.....	3.70	*298 ng.....	3.60	**647b bklt.....	9.50	*1182.....	25.50							
**E6.....	7.50	*15														