

WORLDWIDE

NAMIBIA – RYUKYU IS.

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET			
NAMIBIA			*61 s/d.....	3.30	*B102 f.....	2.90	NETHERLAND INDIES			**C26.....	3.00	702.....	15	1353a.....	3.25					
**759-61.....	1.70	61.....	1.60	*B134-8.....	2.40	*17.....	.75		**C31.....	9.00	**703b.....	45	**1370a.....	4.90						
**999.....	4.50	69.....	1.60	**B144-5.....	6.00	*25.....	12.00		**C33.....	18.75	703b.....	30	**1371a.....	3.75						
**999k.....	4.50	69 f.....	1.30	**B144a.....	68.00	*28.....	30.00		**C38.....	13.50	**718.....	20	**1374-8.....	5.55						
**999l.....	4.50	*76 s/d.....	1.40	*B144a s/d.....	13.50	*29 thin.....	8.00		*C38.....	10.80	719-23.....	55	**1378a.....	6.00						
*1060-63.....	7.20	**77 f.....	20.00	*B149-53.....	.75	*49.....	1.45		*C49.....	7.20	720.....	15	**1383 blk of 6.....	2.95						
**1212-14.....	7.50	*80 s/d.....	22.00	*B154-8.....	.75	*55.....	9.60		*C50.....	5.10	723.....	15	**1384 sht of 10.....	4.90						
NATAL			83a.....	55.00	*B159-63(used B159).....	1.45	*57 ng.....	9.60		*C50.....	4.05	726.....	10	**1391a.....	4.90					
16 f.....	14.00	*84.....	60.00	*B164-9.....	1.80	*59 thin.....	19.50		**C68.....	10.50	**734-5.....	45	1395.....	.75						
41 pen canc.....	2250.00	84 f.....	1.30	*B164-7.....	1.20	*63-80.....	145.00		**C134.....	3.75	734-5.....	30	1398.....	1.15						
55.....	60.00	106.....	.80	*B164-8.....	1.50	*81-86.....	5.10		**C174.....	2.25	**735a.....	45	1398a.....	1.50						
*63 ng.....	45.00	**110 f.....	45.00	B164-9.....	1.15	*84a.....	2.45		**C188A.....	3.00	735a.....	30	**1412.....	12.00						
79 pr SG# 114d,h.....	10.00	*152.....	1.00	B180-4.....	1.05	*95.....	16.80		*C195-6.....	3.60	755-6,8-65.....	1.25	**1433b.....	6.40						
NAURU			153.....	.20	*B182.....	.75	95.....	1.50		**J42-50.....	5.00	766-9.....	.95	**1445.....	1.20					
*9 broken "n".....	50.00	*154.....	6.00	B189-93.....	1.05	*101-24.....	32.00		**O14,15-27,8-9,B,.....	20.25	768.....	20	**1445 gtr prs.....	2.40						
*17 type II.....	4.00	**156 f.....	20.00	B228.....	3.90	*102a-23a(11) f-vf.....	112.00		NEW HEBRIDES (British)			768-9.....	60	1448.....	.65					
**18a.....	1.90	*158.....	21.00	**B229-33.....	14.50	*105.....	.85				770.....	1.40	**1470c.....	1.50						
**117a single.....	4.10	160.....	.40	B233.....	3.00	*106a s/d.....	8.65				**770A.....	4.50	1473.....	.65						
**161-64.....	3.75	161.....	.35	*B234-7.....	9.00	*116a s/d.....	9.75				770A.....	1.65	1483.....	1.00						
**165-7,70-81.....	10.00	179.....	2.25	*B234-6(u B237).....	12.65	*123a s/d.....	1.20		**258.....	1.30	**794a.....	3.00	1497.....	1.00						
*165-81.....	7.00	179 toning.....	1.35	*B237.....	3.15	*130 f.....	1.60				**808-10.....	1.20	**1517a.....	3.60						
**193a.....	.70	*181 f.....	2.90	B237.....	1.75	*133.....	3.60				**811-4.....	2.50	1531.....	1.15						
**218a,20a.....	.90	*183.....	4.35	*B238-42.....	9.05	*136.....	9.60				**98-108.....	44.00	813-4.....	1.15	1536.....	.90				
**224-6.....	.75	188.....	.35	*B238-42.....	7.25	*149.....	4.90				**110-11.....	23.25	*814a.....	2.65	**1538a.....	4.90				
**249a.....	1.30	*191.....	5.40	**B249-53.....	18.90	*135,7,9.....	1.85				**134-5.....	6.60	814a.....	1.40	**1549-56.....	3.90				
**256.....	1.30	*191b-2a f-vf.....	49.50	*B249-53.....	9.70	*149.....	3.90				**233-35.....	1.90	835.....	3.00	**1564a.....	2.65				
**431a.....	1.95	192.....	.10	*B253.....	10.90	151a.....	63.00				*J1 thin.....	10.00	875a.....	2.40	1564a.....	1.90				
**431a gtr strip.....	4.50	**193.....	99.00	B253 f.....	5.25	*263-67.....	1.05				**J6-10.....	77.00	877 blk (4).....	2.20	**1575b.....	4.15				
**436a.....	5.65	*193.....	35.00	B253 f.....	5.80	**294.....	1.30						879.....	1.05	**1607b bklt.....	16.90				
**436a sht(4).....	22.50	193.....	.45	*B254-58.....	6.00	**310-11.....	.40				NEW ZEALAND			879 blk.....	4.20	1613.....	1.00			
**592a.....	22.50	**193a.....	68.00	*B258.....	6.20	**C8.....	.90				9 f.....	140.00	880-2.....	1.35	**1614 coil (1).....	.50				
NEPAL			*193a.....	27.00	B258.....	2.00					9f.....	250.00	881-2.....	1.15	**1614a.....	4.90				
8.....	30.00	196-99.....	2.30	*B259-63.....	12.40						9f s/d.....	93.75	882.....	.65	1620.....	.90				
9.....	35.00	199.....	1.75	*B264-8.....	17.85	**B19-22.....	2.25				34 pr f.....	295.00	**888a.....	1.05	**1621.....	.50				
10a vert pair.....	35.00	201.....	1.60	*B288.....	3.00	**B23-6.....	5.10				65 f.....	3.20	889.....	1.40	**1628.....	.50				
36.....	2.00	202-3.....	1.65	*B291.....	2.25						65 ave.....	2.40	889a s/d.....	6.00	**1656b bklt.....	8.25				
**88.....	118.00	204-5.....	2.40	*B291-5.....	16.00						*67 ave.....	37.50	892-93.....	.90	1662.....	1.00				
**89.....	5.65	206-8.....	.95	*B294.....	9.75						88 f-vf.....	1.80	902a.....	2.15	1665.....	1.00				
*117.....	60.00	*208.....	2.40	B295.....	6.00	**135-40 shltls.....	22.75				*118a f.....	47.50	904 blk (4).....	1.70	**1665a.....	3.20				
151A.....	4.00	*216-8,20B-22,4-5B.....	14.50	*B296-300.....	9.75	*135,7,9.....	1.85				*136 f.....	1.40	906.....	.75	1665a.....	2.15				
175.....	.30	*,used 216-25,8.....	5.00	*B296-300.....	7.80	*139-40 sht of 7.....	7.90				136 str of 3.....	4.25	906 blk (4).....	4.20	**1678 coil (1).....	.50				
**220-3.....	6.90	*B300.....	3.75	B300.....	3.75	*141.....	1.50				*161 s/d.....	1.65	915 strp(3).....	1.50	**1687 coil (1).....	.50				
316.....	40	*B301-5.....	5.45	*B309-10.....	6.40	*186-89.....	1.75				*188.....	4.10	*917.....	1.60	*1688-9.....	1.00				
327.....	1.50	*B309-10.....	6.40	*B316-20.....	12.15	*280-83.....	2.00				*190.....	15.00	**920-23,25-27,29.....	4.25	**1719b bklt.....	15.00				
330.....	.45	*B316-20.....	12.15	*B330.....	4.70	*378.....	3.40				191.....	1.65	920-3,5-7.....	1.60	**1728a.....	4.90				
334.....	.25	*B330.....	4.70	*B341-2.....	2.25	*460-3.....	2.80				192-9.....	66.50	927.....	.50	**1729a.....	10.50				
367.....	1.15	*B341-2.....	2.25	*B353-7.....	5.50	*464.....	3.00				*194 thin.....	2.40	*928.....	.90	*1730b.....	9.00				
388.....	2.25	*B353-7.....	5.50	*B357.....	2.60	*465-7.....	4.80				196.....	10.00	928.....	.50	**1730c coil (1).....	.50				
394.....	.30	*B357.....	2.60	*B373-7.....	5.45	*498-9.....	1.25				197 f-vf.....	13.50	940.....	.75	**1737 coil (1).....	.50				
516.....	1.25	*B373-7.....	5.45	*B404a.....	15.00	*560-4.....	3.80				212a.....	.80	942 blk (4).....	1.30	*1750-5.....	10.70				
**550.....	3.00	*B404a.....	15.00	*B408a.....	3.00	*571-4.....	6.90				*215b f.....	1.30	*959a.....	3.20	*1750a-5a.....	27.00				
**O12-14.....	.65	275.....	1.05	*B408a.....	3.00	*575-9.....	2.90				*232.....	.80	963.....	.55	*1750a-5a.....	21.60				
NETHERLANDS			282-85.....	1.10	*B409-13.....	1.25	*582-5.....	4.60			*263,5 plt no blks.....	6.75	968.....	.65	*1755c.....	7.15				
2.....	13.75	283-5.....	.90	*,used B409-13.....	1.60	*606-13.....	6.00				284.....	1.25	976.....	.50	**1779c bklt.....	16.90				
2 f.....	11.00	284.....	.70	*B431a.....	3.20	*616-8.....	3.40				*333-52.....	52.00	977.....	.75	**1805a.....	4.90				
*3 f-vf.....	385.00	284 f.....	.55	*,used B431a.....	3.20	*619.....	3.95				349.....	.60	985.....	1.00	**1806a.....	10.50				
3.....	65.00	*286-30'(286,92 used).....		*B441a.....	6.00	*650.....	2.05				*355.....	.15	991.....	.75	**1807a.....	9.00				
3 f.....	50.00	*297 s/d ng.....	2.40	*B449-51.....	3.15	*651.....	3.40				*355.....	.10	991 blk(4).....	3.00	**1808 coil (1).....	.50				
3 s/d.....	18.75	298.....	5.00	*,used B449-51.....	2.10	*652.....	6.75				*358.....	.15	992.....	.90	**1835-40.....	8.65				
5 s/d.....	1.60	298-300.....	6.00	*B455a.....	6.60	*706.....	3.40				361.....	.75	995.....	1.15	**1860y bklt.....	30.00				
*6 s/d.....	160.00	300.....	.85	*B468a.....	9.00	*839-46.....	8.65				**375-77.....	5.40	996.....	1.15	**1					

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
B71a-2a.....	27.50	**C937.....	2.65	**432-33,35-36.....	2.05	**11.....	2.45	*56a ng.....	27.00	*412 s/d.....	1.60	B1-3.....	76.00				
**B77a.....	7.50	C999.....	1.10	**437-44.....	8.20	*12 f.....	3.10	*57 thin.....	10.00	**414-5.....	1.30	**B4.....	37.50				
**B78a.....	7.50	C1006.....	.35	**445.....	3.75			57.....	1.25	*414-15.....	1.05	*B4.....	9.60				
**B80a-1a.....	15.00	**C1143-9.....	2.95	**445d.....	4.90	NORWAY											
**B82a.....	7.50	**C1155-60.....	4.25	**466-70.....	12.75	1.....	88.00	*58 f.....	24.00	*416-30.....	20.00	**B11-14.....	2.25				
**B82a,83a.....	15.00	**C1162-8.....	4.00	**476,478.....	2.10	1 f.....	66.00	60 f-vf.....	43.00	*416-30(426 used)....	13.00	**B11-14 blks.....	9.00				
**B83a.....	7.50	**C1172-8.....	4.40	**496-99.....	7.50	2.....	70.00	62.....	2.75	416-30.....	4.90	*B11-14.....	1.20				
**B85a.....	7.15	**C1187.....	2.80	**505-8.....	4.45	3.....	25.00	65.....	42.00	*421,4,6-8 f-vf.....	14.00	**B12.....	.25				
**B86a.....	7.15	*O101 f.....	1.50	**519.....	3.00	3 f-vf.....	22.50	*66 thin.....	26.00	**423.....	2.25	**B20-23.....	11.25				
B89-91.....	1.50	O112.....	5.00	**522-59.....	26.50	3 f.....	20.00	**70,72,73.....	20.00	*423.....	1.80	**B28-30.....	6.60				
**B90a.....	17.00	*O119 s/d.....	.50	**530-33.....	10.40	3 ave-f.....	15.00	70,a.....	2.15	*423 s/d.....	.45	**B28-30.....	5.25				
B90a.....	25.00	**RA60a.....	3.00	**534.....	8.25	3 s/d.....	7.50	*74-95.....	115.00	*424 s/d.....	.65	**B31.....	.70				
**B93a.....	11.25	**Philex France.....	3.00	**535.....	9.00	*4 ave.....	84.00	74,6,83,7,9,94,5.....	1.20	**433-5.....	1.70	B31.....	4.50				
**B97a.....	3.20			**546-7.....	9.00	4.....	6.50	74-95 (87,92 s/d).....	9.00	*433-6.....	2.45	*B32-34.....	3.15				
**B102a.....	1.05	NIGER		**548-50.....	6.75	4 f-vf.....	5.85	**81.....	31.00	433-36.....	1.40	**B42.....	.75				
**B108a.....	1.45	**99.....	3.60	**551.....	6.75	4 f.....	5.20	**84.....	19.00	*435-6.....	1.60	*B42.....	.60				
B108a.....	1.65	**100.....	4.90	**552.....	8.25	3-5 s/d.....	26.00	*86 f.....	16.00	435-6.....	.70	B42.....	.90				
**B109-11.....	.70	*100.....	3.90	**564-67.....	8.50	*5 s/d.....	210.00	*88.....	21.00	436.....	.55	*B43-4.....	.90				
*B110.....	.20	**101.....	1.70	**571.....	10.90	5.....	30.00	*95 f-vf.....	12.00	437.....	.35	B47.....	.65				
**B111a.....	1.15	**102.....	2.25	**578-81.....	11.00	5 f.....	24.00	100-103.....	1.70	**446-9.....	1.80	B48.....	.85				
B111a.....	1.75	*132-4.....	2.00	**582-85.....	11.80	5 f pale shade.....	24.00	100-103 f.....	1.35	*456-57.....	1.60	*B48-9.....	8.65				
B114c.....	3.75	*132-7.....	7.05	**587.....	3.75	5 s/d.....	.90	102.....	.30	*458.....	3.40	*B48-9.....	5.70				
**B114a.....	3.75	**147-9.....	2.20	**588.....	12.00	6 f.....	100.00	**103 f.....	5.85	*470.....	2.10	*B48.....	1.20				
**B120a.....	1.90	*184-5.....	.85	**624-25.....	20.65	6 s/d.....	37.50	*111.....	4.20	**475-6.....	1.80	B49.....	3.50				
B120a.....	1.90	**190-3.....	2.65	**532-35.....	6.60	7 s/d.....	45.00	*114.....	3.60	*475-76.....	1.45	**B50.....	2.10				
B123a.....	3.50	**266-9.....	3.50	**642-5.....	5.80	8.....	7.00	114 rough perfs.....	2.50	*486-89.....	4.90	**B54-6.....	39.00				
**B126a.....	2.65	**310.....	1.90	*646.....	8.65	8 f-vf.....	6.30	*115-28(123 used)....	30.00	*487 f-vf.....	1.50	*B54-6.....	24.00				
B126a.....	2.00	**406-10.....	3.10	**662-66.....	9.40	8 f.....	.560	*used 115-28.....	35.00	*496-7.....	3.00	*B57-58.....	3.55				
**B128a.....	1.45	**484-7.....	3.60	**721-24.....	4.90	8a.....	12.50	115-28.....	5.30	**500-1.....	1.90	**B59.....	6.40				
**B129a.....	4.30	**491-5.....	3.10	**738-9.....	4.50	8b s/d.....	11.25	116.....	1.50	*510-2.....	2.45	**B59-61.....	12.75				
B132.....	.65	**537-42.....	4.70	*740.....	4.50	9.....	30.00	120.....	1.50	*521-22.....	1.50	*B59-61.....	10.20				
B136a.....	4.40	**538-9,41-2.....	2.50	**746-7.....	4.50	9 s/d.....	.90	129.....	1.50	**537-43 (540 ng).....	22.00	*B59-61 thin.....	3.40				
**B137-8.....	1.40	*569-71.....	3.45	**756-8.....	3.95	10.....	63.00	129 f.....	1.20	**used 537-43.....	2.75	**B62-3.....	8.25				
B139-40.....	1.85	**586-9.....	3.35	**772-73.....	16.50	*11 ave.....	30.00	131.....	1.25	**555-6.....	3.00	*B62-3.....	6.60				
B140a.....	3.75	**599-602.....	2.50	**822.....	7.15	11 f-vf.....	24.75	131 f-vf.....	1.15	*557-59.....	3.75	**B64-5.....	12.75				
B142a.....	3.15	**614-21.....	10.05	**B37-40.....	2.50	11 f.....	22.00	132-5.....	6.15	*560-61.....	3.00	*B64-5.....	10.20				
**B145-8.....	2.85	*638-40.....	1.85	*B52-55.....	5.00	11 ave.....	16.50	132-5 f-vf.....	5.50	560.....	.25	*B69.....	9.50				
**B162 coil (1).....	.60	**920-1.....	11.40	**B56-59.....	15.00	11 thin.....	11.00	133.....	2.00	564.....	.20	*B70.....	10.50				
**B168 coil (1).....	.45	**922.....	4.90	*B60.....	13.50	11 s/d.....	8.25	133-5.....	4.50	565.....	.55	*J1.....	.45				
*C6 f.....	.60	*B11,13.....	1.35	*C10.....	4.95	12 f.....	10.00	*135 s/d.....	1.05	*579-81.....	1.60	J2-5 f.....	1.45				
**L1-3.....	6.75	*B13A-B.....	.55	*O12.....	1.90	12 s/d.....	8.25	135.....	2.50	*585a.....	4.50	*J8-9 f-vf.....	34.00				
**L1-4.....	9.00	*C15.....	6.75	*O13.....	3.60	12a thin.....	22.00	135 f.....	2.00	*586-89.....	3.00	*O2.....	1.20				
*L1-4.....	7.20	*C15.....	5.50	*O15.....	3.30	13 f.....	64.00	145-8.....	3.50	588.....	.20	*O4.....	1.20				
**L4 f.....	2.25	**C23-5.....	3.10	NORFOLK ISLAND													
**L5-8.....	43.00	**C44.....	1.45	**13-18.....	45.00	13 ave-f.....	56.00	148.....	1.50	*590-91.....	2.70	*O6.....	3.00				
**L9-14.....	1.70	*C44.....	1.15	*13-18.....	35.00	13 thin.....	32.00	148 f.....	.70	*596-98.....	3.60	*O14 ng.....	6.00				
*L9-14.....	1.35	**C45-8.....	5.65	*23.....	9.40	14.....	5.50	150-3.....	3.60	**608,611,615.....	1.25	**O24-32.....	22.75				
**L61-66.....	8.05	**C68-70.....	5.70	*23-4.....	19.15	14 f-vf.....	5.00	153.....	2.00	*609 bkit (10).....	49.00	O38.....	10.00				
L71.....	1.20	*C76-7.....	4.15	*23-24.....	15.30	14 f.....	4.40	153 f.....	1.60	*611 bkit (10).....	38.00	**O55-57.....	4.15				
L78.....	1.65	*C90-92.....	2.50	*24.....	15.00	14 s/d.....	1.65	154-7.....	3.65	*611 bkit.....	37.50	*O61.....	.35				
O36.....	5.00	*C90-93.....	4.15	*26.....	4.00	14a s/d.....	1.65	158-61.....	3.05	631.....	.25	**O65-82.....	59.00				
O68B f.....	8.00	*C112.....	6.00	*27.....	5.25	15.....	27.50	161.....	2.00	638.....	.20	*O65-82.....	53.00				
*O83.....	8.70	*C115-8.....	7.10	*28.....	4.35	15 s/d.....	22.00	*177-80.....	15.00	*639-42.....	3.10	*O68,73-4,6-9.....	36.30				
*O84.....	8.70	*C129-30.....	2.65	*35.....	1.50	16 s/d.....	8.25	177-78.....	2.25	*643-4.....	1.45	O78.....	.35				
*O85.....	3.45	*C133.....	3.00	*37.....	3.60	17 s/d.....	12.75	*used 181-3.....	5.00	654.....	.10	*O79.....	.85				
*O86.....	21.00	*C141-42.....	3.40	*43.....	3.00	18.....	6.00	181-86.....	3.00	*656-7.....	1.60	*O80.....	1.00				
*O100,2-4.....	1.85	*C150.....	2.25	*44.....	1.50	18 f.....	14.00	183.....	1.25	*658-9.....	1.45	*O81.....	1.80				
**O106 f.....	.55	*C170-2.....	4.35	*49.....	.35	18 s/d.....	5.25	184-6.....	.75	*658-9.....	1.20	*O81.....	1.80				
*O109,111.....	31.00	*C173.....	5.25	*51.....	9.00	18a ave.....	4.20	*220-38.....	25.50	675.....	.20	*O82.....	4.00				
*OY29.....	1.00	*C238.....	5.65	*52.....	.85	18b s/d.....	3.75	224.....	5.00	*693.....	1.30	O82.....	.40				
OY31.....	.45	*C240-3.....	5.20	*53.....	.90	*19.....	9.00	226.....	10.00	*693-4.....	1.50	*O95-97.....	5.75				
**OY49.....	8.00	*C240-3.....	4.15	*54.....	1.30	19 s/d.....	10.90	230.....	2.50	*693a bkit.....	9.00	*O102-3.....	4.60				
**SB26.....	8.00	*C273-7.....	5.90	*55.....	1.70	20 s/d.....	10.90	243.....	1.25	*694a bkit.....	6.75	*O107-9.....	3.15				
**10 game bird.....		C278.....	1.00	*57.....	7.35	*22 ave ng.....	1.95	244.....	1.00	*698-701.....	2.85	*O111-12.....	2.35				

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET		
**106-7		1.00	**589		1.80	**525-8		1.75	**560-4,C265-8	7.45	1384		.45	**633-34		6.40	213		1.25
**112-3		.40	**592		4.50	**529-33		2.50	**565-8	.65	1384 blk		1.80	**635-6		8.45	289		2.50
**114-5		.60	**606-9		21.20	**529-33		2.00	**565-8,C269-71	1.65	**1392-7		22.35	**687-92 imp		4.15	*used 558-60		17.00
**122		.70	**610-5		23.50	**536-9		1.50	**577-81	.65	1397		.90	**719-23		5.25	561-9		4.10
**122 blk		2.85	**624,6		11.25	**536-9		1.20	**630-37	7.80	1397 blk		2.00	**729-32		2.85	568a		.60
*129b,35a,5c		3.85	**630-3		16.50	**536-9,615		1.65	**783-7	3.75	**1403-8		8.25	750-6 thins		1.00	586		1.40
**132a		2.25	**639-42		16.50	**540-4		1.55	**MI# 1160-7	4.00	1408		.25	**896-7 imp pr		.35	594		1.30
**133		1.50	**680-3		15.00	**545-8		1.60	**1624	11.25	**1411-6		8.25	**1090		1.70	*594a s/d		30.00
133a		.75	**977		3.75	**554-7		1.65	**1624 specimen	11.25	1411-6		2.50	**1115-23		9.05	*595-601		24.00
139a-40a		.85	**C4a		2.65	**554-7		1.35	**1625A	11.25	**1425-30		8.25	1178-85,87		.90	602		1.75
**151-2		1.15	**C9a		3.40	**558-61		1.70	**C136	.30	**1600		1.20	**1188-97		6.25	602 stp of 3		5.25
**153-4		1.00	**C16a		2.80	**558-61		1.35	**C279-81	.90	1621		1.00	**1216-25		6.30	*605-14		42.00
**155-6		1.15	**C23		3.00	**562-5		1.25	**C310-2	6.75	**1689a		12.00	**1511-6		1.65	613		2.40
*155-6		.90				**566-9		3.90	**C313	7.50	**1690 imp		18.75	**1513-5		.40	637		.95
**157-8		1.30	PALESTINE			**566-9,75-9,88-91	10.80		**C422	16.90	1697		1.00	**2381-83		.90	641 thin		.55
**159		1.30	*58b	84.00		**566-7,9	1.55				**1699-1704		13.50	2536		.50	*641a		47.00
**162		.75				569	1.40	PENRHYN ISLAND			**1705 imp		30.00	2537		.90	647		1.05
**163-6		3.00	PALESTINIAN AUTHORITY			**570	.75	**79-80	2.25	**1731A-F	13.50	2536-7		1.35	649		2.10		
166		1.65				*570	.60	**79-80 shts	11.25	1731F	3.00	**2576-80		1.35	*655		4.95		
168 f		.40	**150	8.65		**571-4	1.80	**80d shltt	3.00	1734f-g	3.00	**2673-5		.65	655		2.00		
**174		.20	**B1	5.10		*571-4	1.45	**83a	1.05	1734j	1.50	**2788-91,93		1.50	661		1.40		
**175		.20	**B2	2.80		**575-9	8.25	**87-89 shitts	3.65	**1747A-F	12.00	**2798-2803		1.80	669		2.90		
**178		.40				**580-3	1.35	**93-95 shitts	19.00	1842	1.50	**2841-6		2.10	673-74		1.70		
**178 blk		1.50	PANAMA			*580-3	1.10	**93-96	6.05	**1907	6.75	**2888-93		1.55	*675-82		93.00		
**224,6		1.30	**464-4E	6.00		**583	.65	**99a	2.45	**1907 imp	22.50	**2900-2,4,5		.80	680		2.00		
**245		.20	**C100-4	2.65		*584-7	1.55	**100a	2.45	**1955-60	6.75	2917-21		.65	680 f		1.60		
**267-8		2.45	**C237a	3.40		**588-91	4.60	**104d	1.05	**1955-60 imp	18.75	**2929 w/ label		.70	*681		49.00		
**271		.45	*C237a	2.20		*602-3	7.80	**104d s/s(2)	2.10	1959	1.00	**2934		1.10	682		3.75		
*279-80		.90	**C301-4,6-8,10-18	16.80		*602-3	6.25	**110a	3.25	**2220	11.25	**2935		.45	*682a		87.00		
**312		1.50	**C327-8 imp	3.40		603	5.00	**111-13	2.25	2253b-e	1.60	*2948-53		2.30	734		1.05		
**523a blk		1.50	**C329C-H	14.25		603 s/d	2.00	**117 shltt	6.40	**2293e	9.40	*3056		1.70	746		1.00		
**586		4.75	**C330a	.40		*604-7	.90	**118	1.60	2304	2.15	*B107	37.50		748-91		58.00		
712,5,7		.50	**C338a imp	16.90		*610-3	3.00	**126a	2.45	2328	1.90	*B132	1.15		*794-97		39.00		
**731		1.50	**C367A	2.65		*611-3	2.80	**219-21	4.65	2410-1	8.25	*B142	.95		818-21		53.00		
**744		2.65	*C367B	2.65		*613	1.45	**255-59	7.50	**2503	1.50	*B148	1.15		855-6		3.20		
**748-9		5.65				614	2.25	*311-4	11.65	*B3	2.75	*C13-8 toned	4.00		*856		6.60		
**750		4.15	PAPUA NEW GUINEA			*616-9	2.65	*324-26	7.50	*B10-1	.75	C13-18	1.00		862		.70		
**759		2.25	*28	4.50		*621a-5a	8.05	*336	4.50	*B10-1	.60	C18	.25		*865		8.40		
778		.30	*94	2.10		*627-30	5.90	*340-42	4.20	C66	1.35	C21-6	1.15		865		.90		
778 blk (4)		1.20	*96	2.10		*631	6.75	*346-8	8.25	*C67	9.40	C22-6	.65		933		1.25		
782a		.55	**118-21	1.90		*645-8	7.20	*354-56	7.60	*C67	7.50	C23-4,6	.70		*945-46		2.00		
**784-5		2.10	122-4,26-31	2.50		*649-50	2.50	*357	12.00	C67	3.25	C23-6	.95		*947-49		3.35		
**786-9		4.50	*123-7	2.75		*659-62	5.65	*358	12.00	C76	1.65	C24	.20		*958-60		7.50		
790e		1.50	*124	.60		662	2.00	359	.60	C76 f	1.35	C26	.20		*968-70		7.00		
**791		2.45	*124-5	3.20		*676	3.20	*363	6.75	C81	.40	C44	.20		*976-79		4.30		
**794		5.65	*125	2.65		676	2.55	*369-72	6.00	C86	.40	C53-6 f-vf	1.70		*994-96		7.15		
794		1.50	126-34	3.40		676A	3.75	*373	6.75	C94-5	.50	C55	.35		*997-1000		1.25		
795		.50	*129	3.00		*682-5	4.70	*379-82	4.50	C95	.20	*CB1	2.25		*1004-7		4.40		
**797		3.00	130,2,3,4	1.65		*691-4	3.85	*384	2.45	*CB3a	3.00	*CB1a	7.50		*1008-10		2.10		
797		1.50	*131	2.10		*697-700	12.00	*385	12.75			*CB1a	6.00		*1011-13		3.25		
816		.40	132,4	1.15		*721-4	5.50	*411-14	6.20	PITCAIRN ISLAND		*CB1a ng	3.00		*1014-16		2.70		
O22 thin		2.00	*138	1.05		*725-8	3.80	*415	8.25	*5A	13.50	*CB1a s/d	1.50		*1017-18		1.20		
O24		5.00	*139-40	4.95		737	2.00	*436-40	12.00	*6	4.20	*1019-21	1.25		*1019-21		5.85		
O27-31		16.65	139-43	2.40		750	.25	*447-48	9.00	*7	4.05	N15	1.25		*1028-34		12.40		
**O44-50		6.85	*146	6.80		*750-3	5.25	*503e	4.50	*13-6	13.90	N16	1.75		*1038-40		13.30		
O45		4.25	*158	3.60		750-1	.90	*544	8.65	*13-16	11.10	*N17-26,28-29	19.15		*1044-46		3.00		
*O47		.20	*164-6	4.70		751	.55	*B20-22	14.25	*19	1.35	*O28	.20		*1052-55		5.05		
O47		1.25	*164-6	3.75		*756,61,3,6,7	6.65	*B23	17.25	*19	1.75	*O30	.15		1055		.70		
*O49		1.05	*167-9	5.45		759	.25	O13	1.40	*20-30	50.00	*O30-31	1.50		*1063-66		4.00		
*O50		3.00	*176-7	.60		*759	.35			*20-30	32.00				*1076-79		3.40		
*O51		.60	*178-83	3.00		*759,62,4,5	7.00	PERU		*20-22	6.00	PORTUGAL			*1094-96		7.30		
**O64		5.25	*182-3	.70		*762	1.50	*420-4	3.65	*20-22	4.80	10a s/d	8.25		1095		.30		
**O89-91		4.60	*182-3	.65		765	1.05	*491-3	1.00	*20-1,3	3.90	11	3.25		*1097-1102		4.30		
**O94-110		13.15	*206-8	.45		*767a	6.00	691	.25	*20-3,5	5.55	11 f	2.60		*1113-15		2.90		
			228-31	1.15		*769	15.75	*C82-4	.80	*20-28	9.80	11 s/d	1.00		*1116-18		3.00		
			*237-40	2.25		*775-7	4.90	*C158-62	5.30	*20-29	16.75	12 s/d	2.25		*1141-43		7.30		
			*237-40	1.80		*778-81	5.60	*C168	1.05	*21	12a	*147-52	4.20		*1147-52		4.20		
			*245,7-8	1.15		*782-5	5.65	C489	.50	*22	1.35	*13	84.00		*160-63		2.75		
			*245-8	1.30		*785a	4.50	*CB1-5	4.00	*26	2.10	*13 s/d	21.00		*164-66		2.20		
			*249-52	3.00		*786-9	5.10			*30	15.00	13	23.75		*167-69		1.75		
			*253-6	1.55		*788	1.15	PHILIPPINES		*31	2.40	14	2.40		*173-76		2.00		
			*265-79	18.40		*794-7	8.15	15 thin	50.00	*39-51	13.30	14 f	1.90		*177-79		2.20		
			273-4,6-8	2.50		*798-801	4.90	73 s/d CORREOS missing		*39-51	6.50	16	45.00		*190-92		2.75		
			278	.50		*802-5	5.25	*50	50.00	*51	1.00	18	70.00		*201-3		2.65		
			*281a,83a	.90		*806-9	6.25	*used 504-10	2.20	*52-3	4.70	23 s/d	14.65		*1220-25		3.70		
			*284-86	.70		*810-3	6.90	504-10	1.15	*54-55	1.20	24	35.00		*1225a		4.90		
**4a		2.10	*29A-2 prs	.90		*814-7	7.60	*509 s/d	.30	*56-59	8.25	24	35.00		*1253-54		12.00		
**4a sht(10)		21.00	*301,4	2.40		*819-22	5.90	*515	1.05	*60-61	4.15	24 f	28.00		*1255-56		3.40		
**8a		1.90	*315-8	1.30		823	.40	516	.70	*62-63	5.45	28	3.40		*1257-59		3.30		
*9-19		4.15	*315-8																

