



WORLDWIDE

ABU DHABI - CZECHOSLOVAKIA

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shltl = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET							
ABU DHABI			ANDORRA (SPANISH)			ANDORRA (FRENCH)			ARMENIA			ARUBA			ASCENSION									
*12.....	8.10		**B39-42.....	12.00	**81-2.....	4.15	**406-7.....	2.45	**322a.....	.50	63a f.....			.80										
**12-14.....	68.00		**B43.....	12.40	**250.....	1.15	**408-9.....	2.25	**333a.....	2.45	72.....			2.75										
**13.....	12.75		AJMAN						**413.....	.60	**344a.....	.60	72 f.....			2.00								
**14.....	21.75								**420.....	1.15	**369-73.....	4.30	72,72a f.....			12.60								
ADEN			**18.....	5.65	ANDORRA (FRENCH)			**422.....	1.50	**373a.....	6.00	72a f-vf.....			10.00									
13-4.....	1.40		**19-26 imp.....	13.15	*11.....	24.00	*57.....	36.00	**424.....	3.20	**402-4.....	5.50	**19.....			1.50	97.....	12.50						
ADEN-MAHRA STATE			*19-26.....	7.05	*56B.....	.30	*64.....	11.10	**651.....	2.65	**437a.....	1.90	**21.....			2.25	*98.....	42.00						
**MI# 48-56.....	3.15		*22-6.....	6.60	*57.....	36.00	**78-84.....	1.60	**706-7.....	3.20	*464.....	.55	**22-3.....			5.10	*99.....	75.00						
AFARS & ISSAS			**25.....	2.05	*64.....	11.10	*85-89,91-93,96-101.....	5.25	*B1.....	18.00	**464 bklt.....	2.80	**24.....			3.00	*122.....	25.50						
**317.....	2.25		*26.....	4.15	*78-84.....	1.60	*90 toned.....	2.15	*B1.....	14.40	**482.....	2.25	**25-6.....			3.00	122 f.....	3.50						
**347.....	5.25		*27-36.....	6.75	*85-89,91-93,96-101.....	5.25	*123.....	24.00	*C1.....	53.00	**494a.....	2.65	**27-8.....			3.60	122 s/d.....	1.35						
**374-5.....	3.00		*27-36.....	5.40	*90 toned.....	2.15	*136.....	24.00	*C3.....	20.00	**513.....	1.00	**38-9.....			3.00	125.....	1.40						
AFGHANISTAN			*36.....	2.45	*123.....	24.00	*138.....	28.50	*C8.....	3.60	**547-50.....	2.60	**50-2.....			3.75	125 f.....	1.10						
**371.....	7.50		*37-44.....	4.50	*136.....	24.00	*138.....	28.50	*J1-2.....	2.90	**586.....	1.00	**58.....			2.10	125 s/d.....	.45						
**425-6 imp.....	6.75		*37-44.....	3.60	*143-47,50,53.....	3.60	*154.....	1.50	*J1 f.....	1.00	**623-5.....	1.35	**61-3.....			4.15	*127 specimen.....	100.00						
*470-1 s/s imp color switched.....	4.50		*44.....	1.65	*154.....	1.50	*154.....	1.20	*J1 ave.....	.75	**627.....	3.00	**73-4.....			4.15	142.....	.90						
*470-1 s/s imp color switched.....	3.60		*C8.....	2.25	*155-57.....	16.50	*159.....	16.90	*J9 f.....	1.95	**721.....	1.70	**154-7.....			5.45	142-3 f.....	3.70						
*476-77 imp s/s.....	4.15		*C9.....	3.40	*159.....	16.90	*161-64.....	1.45	*J9 ng.....	1.30	**735.....	1.50	**180-1.....			2.70	142-3 s/d.....	1.40						
*476-7 imp.....	1.90		*CO1-4.....	8.25	*159-60.....	27.00	*165-66A.....	4.30	*J9 ave.....	1.00	**749.....	2.45	**397a.....			16.90	143.....	3.25						
**483a.....	4.50		*CO1-4.....	6.20	*161-64.....	1.45	*165,6.....	1.60	*J9 ng.....	1.00	**759.....	2.65	**B1-3.....			4.50	148 nib perf.....	5.70						
**502-3 s/s perf.....	2.80		**MI176-9.....	5.25	*166.....	1.00	*166.....	1.60	*J10 ng.....	1.65	**778.....	4.00	**B4-6.....			6.60	*157-8.....	3.75						
**518-19 perf s/s.....	3.40		**MI# 287b World Jamboree.....	3.00	*167.....	3.90	*167.....	1.60	*J16 f.....	1.30	**790-1.....	6.00	**B10-2.....			4.90	*157-8.....	2.05						
**518-19 imp s/s.....	3.40		**Joe Dimaggio sht.....	1.00	*169-70.....	3.00	*167.....	1.00	*J16 thin.....	1.00	**839.....	4.50	**B13-5.....			5.25	*158 ng.....	1.30						
**538x perf imp.....	2.60		ALBANIA			*169-70.....	3.00	*167.....	1.00	*J21.....	.60	**889.....	3.30	**B16-8.....			5.10	*159-61.....	11.25					
*565-74 s/s(4).....	6.60		54.....	6.00	*172.....	2.25	*169-70.....	3.00	*J21-24.....	2.45	**905-8.....	2.75	**B24-6.....			4.90	*159-60.....	2.20						
**603 s/s perf.....	2.65		54-61.....	40.00	*174-5.....	6.45	*172.....	2.25	*J32-34.....	2.20	**934-7.....	6.95	**B35-6.....			3.20	*159-61.....	6.90						
**618-22.....	1.80		*523-5.....	3.10	*176.....	1.50	*174-5.....	6.45	*J32.....	.95	**956-7.....	5.45	160.....			1.90	160 f.....	1.50						
**622.....	1.50		*523-5.....	2.45	*176.....	1.50	*176.....	1.50	*J32 ng.....	.35	**958-61.....	4.15	*8 crease.....			35.00	160 f.....	1.50						
**637-41.....	2.25		*552.....	6.00	*177.....	7.30	*177.....	7.30	*J33-4.....	1.20	**1112-5.....	2.40	19.....			31.25	170 s/d.....	3.60						
**642.....	1.90		*552a.....	4.90	*177.....	5.85	*178-80.....	2.40	*J42.....	2.40	**1144.....	2.45	20.....			58.00	177.....	2.25						
**656-6D.....	1.75		*566-70.....	6.50	*178-80.....	1.90	*178-80.....	1.90	*J42-45.....	29.00	**1145-51,3-8,61-1A.....	27.15	21.....			55.00	177 s/d.....	.70						
**667-7D.....	.95		*666-8-9.....	1.70	*183-5 imp.....	22.50	*185-7.....	2.60	*P1.....	1.00	**1328.....	5.25	*41Ac.....			4.80	184-6 s/d-vf.....	4.40						
**671.....	.20		*671.....	10.15	*615.....	2.00	*185-7.....	2.10	*P1 f.....	.50	**1598.....	4.90	*42b thin.....			1.15	194.....	.25						
**671-1D.....	.75		*672-3.....	2.40	*616-20.....	4.40	*185-7.....	2.10	**Year of the Infant.....	6.00	**1603,5-6 (7).....	12.35	*43b.....			3.45	*195.....	1.15						
**672-2D.....	.75		*672-3.....	2.40	*616-20 (2 thins).....	2.45	*188-9.....	13.90	ANGOLA			**1607.....	4.50	*44Ac.....			8.10	*195.....	1.15					
*674-4C,G.....	1.50		*672-3.....	2.40	*640.....	1.05	*188-9.....	11.10				**1670.....	9.75	44Bd.....			1.90	**200-2.....	1.20	*203-5				
**750a.....	1.50		*672-3.....	2.40	**651.....	1.70	*190.....	1.90				**1966.....	15.00	*45a.....			4.50	*209 blk.....	1.00					
*912a.....	2.10		*672-3.....	2.40	*654-6 imp.....	33.75	*192-4.....	2.45				2417a singles.....	.90	*46a.....			7.80	*212.....	1.70					
**1041-2.....	1.35		*672-3.....	2.40	*657 imp.....	37.50	*196-7.....	15.00				*MR1-2.....	5.20	57.....			1.00	*213.....	.40					
**B7-8.....	2.35		*672-3.....	2.40	*660-1 thin.....	.55	*199-201.....	2.95				ANTIGUA-REDONDA			*75-83.....			9.70	220.....	4.25				
**B11-2.....	2.50		*672-3.....	2.40	*662.....	5.25	*200-1.....	2.25							**1983 5 200th Ann.....			1.90	221.....	13.00				
**B13-4 imp.....	2.45		*672-3.....	2.40	*662.....	4.50	*202.....	1.50				Balloon Flight s/s.....			10.00	**182a.....			1.30	*227 blk.....	1.60			
*B36 s/s imp.....	4.00		*672-3.....	2.40	*666-70.....	6.50	*207-9.....	4.00				*5 Yachting 1984.....			1.15	**221-24.....			1.00	*229a.....	1.05			
**B41 s/s imp.....	3.75		*672-3.....	2.40	*666-8-9.....	1.70	*207-9.....	3.15				Olympics s/s.....			8.00	**229.....			1.50	229a.....	.55			
**B42-6.....	1.90		*672-3.....	2.40	*671.....	10.15	*210-11.....	12.60				*100th Ann. Chagall "Red Donkey" s/s.....			7.00	**274-88.....			14.00	233(SG# 233.....	15.00			
**B47-51.....	1.50		*672-3.....	2.40	*671.....	10.15	*214-15.....	1.65				*100th Ann. Chagall "Summer's Dream" s/s.....			7.00	**309-10 bklt.....			5.80	coil pair.....	15.00			
*B47-51.....	1.20		*672-3.....	2.40	*672-3.....	2.40	*218a.....	4.50				*Easter 1983 s/s.....			10.00	*328-31.....			1.00	*238A gtr blk(8).....	2.70			
**B51 s/s perf.....	3.75		*672-3.....	2.40	*672-3.....	2.40	*218a.....	4.50				*500th Ann. Titian s/s(2).....			12.00	**339.....			1.15	*247.....	1.50			
**B51 s/s imp.....	3.75		*672-3.....	2.40	*684.....	3.00	*219-20.....	15.00							AUSTRALIAN STATES			*255a.....			4.50	*255a ng.....	2.25	
**F1.....	1.80		*672-3.....	2.40	*684.....	2.40	*219-20.....	12.00				*Royal Wedding Charles & Diana (4)s/s, (3)singles.....			9.00	NEW SOUTH WALES			259-61.....			1.70		
**F2.....	1.50		*672-3.....	2.40	*684.....	2.40	*221.....	1.70				*5 Triathlon John Dupont s/s.....			10.00	9 pair f.....			260.00	286.....	1.10			
**RA1-2.....	4.90		*672-3.....	2.40	*684.....	2.40	*221.....	1.35				s/s.....			10.00	17a f.....			110.00	*297.....	1.00			
**Year 1996 Bears(6).....	4.35		*672-3.....	2.40	*684.....	2.40	*229.....	3.00				*6 500th Ann. Columbus Discovery s/s(2).....			20.00	31a f.....			40.00	*299.....	.80			
**Birds Of Prey imp.....	6.75		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15				*5 Prince Andrew Wedding s/s.....			5.00	38b f.....			50.00	*300.....	5.40			
AITUTAKI			*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15				*5 Queen 60th Bday s/s.....			6.00	40a.....			80.00	*300 f.....	3.60			
**63.....	.75	**63-65.....	*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15				*500th Ann. Titian s/s(2).....			12.00	40b f.....			12.00	*300.....	4.35			
**78a.....	.60		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15							44 s/d.....			9.00	*301.....	4.10				
**102 shtlt(5).....	2.80		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15							104B ave-f.....			2.65	*301.....	3.30				
**109a.....	1.90		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15							O15b s/d.....			15.00	*312-28,29-31.....	37.50				
**116a.....	1.40		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**117-20.....	1.95		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**120d.....	3.00		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**123a.....	1.20		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**126d.....	5.00		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**130a.....	2.25		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**142a.....	.40		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**143-44.....	.50		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**151a.....	1.90		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**153a-59a.....	1.50		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**162a.....	2.60		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**166.....	2.10		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**172a.....	2.60		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**182.....	2.65		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**191b.....	4.30		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**192-207.....	3.40		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**232a.....	2.10		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**283.....	1.90		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**322-41.....	48.00		*672-3.....	2.40	*684.....	2.40	*232-3.....	16.15										*321.....			1.70			
**342-45.....	2																							

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
574		30	**1746Ef coil (4)	3.40	J87		55	**561	2.45	**B279	8.65	8		87.50	**B279	8.65	*255	2.85
**575		2.80	**1752a	5.00	J89		5.00	562	6.25	*B279	6.90	15 f		4.80		256	2.25	
575		25	**1757a bklt	16.50	J89 thin		2.00	*565	3.40	**B281-85	8.30	19 thin		4.00		259	.70	
**575,7,9 specimen	10.00		**1764a coil (2)	2.60	**J89a		6.95	*565-7	9.60	*B281-5	6.65	21-23				288-89	.85	
**577		7.10	**1772a coil (4)	3.95	J89a		4.60	**567	6.40	*B286	4.90	26				*293a	3.00	
**579		13.50	**1775a(5) bklt	14.25	J90a		20.00	570	4.25	*B286	4.00	*50				*294-97	.75	
579 s/d		55	**1777a(5) shtlt	14.25	**J94		21.75	*572	1.35	*B294	3.90	50				*298-300	.90	
640		50	**1794a coil pr	2.25	J94		3.50	**573	.90	**B295	1.90	J13 f		64.00		*303-6	4.60	
643		15	**1797a	16.90	J94 f		2.80	**574	3.60	*B296	3.00					*303-6	3.65	
**655-8		2.25	**1807a bklt	10.70	OB45		3.25	575	1.20	*B296	2.40	AUSTRIA-LOMBARDY- VENETIA				*313-15,317-22,24-25-27	18.90	
656		15	**1827a coil stp(5)	5.25	OB52		10.00	*588	3.90	*B297	2.45	*1c s/d		975.00		*317a-30a	27.00	
657		20	**1829	.75	** 2.50(5) & 7.50(5)			*591	9.00	*B322	.45	*3a f-vf ng		1800.00		*322	2.00	
**665a,666		3.00	**1832a	13.90	Royal Flying Doctor Service			*595	14.40	*B323	.45	*4f		760.00		322	1.50	
672-5		70	**1839-40,2-6	40.00	s/s		40.00	*598	1.35	*B325	.45	4f ave		9.00		*327b	1.95	
**675a		1.95	**1839-46	42.40					*602	18.00	*B327	.55	5 s/d		4.00		*351a	2.25
682-6		85	1841	1.00	SPECIMEN				603	2.75	*B335-38	1.35	5 steamship cancel		18.00		*361a	1.00
685		15	1843	1.75	**SG# 1308S		50	*604	1.80	*B343	2.25	6		30.00		*362-65	5.65	
686		30	1844	2.90	*SG# 1359-60S		1.00	*604-5	2.90	*B343 cr	.60	6 f		24.00		*362-5	4.50	
**687a		1.50	1845	3.15	**SG# 1400S		2.00	*605	1.80	*B361 sht(8)	14.40	6a		30.00		*405a	1.10	
693		45	**1856a coil pr	1.90	SG# 1420S		2.00	*608	9.75	*B370a	22.50	6c		37.50		467,469,471	2.05	
**712		30	**1872a bklt	10.30	*127-9 specimen 1931-6		175.00	*610	7.90	*C4-11	7.45	6c steamship cancel		40.00		472	1.20	
717		20	**1918a coil pr	2.00	10 sh 1,2			*610	6.30	*C6-9	1.75	6c f		30.00		*559-62	4.30	
**726		30	**1924a	12.95	MISC. ITEMS				*610 f	6.50	C22	1.20	6d f		30.00		*562a	4.90
**732-8		4.35	**1932a	8.60	**Lettercard 1982		1.00	*611	6.60	*C31	4.00	9		60.00		*587	2.25	
**732-9		5.85	**1936a	8.60	**10 1993-94 wetlands			*660	.75	*C47-53	5.05	*11a f-vf		825.00		*644	8.25	
736		30	**1953a coil stp(10)	10.30	conservation		10.00	*711-7	1.75	*C47-53 hh	4.35	12 s/d		18.75		*667	5.10	
739		20	**1953b	10.30	**wetlands conservation			*719-24	2.35	*C47-53(C49,53 thin)	4.60	*15 ave		97.00		*692	7.50	
739 str of 3		65	**1955a(2) bklt	14.25	1994-5		10.00	**729-36	2.60	*C50	1.90	*24 thin		189.00		*715	3.00	
**741		1.50	**1971a coil stp(5)	4.30	*fish and wildlife			*735-36	1.25	C50	1.25	24 s/d		40.00		*729	6.00	
741		1.00	1980	.95	**1991a coil stp(4)		3.95	*756	.25	C50-52	3.20					*753	4.50	
755a		70	**1983a	8.60	Victoria(3)		15.00	**759-60	.65	*C51	1.60	AZERBAIJAN				**1241 sht(6)	1.60	
759		15	**1991a coil stp(4)	3.95	**meter 41 cent		1.00	*764-69	2.10	*C51	.75	**715a bklt		24.50		*MR6	1.35	
776		25	**1995a,b(2) bklt	10.70	westrail		.50	**764,66-9	2.00	*C52	1.60	*875		4.15		*MR7 ng	1.35	
780-3		60	1995g	6.75	AUSTRALIAN ANTARCTIC TERRITORY				*770-72	1.05	C54-60	137.00	**921		4.50		*MR12	1.15
793		35	**1995h	14.25	**L1		50**L4	*785-86	.65	*C56	8.10	AZORES				BAHRAIN		
806		20	2003a	1.25	**L1		50**L4	*791	.45	*C56 ng	3.75	*32 s/d		22.50		*19a	51.00	
814		20	**2017a coil stp(6)	6.90	**L6		1.05	**793-94	.65	C56	4.75	*64 s/d		26.00		*61A	41.00	
**816-19		2.20	**2017b	9.60	**L39,43,5,6,51			*795	.25	*C57	93.00	*J31 ave		.15		*64-7	5.25	
816		15	**2020a	18.00	gtr prs		5.20	*796	.45	C57	48.00	*P1 ave		3.95		*92-5	11.45	
**821-24		2.60	**2030a	9.40	**L51		1.00	*798	.25	*C58	90.00	*P3		3.60		*92-5	9.15	
821		30	**2046a coil stp(6)	5.25	*L52		1.65	*805	.40	C58	47.50	*P3 f		3.00		*94	3.00	
826		15	**2046b	8.60	L53-4		1.65	*811	.45	C58 s/d	14.25	*P3 f ng		1.80		*95	5.25	
842-4		75	**2047a,8a,9b,		L66		.25	*846-53	2.70	*C59	39.00	P3 f		1.20		*96-8	26.00	
**844a		1.30	50a,50b bklt	19.50	L74		.70	*872,74,76	.80	C59 cr	9.50	BAHAMAS				*104-14	7.05	
880		45	**2052a	10.90	L76a-e		2.65	*886-87	.60	C60	4.25	2 s/d		65.00		*150	13.50	
**898-901		1.50	**2059a	13.50	*L97c		30.00	*887	.40	C60 on piece	4.20	3 s/d		75.00		*160-63	22.80	
913		45	**2064a,5a,6a,		*2071b coil stp(4)		3.90	*897	.40	C60 crease	1.70	7 s/d		85.00		*180-1	13.15	
**949-52 in folder	2.90		7c,7d bklt	15.00	2029a w/ Thailand			*958-76	28.00	C60 s/d	1.30	10 s/d		90.00		*194-5	11.80	
**963-6 in folder	4.65		**2071b coil stp(4)	3.90	2029a in folder		5.00	*958-76(958 used)	22.15	*C61-3	1.50	*10 ng		315.00		199	3.50	
**963-6	4.65		**2073a w/ Thailand		AUSTRIA				*959,962,963	1.15	*C63	.70	*11 ng		42.00		203	3.25
**984-87	4.20		2029a in folder	5.00	7 rd cor		72.00	*963	.55	*J93-101	1.35	11 pen		22.50		217	2.50	
991	1.15		**2076a(3)bklt	31.50	*15 ng		108.00	*975	.75	*J103-13	1.65	13 clipped perfs		15.00		231	.40	
1000	1.10		2078	1.75	*23 s/d		28.50	*1009	20	*J189-200 f-vf	1.65	14 ave-f pen canc		20.00		232	.50	
1009-10	.40		**2090a	8.60	*31 thin		1.30	*1025	.20	J189-203	2.45	14 ave		24.00		234	.55	
**1036-39	3.20		**2096b	4.30	36a thin		.70	*1041	.85	*used MB1-3	.90	14a clipped perfs		23.00		*235	4.70	
1036-9 FDC	1.70		**2102a coil stp(6)	5.25	39 s/d		28.50	1041 blk(4)	1.10	*MP3 pr	1.90	15 f nib perf		150.00		235	1.50	
**1052	.60		**2112 coil (1)	.80	40a		125.00	*1042	2.45	*N23 f toned	.75	*16 thin		14.00		*236	6.20	
**1109B	.60		**2114a	8.60	40b		95.00	1042	2.25	*N25 f	1.00	16 f		8.00		236	2.25	
1132	.50		**2114b	17.25	42-6 s/d-vf		18.00	*1162	.75	*N29 f	34.00	16 s/d		3.00		*237	7.90	
1132-3	3.90		**2115a(5) bklt	16.00	45 s/d		.85	*1307-33	9.75	N55b	63.00	*20 f-vf		315.00		237	2.65	
**1134	15.00																	

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
*93.....	18.00		**986.....	18.00		246-50.....	70		**B521-22.....	240.00		**980-5.....	7.15		**406-11.....	3.45	**108Cm,Gn,Ko.....	50.00
*96.....	21.00					*251-53.....	25.00		**B521-2 ovpt.....	63.00		**987-92.....	5.85		**412-4.....	1.50	**109Ch,Gi.....	20.25
*98.....	18.00					*251-3 (253 rd cor) ...	13.60		B522.....	40.00		**993.....	4.90		**412-4 gtrr prs.....	3.00	**118Cm,Gn,Ko.....	41.00
**102.....	27.00	**39-40.....	40.00			*255 ng f.....	4.30		**B523-30.....	45.00		**994,6-9.....	6.20		**433-6.....	5.90	130-33,C21-3.....	1.90
*102.....	10.80	*46-56.....	73.00			MI# 28la,b.....	30.00		*B531.....	1.65		**966-71.....	5.25		**434.....	1.20	**138.....	35
*102.....	10.80					294-302.....	1.55		**B553 f-vf.....	10.00		**980-5.....	5.60		**437-38.....	1.15	**139a.....	3.40
*104.....	8.40					*336.....	8.10		*B554 f-vf.....	12.50		**1001-6.....	5.35		**437-9.....	1.90	**145Ef.....	6.00
105.....	2.75	*33.....	4.35			*352.....	3.15		*B555-7.....	42.00		**1007.....	4.90		**438.....	.65	**148Dh,Gi.....	30.00
*109.....	12.00	*39.....	9.90			**357 blk.....	7.20		*B561-66.....	105.00		1022-5,7.....	1.90		449-51.....	1.20	*152.....	9.00
*109 s/d.....	2.40					*360.....	2.85		B565.....	10.50		**1029-34.....	5.35		**453-56.....	4.75	**153De.....	4.50
*116-8.....	10.60					*360a.....	120.00		**B572.....	15.00		**1035.....	4.90		**453-56 gtrr prs.....	11.00	**155Gh.....	4.15
*127.....	.55					*368-70.....	.75		*B572.....	12.00		**1036-9.....	3.15		*453-56.....	4.40	**164-66.....	2.25
*129.....	1.80	*71.....	9.60			*382,4-5.....	22.00		*B585.....	16.50		**1040-5.....	5.60		**457-60.....	6.30	**183a.....	4.50
**131.....	6.40	*76.....	1.65			**386-89.....	10.75		*B586-88.....	8.00		**1046.....	4.90		457-60.....	4.25	**220.....	2.10
**135.....	11.25	*82.....	2.40			**389.....	4.25		*B597.....	8.70		**1047-52.....	5.35		**461-4.....	5.25	*220A-G.....	1.70
*151.....	12.00	*84.....	1.65			**400.....	2.80		*B598.....	9.60		**1053.....	4.90		**461-4 gtrr prs.....	11.85	**220L-M.....	13.50
164 f.....	10.00	*85.....	4.20			*400.....	2.25		*B605.....	2.45		**1053A-C.....	6.65		*461-4.....	4.75	*245 single.....	4.05
*167.....	.35	*86.....	7.80			**416.....	8.65		*B605a ng.....	55.00		**1054.....	4.90		**465-8.....	10.50	*334 single.....	8.00
*168.....	5.40	*105.....	1.65			*416.....	6.90		**B605b.....	26.25		**1089-92.....	4.40		**474-7.....	7.00	*340-6.....	1.05
*180.....	1.20	*124.....	1.80			440.....	.45		*B610.....	7.20		**1100.....	2.80		**478-1.....	7.50	**379.....	6.00
**188.....	2.70	**124-6.....	2.95			445.....	11.25		*B647-52.....	8.15					478-80 (479 s/d).....	2.30	**412.....	4.70
200a.....	1.50	*124-35.....	24.75			*449,a.....	74.00		*B660-62.....	1.05					482-87,89-90.....	5.35	**449.....	5.10
*201.....	4.20	*130.....	1.95			*449a.....	60.00		**B662a.....	53.00		*2 ng.....	158.00		**485,87-9,92.....	3.25	**449 toned.....	2.00
*235-46.....	42.00	*131.....	2.10			**458.....	2.25		**B662a singles.....	50.00		*4 s/d.....	345.00		**504-7.....	7.30	**492a.....	3.40
*235-44,46-7.....	30.15	*154-7,59-65.....	62.00			**461.....	71.00		*B662a.....	42.00		*6 ng.....	135.00		**509.....	6.55	**525.....	1.70
*,used 248-50.....	.65	*158.....	7.80			**463.....	66.00		**B665-6,8.....	9.75		*6 s/d.....	67.50		**509 gtrr pr.....	13.15	**529.....	1.30
**257-264.....	16.30	*159.....	1.05			463.....	8.00		*B663-8.....	14.40		14 thin.....	85.00		**514-8.....	5.95	*606.....	4.15
**267-80.....	13.90	*189.....	3.00			**466.....	71.00		*B699-704.....	3.60		15 f.....	124.00		**514-8 gtrr prs.....	13.75	**749.....	4.15
**315a.....	2.65					**467 crease.....	2.70		*B724,6-8.....	2.75		*22a.....	22.50		**526 gtrr pr.....	6.40	**751.....	4.15
**352a.....	3.00					**472b no tab.....	4.90		*B731a.....	5.80		37.....	4.75		*528-31.....	5.40	**753.....	4.15
**395a.....	4.70	**54.....	30.00			**472c no tab.....	11.25		*B745a.....	13.50		37 f.....	3.80		**536-40.....	8.20	**754.....	4.15
**416-19.....	4.15					**473h no tab.....	12.00		*B754-56.....	.65		*42.....	12.00		545.....	2.00	**757.....	4.15
**416-19 gtrr prs.....	8.30					*474a no tab.....	18.75		*B766-71.....	1.10		42a.....	5.00		**545-46.....	8.80	**810.....	3.75
**423a.....	1.70	*247-51,3,5-6.....	42.00			**474b no tab.....	13.50		**B789-90.....	2.25		*47.....	7.50		**547-50.....	8.70	**811.....	3.75
**474.....	2.10	*253 ng.....	12.75			**485-87.....	3.35		*B797,9.....	.50		49.....	31.25		**551-4.....	5.20	**812.....	3.75
*478.....	1.65					**501.....	30		*B797-99.....	.70		*51 toning.....	22.50		**561 gtrr pr.....	2.10	**814.....	3.75
**484 gutter pr.....	1.10					**503.....	.95		*B797-800.....	1.50		*53 ng.....	67.50		**562 gtrr pr.....	1.90	**815.....	3.75
**494.....	.85					**516-25 (517 s/d).....	5.95		**B810-14.....	1.30		53 s/d.....	65.00		**580-83.....	7.50	**818.....	3.75
**495-511.....	30.00	2a f.....	64.00			**516-25,C15-20.....	7.80		**B836,838.....	.60		*55-60,67-69.....	86.00		**590-93.....	5.85	**819.....	3.75
502.....	.35	5 f.....	210.00			**528.....	2.25		*B800.....	.75		68 f.....	7.20		*601-4.....	8.30	**821.....	3.75
505.....	.75	*6 s/d.....	94.00			**545-52.....	8.00		*B1000.....	1.50		*71-79.....	73.00		**605-6.....	5.05	*906.....	4.30
**532-33.....	1.70	6 f.....	3.40			**578.....	.20		*B1016,17,20.....	2.55		**81-3a,b,4-7a,8-93.....	112.85		**605-6 gtrr prs.....	11.60	**909.....	4.30
**570-72.....	14.65	6 ave-f.....	2.95			**619-21.....	.60		*B1026-8.....	4.50		*81-93 f.....	48.00		**613-16.....	9.25	**911.....	4.30
**602-5.....	9.75	6 pr f.....	6.80			*,used 641-58.....	2.70		*C15-20.....	1.90		*83.....	10.20		**619-22.....	12.00	**912.....	4.30
645.....	1.40	7.....	4.00			*663 ng.....	.10		*E3.....	7.20		83a f.....	3.40		*624.....	.85	**913.....	4.30
645a.....	4.00	7 f.....	3.40			*674.....	.15		*E5.....	10.70		*83b s/d.....	3.15		**634-37.....	13.15	**914.....	3.75
646.....	1.00	7 ave-f.....	3.00			*689.....	.60		N6.....	.65		*84.....	8.25		*635.....	2.85	**915.....	4.30
650d.....	.30	7 ave.....	2.55			*1068.....	1.95		*N10-3.....	1.00		86 f.....	.75		**644-47.....	9.60	**917.....	4.30
**658a.....	15.75	7a f.....	25.00			*1082.....	.30		*N11.....	.50		86-7 f.....	1.20		**653a,55a bklt.....	13.50	**965.....	4.50
**697-700.....	2.80	8.....	55.00			*1112-14.....	3.20		O5 thin.....	1.40		87.....	.45		**656-9.....	12.40	**1124A.....	5.00
**706-9.....	4.35	8a f.....	104.00			*1169-70.....	2.05		Q3 f-vf.....	4.50		Q3.....	3.30		656.....	.30	*1460.....	4.00
**714-7.....	5.80	*9 f.....	112.50			*1208-9.....	1.95		Q5.....	28.75		95 thin.....	25.00		**668,70-6.....	7.35	**1466.....	5.00
**739-42.....	13.70	9.....	63.00			*1270.....	1.30		*Q15.....	126.00		96.....	120.00		**668-84.....	44.00	**1467A.....	3.00
**769-72.....	10.75	9 f.....	50.00			*1280.....	1.30		Q15.....	33.75		*105,7-14 lt toning.....			*674.....	.85	**1470.....	2.80
**795-8.....	10.50	9-12 f.....	117.00			*1399-1400.....	2.80		*Q310-25.....	166.50		on back.....	39.00		674.....	.30	**1471.....	2.80
**847-50.....	6.25	*10 f-vf.....	265.00			*1483-84.....	2.25		*Q324.....	36.00		*105,8,9,9A,114.....	37.90		674a.....	.30	**1472.....	5.65
**884.....	8.65	10 f.....	3.60			*1550-51.....	2.50		*Q339.....	21.00		*109 f.....	27.50		675.....	.40	**1473.....	5.65
**919-20.....	2.65	10 ave.....	3.15			*1692-95.....	3.30		*Q410-12.....	49.00		109 f.....	6.40		**679.....	2.25	**1474.....	5.65
**928.....	.85	10 thin.....	1.80			*1724-27.....	3.30		*Q433-6.....	11.25		*109A.....	.70		*680.....	2.45	**1475.....	5.65
**974.....	1.30	10 pr ave.....	5.50			*1836-40.....	9.85		*Q443-54.....	18.50		*,used 115-17.....	1.80		*685-8.....	9.45	**1479.....	1.45
**975.....	1.90	10,11 f.....	7.20			*1864-68.....	4.15		Q455-59.....	9.00		*118-22(8).....	24.20		727.....	.45	**1489.....	4.15
**976.....	2.10	11 f.....	3.60			*1910a.....	4.90		1974 card.....	1.80		*118a.....	20.35		733.....	.30	**1490.....	1.30
995.....	7.25	11 ave.....	2.70			*1918.....	8.65					*118a.....	9.60		737.....	.55	**1495.....	1.05
1003.....	.95	11 s/d.....	1.35			*1932.....	9.40					118a.....	.70		741.....	.40	**1496.....	4.50
1012.....	.90	*12 ave-f.....	1300.00			*1937a.....	12.00		**397.....	1.30		120.....	.50		745.....	.40	**1497.....	6.00
*J1.....	.85	12 f-vf.....	67.50			*1945.....	9.00		471-87.....	5.00		120 f.....	.40		*754-57.....	9.50	**1499.....	4.50
*J2.....	1.50	12 f.....	60.00			*B18.....	9.60		*624.....	7.90		120A.....	.65		770.....	.25	**1501.....	3.00
*J4-6.....	1.40	13 thin.....	5.20			*B19.....	23.75		*634.....	9.75		*121 f.....	8.00		**774-7.....	7.50	**1505.....	3.00
*J4-5.....	.80	13 s/d.....	3.90			B25-7 ave-vf.....	8.40		**668-71.....	3.35		121.....	1.15		783.....	.40	**1507.....	2.45
		14-6 ave-f.....	11.25			*B27 f-vf.....	8.25		*699-705.....	10.30		*121D.....	6.35		*787.....	2.80	**B4.....	15.00
		15 f.....	1.40			*B27 f.....	7.50		**717-20.....	4.25		*121D.....	3.00		788.....	.45	**B4 imp.....	15.00
		16 f.....	10.00			*B27 f ng.....	5.25		**721.....	2.45		*121D thin.....	1.00		791.....	.50	**Flower Minkus.....	2.70
		18 ave.....	.75			*B27 ave.....	4.50		*745-9.....	3.60		121D.....	1.00		*802-7.....	10.90	** 1976 Summer Olympics.....	
		19 ave.....	.60			B27.....	5.00		*750-55.....	5.70		121D f.....	.80		802.....	.65	s/s.....	
		19 thin.....	.40			B27 f.....	4.00		*755.....	1.75		123.....	6.00		**808-11.....	5.80	(Scott note after 246).....	5.50
		38,a f.....	20.00			B27 ave.....	3.00		*764.....	4.30		*124.....	18.50		808.....	.55	** 1976 Summer Olympics.....	
		39 s/d roller cancel.....	105.00			*B28-30 s/d-vf.....	34.80		*775-6.....	6.20		*126b.....	95.00		*812-7.....	9.00	s/s perf, imp.....	10.50
		*52 f.....	5.00			B30.....	25.00		*785.....	4.50		*126b s/d.....	33.75					

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
1		18.75	**2295	2300	1.05	**132-3,5-6,9-42,4,6	48.70	**3521a	2.25	*C8-9,11-6	15.30	**1345	2.80	*260 s/d	1.80			
*17 reprint		3.00	**2297		.60	*153	24.00	3531	1.30	*C73	7.50	**1346-51	3.95	*262	75.00			
*19 reprint		3.00	**2299a		2.60	*158a in blk 4 vring	25.00	**3545a	2.25	*C74	12.00	**1352	3.40	*287a single	2.40			
*20 reprint		3.00	**2308a		3.40	215(3),36 each on		**3551-6	2.20	**C96a	2.25	**1359-63	4.10	**338a	3.40			
*38		1.05	**2312-3		4.15	town canc	5.00	**3562a	2.25	**C126	2.25	**1379-83	4.10	**338a s/d	1.15			
66-68,70,72-76,81-82		1.85	**2314-15,20-21,24-25			*253,55-56,58,60,63	6.20	**3640a	3.00	C127	12.50	**1384	2.60	*341b s/d	1.75			
99		.95			6.10	253-60	1.00	**3656-61	4.10	C146	.45	**1385-9	4.15	*402a	6.00			
**668		3.40	**2322-23		2.10	268-70	.45	**3710-11,13-14	1.90	C150	.95	**1390	2.40	*404b	9.00			
*B10		1.05	**2330a		2.25	**J4	13.15	**3842	1.60	**C282	26.00	**1396	2.60	*405b	9.75			
*J14-8,20-2		2.45	**2333-34		2.10			**3929-30	2.45			**1409-14	5.25	*434a	6.00			
			**2335-37		1.80	BRITISH HONDURAS			**3932-35	1.50	CAMBODIA			**1415-19	5.65	*434a s/d	2.00	
			**2349-50		7.90	26c on pc	175.00	**3932-35 s/s in folder	2.00	15	5.00	**1420-24	4.70	*443a	5.25			
BOTSWANA			**2363-66		4.15	28a on pc	60.00	**3936	.75	16	7.50	**1420-25	6.75	*443q	6.75			
*70a		1.25	**2367-69		2.80	112,114	1.90	**C72-4	1.80	**20	1.45	**1425	3.00	*451a s/d	1.15			
**289-90		8.25	**2416		2.25	*115-8,20-3 ng	4.75	*C72-4	1.45	**59-61	3.40	**1426-30	4.10	*451q	4.50			
**432-35		8.90	**2781		1.50	*131-6	4.50	*C76 imp	9.35	**62-4	2.80	**1431-3	3.00	*457b	18.75			
**539a		8.25	**3010		2.25	*131-6	3.60	*C76 imp pr	18.70	**65-7	2.20	**1434-6	3.00	488a	1.95			
**586a-d		5.10	C31		1.00	*133-36	3.75	*C77 imp	9.35	**105a	5.25	**1437-41	4.90	488q	2.40			
**810-13		3.75	C31 f		.80	*143	.40	*C77 imp pr	18.70	**116,C18	2.45	**1442	3.75	502a	1.80			
**J4-7		10.00	C31 s/d		.30	**145	1.90	**C79	3.75	**207-9	1.85	**1443-5	2.60	502q	2.40			
			C66-7		.55	*156-58	1.00	**C80	3.75	**213-16	7.50	**1452-6	3.75	*585a sht(4)	18.00			
			C76		.55	*168	1.20	**C83	4.50	**217-19	8.25	**1472-4	4.50	*756a	2.65			
26 s/d		9.75	C76 pair		1.10	*182-86	2.85	**C84-5	4.15	**228-30	1.20	**1475-7	4.15	*832a	3.40			
27 s/d		10.90	P3 f		5.20	**235	1.50	**C92-93	3.75	**231-33	3.85	**1480	.45	*858a sht(8)	4.20			
37		7.25	**RA9		.30	J3	3.50	**C99-101,CB3	2.00	*231-33	3.10	**1484-90	3.70	858a sht(8)	3.10			
37 s/d		2.20	*Brasiliiana '83 soccer					**C101 s/s 50s imp, see		**231a	30.00	**1489	.75	*913a	3.40			
38 s/d		9.00			21.00	BRITISH INDIAN OCEAN TERRITORY			note in Cat.)	3.00	**243-45	1.60	**1497-1502	4.50	*1012	.50		
48 s/d		53.00	*Brasiliiana '83			**37-38	1.90	**C120	2.10	**263-68	2.30	**1503	3.00	*1013	.50			
53		2.50	early flying		21.00	**43	12.40	*C120	1.65	**315-17	1.30	**1504-6	2.25	*1015	.50			
*54 f ng		7.50	Brasiliiana '83			**75	2.45	**C158a	90	**321-23	9.00	**1514-9	3.75	*1079	.60			
54		1.75	Olympics		21.00	**110	10.15	BURKINA FASO (UPPER VOLTA)			**359-67	6.75	**1520-5	3.20	*1130	.45		
54,8,60 ave		14.40	*Brasiliiana '83			**111-14	11.45	**97-102	8.80	**434-40	5.65	**1526	2.10	*1154	.45			
58 f		.75	Olympic Sailing		21.00	**115-18	11.80	**111-14	.75	470-3.5	1.00	**1548-50	7.90	*1162	.60			
*59 ng s/d		18.00	*Brasiliiana '83			**119-23	17.05	**244-47	2.25	**477-9	2.80	**1551-6	3.75	*1171	1.30			
59		6.00	Formula 1		21.00	**124-27	7.90	*294	3.40	**480-6	4.90	**1557	2.25	*1203	.85			
59 f		4.80				**128-31	5.10	350	.65	**496	4.10	**1564-8	3.40	*1241	.85			
59 s/d		1.50	BRITISH ANTARCTIC TERRITORY			**136-39	5.35	352-57	1.30	**497-503	7.15	**1569-71	2.45	*1271	.85			
*60 ave ng		75.00	**1-15	129.00	*39-42	**140	.50	355-57	.95	**583-5	2.60	**1572-6	3.40	*1310	.85			
60 f		15.00		32.00	*40	**141-44	5.25	**145-46	10.15	**596-602	3.40	**1578-80	2.10	*1466	1.15			
60 ave		12.75		13.50		**147	.50	357	.50	**603-9	3.60	**1582-4	2.80	*1516	1.15			
60 s/d		6.40	**42	18.00		**148-50	7.15	**365-7,C209-10		**627-33	3.40	**1590-5	3.75	*1545	1.30			
62 s/d		5.25	**43-44	4.90		**151-61	61.00	sheets	9.00	**635-7	2.65	**1598-1603	10.15	*1602	1.15			
66		4.60	**44	3.40		**163-66	8.10	365-7,C209-10	2.10	**653-9	4.15	**1604-9	6.00	*1621c bklt	11.25			
66 f		3.70	*45-59(15)	21.90		**167	4.15	**395-7,C234-6	6.00	663-8	1.20	**1610	3.40	*1630	.70			
66 ave		2.80	*45-58 (11)	15.80		**168-71	8.60	*436	1.30	**670-6	5.25	**1611-6	3.75	*1635	1.35			
66 s/d		1.40	*45a-59a	36.00		**181-84	7.60	*436-7	4.00	**677-83	3.40	**1611-7	6.40	*1647-48	1.70			
*68 ng		4.35	*46-58	15.00		**197	4.15	*452-55	8.15	**691-97	4.15	**1617	2.60	*1656	.55			
68		1.75	*46-58 gtrr prs	30.00				**550-2	3.15	**712	3.60	**1618-20	2.60	*1673-79	1.30			
69		1.50	*50	2.25		BRUNEI			**625-7	1.60	**713-9	3.00	**1621-3	2.80	*1699 bklt(18)	37.50		
73		8.75	*51-7b(6)	4.45		*1	30.00	*721	1.20	**720	5.45	**1624-9	8.25	*1708a	1.20			
73 f		7.00	**52	2.25		*3	19.50	*C5-6	1.90	**728-34	2.65	**1638-43	3.60	*1724b	2.80			
74 f		11.00	**55	1.70		*4	29.00	*C8	3.75	**742-4	3.00	**1644	2.65	*1737a	1.05			
*75 f		40.00	**55b-59b	7.45		*5	6.50	*C14-7	3.35	**745	3.75	**1645-7	3.00	*1738	.60			
78 f		10.00	**55b-57b	2.10		18a	22.50	*C17a	7.50	**749-51	2.25	**1648-53	3.75	*1738	.45			
*122 s/d		10.90	**56	1.15		*20	4.80	*C17a	6.00	**760-6	2.65	**1654	2.60	*1754	1.15			
*194 ng		11.25	**57	1.15		*28	6.00	*C17a	6.00	*767	2.25	**1657-7	2.25	*1767	.60			
**477		1.20	**58	1.80		*29 toned	13.00	*C18	6.30	**785-8	2.45	**1685	5.25	*1800	1.15			
**529		.75	**58a	2.25		*91	2.25	*C24a	2.70	**789-95	4.00	1686-7,89-92	1.15	*1836	.60			
**635-9		6.15	*60-61	.85		*100	2.45	*C24a	2.70	*796	3.20	*2080-1,3-5	4.60	*1848a	1.35			
*635-9		4.95	*62-63	3.00		*108	1.30	*C54-7	3.40	**797-803	3.20	2090-3,5-6	1.40	*1863	1.05			
*636-9		4.75	*63a	9.40		**120-3	6.00	*C69	3.00	*804	3.75	*B5	1.50	*1877a	1.15			
**644-9		7.00	*64-67	21.20		*126-27	1.00	**C73-4	3.75	**805-11	3.75	*B5-7	7.50	*1883	.60			
**666 ave		1.50	*72-5	15.40		*184-5	6.00	**C93	2.45	**823-9	4.90	*B5-7	6.00	*1884	1.70			
**908		1.50	*72-75	12.30		*186-7	.55	*C100-1	4.15	**876-82	4.90	**88-10	2.30	*1889a	2.25			
**927-8		3.65	*76-81	1.80		*188-9	2.85	*C100-1	3.30	898-903	.75	*C10-4	21.00	*1895a	1.15			
**964		.60	*76-81 gtrr prs	4.20		*222-4	5.35	*C102-3	2.25	*915-7	2.45	*C10-4	16.85	*1902	.60			
**1010-14		2.80	*77,79-81 gtrr prs	3.30		422	6.00	C104	2.40	*918-20	2.65	*C18	1.70	*1905	.60			
**1012,14,18		1.90	*82-85	1.40		*424-7	9.20	*C127-8	3.00	*921-7	3.75	*C19-23	15.90	*1906	.60			
**1147		22.50	*86-91	1.90		*571	1.80	*C127-8	2.40	*928	2.60	*C34-6	4.60	*1909	.60			
**1179		22.50	*96-101	2.85		*N6	6.60	C127-8	1.45	*937	.90	*C34-7	8.50	*1915	.60			
*1179		18.00	*96-101 gtrr prs	5.70				C140	1.25	*946-52	3.60	**J6-9	1.90	*1916	1.30			
**1190a		15.00	**102-16	17.15		BULGARIA			C209-10	1.10	*962-8	3.40		*1926	.60			
**1234-7		3.15	**102-16 gtrr prs	35.00		*35 f	5.40	C210	.65	*969	3.00	CAMEROUN			**1932	.55		
*1309		2.75	**117-20	2.10		*70-72	7.35	C244	1.15	**977-83	3.60	*7	.75	*1933	.60			
**1332-6		9.60	**121-24	3.15		*74-6	62.00	**J21-6	2.75	**997-1003	5.25	8	.60	*1934	1.35			
**1361		5.25	**125-28	7.30		*489	3.60	**13 proofs 10 diff	100.00	997-1002	.75	*20	.45	*1945	1.50			
*1367-9		10.50	*129-32	5.80		*688-94	16.05	BURMA (MYANMAR)			**1005-7	2.65	21	.80	*1955a sht(8)	11.40		
*1376-8		5.50	*129-32 gtrr prs	11.60		*882-5	2.75	**29	2.10	**1008-10	2.65	22	.75	*304-7	.60			
*1384		9.60	*133-36	3.10		*940-5	6.00	**30	2.25	**1011-7	3.40		1.50	*1958	.60			
*1385		1.00	*137-40	4.00		940-5	2.30	**31	12.00	*1027-9	2.65	*304-5,7,10,13,15,18	3.10	*1959	.60			
*1387a		4.20	*137-40	3.20		*977-81	1.75	**101	4.50	**1030-6	3.60							

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET		
**2440		1.90	*O10		3.75	C200		.90	50b imp, 24a perf & imp		**2925-28		2.10	**3350-51		.75	1241c		2.15
**2465a sht(8)		27.00				**C207		.60	in folder	53.00	**2929-30		1.90	**3353		1.50	C134-44 f-vf		2.85
**2465b		3.40				**C270		.30	**2463-66		**2931		6.60	**3354-57		1.30	C144		1.25
**2466a		9.40	CENTRAL LITHUANIA			**C270		.30	**2467-70		**2932-33		2.80	**3358		.75	C151-6,60-1		1.25
**2471		4.70	**28 imperf		2.00	*C307		.30	**2478-79		**2934-41		8.15	**3359-62		2.10	C182		1.40
**2477		1.90	**35-42 imp		.40				**2480a		**2942-47		1.90	**3363-65		1.80	C252		1.75
**2477b		1.90	**B17 perf 11 ½ ave-f		.50	CHINA			**2481-2		**2948-51		1.75	**3366-69		2.05	C289		1.65
2526a-b FDC		2.00	**B17-9 imp		2.45	813a s/d		3.30	**2528-29 shts(20)	15.00	**2956-57		1.25	**3370-73		1.35	C383 s/d		.10
**2540		2.25	*B17-9 imp		1.65	**977		.60	**2530a		**2959a		1.20	**3375		.65	C385 s/d		.65
**2555a		1.95				**979		1.80	**2550-51		**2960-65		2.40	**3376-77		.75	C400 s/d		.15
E2 s/d		1.80							**2552-53		**2966-67		1.00	**3378-79		1.45	C416		.30
			CEYLON						**2554-57		**2969-70		1.70	**3380		3.75	C461		.30
CAPE OF GOOD HOPE			*3 s/d		150.00	REPUBLIC OF CHINA (TAIWAN)			**2563-66 s/s perf		**2972		.85	**3381-82		1.00	*C468		.60
3 f-vf		145.00	4a		52.50	1142		.90	**2568a		**2973		.85	**3383-84		1.65	C622		.30
3 f		130.00	6 f		70.00	**1269a		19.50	**2570a		**2974-75		1.20	**3385		2.10	C759,51-2		1.30
3 ave		95.00	7 ave cert		165.00	**1300		12.75	**2571-74		**2976		15.00	**3386-89		1.30	**C879		1.45
3 s/d		50.00	7 s/d		82.00	**1301		26.25	**2575-78		**2977-78		.75	**3390-91		.85	**C883		.70
*4 f ng		249.00	9		525.00	*1302-7		138.00	**2580a		**2979		.85	**3392-93		1.90	**C884		1.70
4 f-vf		38.00	11 s/d		52.00	1320		.70	**2581-85		**2984-85		1.20	**3394-3405		2.80	**C885		1.90
4 f		34.00	28b se		72.00	**1336		1.90	**2587-88		**2986-87		1.20	**3406-7		1.05	C890d-g		5.00
4 ave		25.00	49 ave		90.00	*1355		12.00	**2589-92		**2990-91		1.50	**3410-13		1.20			
4b f		36.00	*97 f		175.00	*1356 thin		15.00	**2593-96		**2992-99		4.80	**3414-17		2.45	COMORO ISLANDS		
*5 ng		350.00	*124		15.60	*1357		75.00	**2599-2606		**3000-1		16.50	**3418		1.30	*39		30.00
*5 f-vf		135.00	*129		30.00	*1358		90.00	**2607-10		**3002-4		1.95	**3419		1.70	*42		15.00
5 f		120.00	*131		2.25	1451		1.50	**2611-13		**3007-12		7.60	**3421-24		1.30	*44		8.25
5 s/d		45.00	*132		3.90	1451 s/d		.45	**2614-19		**3013-16		2.50	**3425-28		1.90	*44		7.00
5b s/d		80.00	*138a		93.00	*1482		41.00	**2620-21		**3017-20		2.00	**3429		.45	*48-50		3.15
6		150.00	*143-44		2.55	*1778		3.40	**2622-23		**3024a		1.50	**3430		.75	*48-50,3		12.30
6 f		120.00	*145a ng		12.75	*1779		2.65	**2624-27		**3025-28		1.55	**3432		.60	*48-53		22.00
6 ave		90.00	188		1.65	*1783		2.65	**2628-31		**3029		.75	**3433-34		1.80	*54		4.15
6a f		240.00	*204a		12.00	**1900		6.00	**2632-35		**3030-37		3.70	**3436		1.20	*54		3.30
12 f		140.00	205		1.00	**2087-89		2.30	**2636-40		**3038-41		2.80	**3438		1.35	*55		5.70
12a ave-f		130.00	213 s/d		15.75	2117		.30	**2641-42		**3042-43		1.20	**3440		1.45	*56		7.15
12 ave		105.00	239		3.40	2180		.30	**2646a		**3044-47		2.45	**3441-44		1.90	*60		3.40
14 f		200.00	**275-7		12.00	**2213b		3.40	**2647		**3049		2.45	**3452-53		1.50	*83		1.00
14 ave-f		175.00	*275-77		5.00	**2269a		8.65	**2649a		**3050		2.10	**3448		1.60	*85-86		2.65
39 missing			279a		8.75	**2380-81		2.45	**2650-53		**3052		1.20	**3449		1.00	*111-13		2.10
bar variety		1875.00	285		1.90	*2449		3.40	**2655-60		**3053-54		1.50	**3454		6.00	*114-15		2.50
			**3278-81		3.00	**4031-4		2.15	**2661-64		**3055-58		1.70	**3458-59		1.30	*155		9.00
			**289		38.00	*4035		2.15	**2666a-70a		**3059-64		6.60	**3461		1.20	*165-70		7.55
			*289 ng		8.25	**4040-3		2.95	**2671-74		**3066-69		2.80	**3463		.50	*171		10.15
			289		9.50	*4060-3		2.70	**2676a		**3070-73		2.25	**3466		1.20	*172		4.15
			289 f		7.60	*4063a		2.70	**2677-80		**3074-77		2.20	**3467-70		2.10	*173		12.50
			289 s/d		3.80	*4070		2.65	**2681		**3083-84		7.30	**3471-75		3.75	*174-9 ng		12.50
			*292		1.05	C75		35	**2681 imp in folder	18.75	**3085-90		4.15	**3476		5.25	*206-11		7.10
			*304-6		2.00	C80		30	**2681a		**3092-97		3.20	**3477		3.00	*219 imp		5.00
			*307-12		8.80				**2682-85		**3098-3101		2.45	**3478-81		3.60	*247-52		8.60
			313-4		1.15	PEOPLES REPUBLIC OF CHINA			**2686		**3098-3101 s/d		.65	**3482-85		2.05	*254-59		18.00
			*317		1.05	**123 reprint		2.90	**2687-88		**3103		2.25	**3487-90		4.00	*459-64		6.00
			*328		31.50	*130		7.20	**2689-90		**3104-6		2.00	**3608-13		3.00	*503		.75
			*342		2.10	*138-40		3.60	**2691-94		**3108-9		1.00	**3985		.65	*551-53		5.25
			344		2.90	*171-73		4.65	**2695-98		**3110-12		2.00	**B3-6		1.80	*561-6		7.15
			*366-7		2.80	*190-93		4.80	**2699		**3113-17		3.20	**B10a		1.50	*567-70		4.25
			*366-67		2.40	**206,208,210,211,213		3.20	**2700-3		**3118		1.30	**B10b		.90	*576-78		1.35
			*374-78		8.10	*215		1.25	**2704-7		**3119		1.00	*C1-3		1.80	*579-86		16.50
			*374-5,77-8		7.80	*225-28		4.80	**2709-12		**3120-22		1.80	**Dinosaurs 1989			*579-86		11.05
			*378a		7.50	*1587		1.90	**2713-16		**3123		3.60	set of 36		18.00	604-8		2.30
			*378a		6.00	**1779-84		7.75	*2717-20		**3124-27		1.60	**608			*608		4.50
			*378b		6.00	*1786-87		3.75	**2721-22		**3128-30		1.30				*614-18		5.10
			*383a		5.80**384-5	**1779-84		7.75	**2723-34		**3131-34		2.50	NORTHEAST CHINA			*736A-B		2.25
			*384-5		3.65	*1786-87		3.75	**2724-29		**3135-36		1.80	*1L150-53 reprints		33.00	*1L157-61 reprints		8.40
			*392-3		6.30	**1896-99		9.00	**2730		**3137-40		2.45	*20.00**Manchuko Local			*Minkus 784-5		3.60
			*396-7		7.05	**1912-14		3.75	**2731-32		**3141-42		2.80	(see note in Scott before			*840-41		9.75
			*439-42		2.85	*2020-25		3.80	**2733-34		**3143		.70	#1)		25.00	*896		7.30
			469		1.65	*2032		.75	**2735-36		**3144		4.90				*897		9.00
						*2033-35		2.10	**2737-40		**3145g, 3145h in folder			NORTHWEST CHINA			*898		10.90
						*2046-7		2.15	**2741-44				24.00	*4L49		1.35	*928		7.30
						*2074		1.05	**2745-54,6-74C,76-		**3147		1.70	*4L50		3.15	*929		8.60
			CHAD			*2082-3		1.55	91,96-2826 in folder	69.00	**3147 sht(6)		30.00	*4L53		3.90	*930		13.00
			*70-76,78,81-82		4.60	*2085a,87a		6.00	*2745		in folder			*4L66		1.05	*931		14.25
			*83-4,C8		4.75	*2088-90		5.00	**2746		**3147c		2.50				*932		14.25
			*90-94		5.70	*2091-4		4.90	**2747-48		**3148-51		2.50	CHRISTMAS ISLAND			*B1		2.40
			*101-2		2.80	*2096-97		1.15	**2749-54		**3152-55		2.40	*1-10		15.50	*C5		11.25
			*102 gtr pr		1.50	*2098-2101		2.50	**2755		**3152a-55a bklt		6.00	*11-20		6.60	*C5-6		33.75
			*102		1.50	**2102-3		1.85	**2756-59		**3156		1.20	*80		.60	*C5-6		29.00
			*116-20		2.45	*2108-9		2.20	**2760-62		**3157-59		2.45	*83		.75	*C7		3.75
			*129-30		2.25	*2117-20		3.75	**2763-64		**3160		4.90	83		.75	*C7		3.00
			*137a		9.00	*2121-24		1.75	**2766a,68a		**3161-62		4.00	*86		1.15	*C12		5.65
			*139-42		24.20	*2149-52		2.80	**2769-74		**3163-68		3.60	*86		.90	*C12		4.50
			142		1.25	*2161a		1.50	**2770-3		**3179		1.50	86M		1.90	*C13		15.00
			*160 ng		1.90	*2174-75		.75	**2774A-B		**3180		1.15	*90		1.15			

6