



WORLDWIDE
DAHOMEY - FUJEIRA

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
DAHOMEY			6 f.....	76.00		85a,90b,95a,91a			246-51.....	20.00	1053.....	25	Q46-7,Q48(3) on pc.....	17.00	SG# R3.....	6.00	
*101.....	1.20		6 ave-f.....	66.50		postally used.....	800.00		246-51.....	3.25	1059.....	15	*cut sq similar				
*135.....	50		6 ave.....	57.00		91.....	3.65		*247,51.....	3.75	1064.....	15	to DWI U1-2.....	2.50	DOMINICAN REPUBLIC		
**156-9.....	1.80		7.....	4.50		97-109,111-25.....			*249-50 s/d.....	4.80	**1066a.....	4.90	cut sq similar to DWI ..	5.00	*356.....	1.95	
*156-9.....	1.45		7 on pc.....	4.50		7-9 f-vf.....	55.75		**250.....	30.00	**1070a.....	10.50	cut sq.....	1.00	375 s/d.....	1.60	
**160-71.....	9.65		7 f.....	3.40		97-109,111-3,115-21.....			*250.....	9.60	1075.....	15			*471-2,C96.....	4.30	
**202.....	1.30		7 ave-f.....	3.15		123-31(*101).....	98.00		**251.....	4.90	**1082-85.....	6.75	DIEGO SUAREZ		*474-8 perf.....	5.65	
*202.....	1.05		7 ave.....	2.70		97-109,111-9,21-5 f-vf.....			*252,4-5.....	10.00	1082,84-5.....	3.00	7.....	99.00	*474-8 sht perf & imp.....	11.25	
**215-8.....	3.65		7 s/d.....	1.35		98 ave.....	75		*252,4-5.....	3.15	**1086-89.....	4.70	DJIBOUTI		*474-8,C97-9 shts (3).....	9.00	
*215-8.....	2.90		7a.....	4.00		**103 f-vf.....	25.75		252 blk.....	50	1087.....	15	**485-8.....	5.00	**478a,b perf.....	3.60	
**225a.....	2.25		7a f.....	3.80		**103 ng.....	3.45		*256.....	9.60	**1097a.....	4.50	494.....	25	*478a,b,C99a,b.....	7.95	
*225a.....	1.80		7a s/d.....	1.40		**107.....	150.00		*258-61.....	13.50	**1100-1.....	2.45	495.....	35	*479-83,C100-2.....	1.80	
*232-3.....	1.05		8 pair f-vf.....	95.00		107.....	4.40		258-61.....	1.65	**1109a.....	9.00	510.....	40	*479-83,C100-2 imp.....	3.00	
**234.....	1.15		8 f.....	38.00		*111.....	21.00		*259-61 vf-s/d.....	8.35	1144.....	15	**513-4.....	3.40	*501-5 s/s perf, imp.....	1.70	
*234.....	90		8 ave-f.....	34.00		*112 f.....	1.00		*261.....	11.40	**1150-1.....	2.50	**515-6.....	2.65	*501-5 sht imp.....	1.90	
**237-8.....	1.35		11.....	17.50		**114.....	40.50		261.....	1.40	**1159a bklt.....	11.25	**517-8.....	3.25	*501-5,C106-8.....	1.60	
*243a.....	2.70		11 s/d.....	5.25		115.....	3.25		*262.....	1.05	1180.....	2.15	**519-20.....	2.75	*501-5,C106-8.....	1.60	
**250-1.....	1.50		11-15 f.....	155.00		116.....	2.00		*263 single.....	1.70	**1213a.....	4.90	**521-3.....	6.60	*479-83,C100-2 imp.....	3.00	
**262.....	1.05		12.....	37.50		118 f.....	60		*264-66.....	1.80	**1214-17.....	4.85	**525-7.....	4.50	*501-5 s/s perf, imp.....	1.80	
**262-3,C105.....	3.40		12 f.....	30.00		118.....	80		*264.....	20	**1328b.....	3.00	**529-30.....	4.15	*501-5,C106-8.....	1.70	
**270,C124-5.....	3.00		12 s/d.....	11.25		119.....	1.00		*264-6.....	1.35	**1344a.....	3.00	*529-30.....	3.30	*501-5 sht imp.....	1.90	
**271-4.....	5.55		13 s/d.....	1.20		120 s/d.....	1.15		*265-6.....	1.15	**1356a.....	4.90	529.....	45	*501-5,C106-8.....	1.60	
271-4.....	1.25		14 xf.....	67.50		122a.....	3.90		267-72.....	4.15	**1373a.....	3.75	**531-2.....	3.85	*553-7,C118-9.....	1.95	
*274.....	60		14 f.....	36.00		124.....	40		269.....	3.00	**1379a.....	3.40	**533-4.....	5.10	*1277-82.....	13.00	
**277-82.....	6.50		14 f.....	36.00		125.....	1.15		*277-9.....	2.25	**1392a.....	9.40	**535-6.....	3.40	*1283.....	4.30	
**321-23.....	5.10		15 xf.....	120.00		128.....	1.50		280-7A.....	1.55	*B15-7.....	1.35	**538-41.....	2.80	*C57-61.....	25.20	
**330-33.....	4.90		15.....	87.50		129.....	10.50		*283 blk ng.....	40	**B28.....	75	545.....	35	*C97-9 s/s perf & imp.....	11.25	
**336-37.....	2.10		15 ave.....	52.50		132-34.....	9.15		*284 blk ng.....	50	**B32-33.....	1.50	**545-6.....	5.80			
*B12,14.....	1.45		15 reper f.....	40.00		133 f.....	2.80		*286B ng.....	15	**B49-52.....	2.45	*561.....	6.75			
*B14A.....	50		16 s/d.....	4.10		**156.....	2.80		*286B,287 ng.....	30	**B82.....	1.90	561.....	1.15	DUBAI		
**MI# 646-9.....	4.00		16a s/d.....	4.10		156-7.....	40		302-3 f-vf.....	1.00	**B83.....	1.70	**C110-2.....	5.25	*33-38,C36-38.....	4.60	
*C14-5.....	10.05		18 s/d.....	1.50		156-7,60 f-vf.....	6.25		**306.....	1.95	**B90.....	1.80	C116.....	50	*127-30.....	4.35	
**C16a.....	5.25		19 s/d.....	11.25		**156-8.....	26.25		*used 333-41.....	3.55	**B91.....	2.10	**C127.....	9.00	*131-3.....	3.00	
*C16a.....	4.20		20 s/d.....	26.25		156-8.....	2.70		*361-2 creased.....	90	**B92.....	2.10	**C128.....	2.25	*144-5.....	5.45	
**C18.....	3.75		25 s/d.....	2.25		156-8 f.....	2.15		*382-94.....	10.75	C2.....	55.00	C128.....	30	*147-50.....	4.15	
C18.....	1.00		25c f.....	6.40		**157 s/d.....	1.00		*395-400.....	35.00	C2 s/d.....	15.00	**C129-31.....	5.55	*151,C57-9.....	5.50	
**C20-3.....	15.00		26,a-c.....	17.30		*157.....	1.80		*399.....	1.80	C3 sh perfs.....	15.00	**C132.....	6.75	*152-3.....	2.95	
**C28.....	1.70		26c s/d.....	2.40		**158.....	16.85		*406.....	30	11-5.....	3.75	**C133-4.....	4.30	*152-3,C60.....	3.70	
*C28.....	1.35		27 f.....	29.00		*158.....	7.50		*417-9.....	2.40	*12.....	6.75	C137.....	90	*C20-4 s/s.....	45.00	
*C31.....	1.80		27 s/d.....	10.95		158.....	2.25		*437,8-41,2-4.....	7.80	12.....	6.00	C137 blk (4).....	3.50	*C20-4 s/s (5) imp.....	36.00	
*C38.....	1.05		28a.....	2.50		158-9 f-vf.....	6.00		*444.....	3.15	12 f.....	60	**C138-9.....	4.15	*C25-7.....	2.80	
*C45.....	1.15		29.....	2.00		158,60 f-vf.....	7.90		*458.....	60	12-3.....	90	C139.....	30	*C25-7 imp.....	2.80	
*C45a.....	1.95		29 f.....	1.60		159-60.....	6.75		*476-77.....	1.20	**used J1-7 s/d-vf.....	18.75	C142.....	35	*C25-7 imp.....	2.25	
**C46-48.....	12.60		29 s/d.....	60		159-60 f-vf.....	6.00		*505.....	2.25	J3.....	3.25	**C143.....	2.25	C55-6.....	30	
C46.....	1.15		29b.....	5.00		160.....	6.50		*506.....	2.25	*J5.....	39.90	C146.....	30	*C57-9.....	4.90	
C46-7.....	2.75		29b f.....	3.95		160 f.....	5.20		*509-12.....	1.75	J6 thin.....	1.55	**C149-50.....	3.20	*J1-2.....	1.50	
**C46-8.....	12.60		29b s/d.....	1.50		160 s/d.....	1.95		*530b.....	4.05	*J7.....	21.00	**C151-52.....	3.20	*MI# 273-5.....	1.30	
*C46-8.....	10.05		29c.....	2.00		161.....	2.50		*546.....	60	J7.....	3.25	**C155-57.....	3.60			
C47.....	1.60		30.....	3.25		162.....	7.50		*565.....	5.65	*J8 f-vf.....	22.75	C157.....	50	ECUADOR		
**C49-50.....	4.90		30 f.....	2.60		164-6,8-75.....	42.50		*573-75.....	2.35	J8 f.....	6.40	C158.....	45	*46.....	7.20	
**C50.....	2.45		30b.....	2.15		164-75.....	47.00		*585.....	3.40	*J9-11.....	13.30	C158-59.....	90	*377.....	2.25	
*C57a.....	2.40		30b f.....	1.70		164-75 f-vf.....	42.00		*591.....	7.50	*J38.....	3.15	C176.....	40	*378.....	2.40	
**C58.....	1.50		31,31a(1 short perf).....	26.00		164-75 s/d-vf.....	34.00		*600-1.....	2.70	J38.....	3.25	C178.....	35	*497-502.....	6.15	
*C58a.....	5.10		31b ave-f.....	11.40		*165.....	5.25		*602-5.....	2.45	O3 s/d.....	49.00	C180.....	65	*555-7.....	2.05	
*C59a.....	2.10		32 f.....	16.00		*167a.....	22.50		*613.....	45	*O6-9.....	40.00	C180-81.....	1.65	*717.....	45	
**C63-6.....	6.50		32a s/d.....	9.40		*167a,71a.....	45.00		*624-5.....	1.30	*O7.....	7.20	**C190-1.....	3.00	*765-5E.....	7.80	
C66.....	1.00		33 f.....	15.00		*171a.....	22.50		*651-52.....	3.00	O7.....	4.50	**C241.....	13.50	765E.....	4.90	
**C69-70.....	2.25		33 (unlisted wmk).....	200.00		*173 f.....	4.20		*655-58.....	3.10	O7 f.....	3.60			*1130 imp s/s.....	6.40	
*C70a.....	2.25		33a.....	87.50		*173-4 f.....	11.00		*670-71.....	1.45	O7 s/d.....	1.35	DOMINICA		*1156-57.....	2.10	
**C77-80.....	7.50		33a ragged perfs.....			*175a s/d.....	14.00		*696-99.....	2.50	O8.....	1.25	1 strip(3).....	83.00	**154.....	7.90	
C80.....	50		at bottom.....	25.00		176.....	7.50		699.....	20	O8 thin.....	50	**155.....	2.65	*1199-1201.....	8.70	
**C85-88.....	5.55		33a s/d.....	26.00		177.....	9.00		720A.....	1.00	O9.....	16.25	**156.....	16.90	*123-5.....	2.85	
C87.....	30		34														

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**674-76		1.40	**152 imp		4.70	*41 f		1.40	**2L1-2		70	**416-17		2.25	**579-82		7.30
**674-77		2.45	**152 imp pr		9.40	42		1.05	**2L1-8		19.00	**417a bklt		12.00	**595-8		3.80
*674-77		1.95	**B60-2		2.25	*55		2.70	*2L1-8		15.25	417a bklt		8.00	**633-6		4.90
**684		3.75				*57		3.60	**2L6		14.25	422 FDC		2.25	**644		3.75
**702		3.75				**81-83		3.00	*2L6-7		14.40	**425a bklt		15.00	**649-52		5.25
*702		3.00				*81-83		1.75	*3L1-8		15.15	425a bklt		10.00	**661-3		9.30
**739		2.45	**120-34		17.65	*85a		13.50	**3L1-2		55	426		2.75	**661,3,4		11.40
**807		11.25	*271 thin		1.70	*85B		1.20	*3L1-3		85	**428a bklt		11.25	**684-86		7.50
**837		2.45	**278-80		8.65	*86-87		2.25	*3L6		11.40	428a bklt		7.50	**687-90		6.75
**1075a		1.00	*278-80,C21-22		27.50	*86A		85	*3L6-7		14.40	**432		11.25	**691		6.60
**1076-84		5.10	**351-54		5.65	87A		4.25	*4L1-8		15.40	**437a bklt		13.15	**691a		6.75
**1092-6		2.70	*351-54		4.50	*88		1.65	*4L1-2		70	437a bklt		8.75	**698-701		12.75
**1097,99-1101		2.65	**355-56		3.60	*89		4.50	*4L6		11.40	438		5.50	**713-8		7.00
**1102		2.45	*355-56		2.85	*90		9.00	**5L1-2		70	**442		10.50	**713-8 gtr prs		14.00
**1104-5		2.65	**369-72		3.30	*91		18.00	**5L1-8		18.60	**443		3.60	**772-5		8.10
**1106-10		1.80	**369-74		11.60	**97-98		70	*5L1-8		14.85	446a bklt		9.00	**788-91		9.05
**1111		2.80	*375-7		5.80	*97-98		55	**5L6		14.25	**450a bklt		13.50	**797-802		5.75
**1139		2.80	**378-82		5.95	*99		1.25	*5L6-7		14.40	450a bklt		9.00	**810-3		5.20
**1194		3.00	**383-85		3.30	*101		4.50				**451		15.00	**820		3.95
1285A		1.90	**386-90		13.30	*101-2		8.55				**453		14.25	**821-24		6.70
**1291-3		1.65	*386-90		10.65	*102		4.05				**455a bklt		11.65			5.65
1295-1302		5.10	*386,89-90		9.50	*103-6		8.40	**7-20 9.758(3),11(2) bklt		2.10	455a bklt		7.75	**849-52		6.00
**1304-7		1.75	**391-5		3.00	**115		18.00	**8 (6),11 (2) bklt		2.40	**462		15.00	**858-61		6.75
**1308-16		4.30	**396-402		6.70	*118 thin		4.00	**9,13,5 corner			462		10.00	**867-72		4.90
**1319-31		7.00	*415-9		8.00	*121		7.00	# blks of 4		4.35	466a bklt		8.00	**903-6		4.70
**1346-8		1.95	*416		1.70	*121		55	21		75	469		3.40	*908-13		5.10
**1350		90	*425-7		3.95	*122-27		22.20	21 s/d		20	470		9.50	**947-50		4.90
**1350-9		4.85	**434-8		5.55	*128		3.75	**24-7		7.10	**474a bklt		11.65	**951-54		4.70
**1353-59		3.00	**468-9		2.50	*128		3.00	33		30	474a bklt		7.75	**955-58		5.25
**1351		40	*476-80		13.40	**126-37		22.60	*36-8		2.10	**477		15.00	**959-62		6.20
**1361-3		1.80	*481-3		3.60	*128-37		16.95	*42		4.90	477		10.00	**993-96		7.30
**1365,7,8		1.55	*484		11.25	*129		3.20	*129		40	**479a bklt		13.50	**1098-1101		5.65
**1370-1,3,4		2.15	*488-91		10.15	*130		3.40	*45-7		1.10	479a bklt		9.00	**1103-6		5.25
**1376-82		3.85	*492-6		4.00	*131		1.90	*48-52		2.20	**480		1.50			
**1388-92		2.20	**530-5		4.90	*138		9.30	*49-52		1.85	**482a bklt		13.50			
**1388-94		3.75	**536-40		5.00	**139		22.50	**53-4		75	482a bklt		9.00			
**1394		1.20	*541-3		2.30	*139		19.50	*59-62		1.45	*483		11.25	3 s/d	250.00	
**1400-7		3.80	**544-7		3.25	*140		16.50	**63-4		70	483		9.50	*4 regummed		255.00
**1400-10		4.80	**548-52		3.90	*141		28.50	**65-9		4.60	**484		12.00	*5 f-vf ng		218.00
**1409-10		70	*548-52		3.10	**143-45		2.30	86		30	484		10.00	6 f		68.00
**1425,7,8,30		2.10	**553-7		2.30	*146		6.30	*90-2		3.00	**485-86		3.10	6a		2250.00
**1440-2		90	**572-4		2.65	*147		1.20	**94a bklt		13.15	*487		3.75	*7 f-vf		178.00
**1445a		1.05	**582-6		6.00	**150-53		8.75	94a		8.75	**492-93		2.55	7 sht perf		50.00
**1490,3,6-1500		3.25	**592-4		3.10	*154-55		5.80	*97-100		4.90	**493a bklt		14.65	7 ave-f		70.00
**2039		17.00	**599-603		4.15	*156-57		4.50	**106-7		1.50	493a bklt		9.75	7 s/d		34.00
**2112-13		1.90	*604-7		1.30	*162-65		1.25	**108-11		3.00	**494		9.00	7b f		120.00
*B1		3.40	*604-8		2.50	*166-79		42.00	112		45	*496		2.65	7d ave-f		131.00
*B2		7.50	**609-12		6.30	*166,8,7,3		1.25	**112-4		4.95	**497-98		2.95	8 f		140.00
*B3-6		1.30	*611		2.80	**188-91		6.05	**120a		28.00	**498a bklt		18.00	8 s/d		60.00
*B9-12		7.30	*612		2.80	**197-209		25.00	**120a bklt		28.15	498a bklt		12.00	8a f-vf		200.00
*B9-12		5.85	*617-9		4.15	*210a		11.25	120a		18.75	*499		12.00	9 ave		17.25
*B13-5		3.40	*620-4		3.85	*213		4.50	**121-4		5.25	*500		3.00	9 s/d		10.00
*B26-8		6.60	**625-9		3.05	*213a		22.50	**125-26		2.10	**502-3		2.55	9a f		39.00
*B26-8		5.25	*634-6		4.10	*218a		1.60	**127-9		4.15	*504		6.75	10		38.75
*B27		2.25	**643-5		3.75	*223-24		60	**130-3		5.50	*505		18.75	10 f-vf		34.90
*B28		2.25	**651-5		3.60	*227-30		21.00	**138a		10.50	**506-7		3.25	10 f		27.00
*B48-9		4.00	**656-80		5.60	*227-30		16.80	**138a bklt		12.00	*507a bklt		18.00	10 ave		20.25
*C101		2.80	**656,58-9		2.50	*232-34		90	138a bklt		8.00	507a bklt		12.00	10b vf		46.00
*C103		2.10	*660		2.65	*235-36		1.90	**139-42		5.35	*513		13.50	10b f-vf		41.60
*C104		1.70	*661-63		3.20	*236a		6.00	*143-4		2.90	*518a		18.00	10b f		37.00
C108-9		2.70	*669-71		2.20	*237-40		16.50	*145-7		4.20	**522-3 (4) bklt		19.50	*10b ave		172.50
*C146-8		8.45	*690-4		3.45	*241-44		5.15	**148		7.50	522 (4),523 (4) bklt		12.80	11 s/d		129.00
*C147		2.25	**695-9		3.25	*245-49		7.50	**149		1.70	**525-28		6.10	12 ave		48.00
*C157		2.25	**712-5		4.20	*254a-56a		10.80	**149-51		6.15	*533		4.50	13 space filler		29.00
*C169-70		3.70	*731-5		6.70	*254a-56a bklt		15.35	*151		3.00	*536-37		4.90	16 f		170.00
*C174		1.90	*751-57		4.75	*256a		4.50	**152-5		5.80	*544-45		3.20	18 s/d		2.25
*C191		1.00	**758-62		4.00	*257-59		3.75	*158-60		5.10	*546-47		3.75	23 thin		12.00
*C204-5		4.00	*768-70		4.00	*260-74		13.90	*161		75	*569a		9.40	23 s/d		9.00
*CB2a		7.50	**776-78		2.85	*260a-73a		11.00	**161-5		6.25	**572		2.25	26 thin		1.25
*E4		4.50	*779-83		2.75	*275		3.00	*163		1.45	*575-78		6.25	27 thin		5.40
*J60-4		9.40	*782		70	*278-81		1.25	*165		1.70	*581		4.50	28 f		1.00
*M14-15		10.50	**784-88		2.30	*291-93		1.05	*166-7		3.00	*582-83		3.75	28 f		3.55
*N57		3.75	*807-11		3.20	*294		1.15	*169-72		5.45	*591		15.00	28 ave-f		65
*N57 f		2.50	*827-31		4.20	*295-97		1.00	*175-8		4.90				28 s/d		30
*N70-1		8.25	**854-58		6.15	*304		1.20	*179-81		5.85				34 s/d		50
*O1 f		1.90	*864-68		6.70	*306-9		2.40	**182-5		5.80				35 s/d		3.75
*O51-59		8.50	**869-73		3.10	*314-15,17		1.05	*186-8		4.70				37 thin		150.00
*O51-59 f-vf		5.70	**884-8		4.60	*318-23		1.95	**189-90		2.85				43		1.85
*O80-90		16.75	**889-93		3.90	*327-30		1.90	*191-2		1.90	1992 **232-46		34.00	43 s/d		50
*O80-91		17.60	*901-5		3.05	*331-33		1.15	*193-6		5.65	1995 **276-94		33.00	*53		12.00
*O92-6		4.10	*931-5		3.05	*344-47		2.20	*197-200		5.50	2001 **389-408		53.00	*54		18.00
			**936-40		4.25	*348-51		1.80	*205-6		2.10	2002 **409-26		55.00	58 f		140.00
			**951-5		5.20	*371-73		1.05	*212-5		5.65	2003 **427-38		63.00	67		75
			**977-80		4.15	*378a		1.90	*225a		6.75	2004 **439-51		68.00	69 f		140.00
			**1118,20-1		6.90	*379-82		1.35	**225a bklt		6.75				*70-74		17.00
			*1215-17		2.50	*387-401		12.85	225a bklt		4.50				82 s/d		32.00
			*1265-67		2.50	*388(8),393(4),397(4),			*226-7		3.00				95		1.50
			*1274-8		5.20	398(4) bklt											

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**1071		70	**252-3		3.75	51 str edge		2.05	126 f		30.00	**309-10		5.25	**896-903		1.20
**1073		75	**265a bklt		13.10	51 s/d		2.05	126 ave		22.50	310		1.65	**907-9		22.50
**1088		70	**266a bklt		18.00	*52 s/d		37.50	126 s/d		11.25	*311-12		15.30	**907-9		18.00
**1099-1100		4.15	**270-1		11.20	52 s/d		6.00	126 perfin s/d		11.00	311-12		5.75	**910-13		15.10
**1101-2		1.80	**275		2.25	*53 pr		180.00	*127 s/d		6.40	**312		24.40	**929-30		1.05
**1103		1.15	**280		1.15	*53 ave ng		45.00	129 f-vf		1.25	*312		9.60	**937		35
**1109-10		1.45	**281		1.15	53		3.75	129 f		1.15	*312 ng		4.80	**943-8		5.00
**1111-12		3.00	**281a bklt		9.00	53 f		3.00	*130 f-vf		42.50	312 s/d		1.45	**943-9		6.90
**1114		.85	**284d bklt		13.50	53 ave		2.25	*130 f ng		25.50	*313-14		10.20	*943,5,7-9		3.75
**1117-19		2.80	**290a bklt		12.00	*53a f		60.00	*130 s/d		12.75	*313-14 s/d		2.55	*944-9		5.35
**1256 sht		16.90	**291-2		3.75	53b s/d		39.00	130		2.50	313-14		2.60	*949		1.50
B1		5.00	**292		2.15	*55 ave ng		79.50	130 f		2.00	*314		7.80	968		10
B5-7		27.00	**293		2.10	*55 s/d		39.75	131 thin		3.40	*314 ng		3.90	**970-1		40
B6		8.25	**305		1.70	56		2.25	133-7 ave		9.70	*314 f		5.20	**987		40
**B7		1.50				56 f		1.80	133-7 s/d-ave		4.95	314		1.85	**997-1001		3.05
**B9-11		6.20				56 s/d		70	*136 ng		30.00	*320 s/d		4.50	**1014-7		7.90
**B12-4		12.40				56,9 f		4.20	*136 ave		30.00	320 s/d		.60	**1024,24B		80
B12		8.00				*58 ave ng		33.00	136 f		90	**321		20.65	1024-24B		55
**B18-20		8.65				*58 s/d		16.50	136 ave		70	*321		7.50	**1024B		60
**B24-6		41.00				*59 f-vf		235.00	*137		150.00	321		2.00	**1039		75
*B24-6		8.85				*59 ave		142.50	137 s/d		2.20	321 f		1.60	**1049		1.70
*used B27-30		5.10				59 pr on pc		6.00	*138 s/d		1.20	**322		10.50	**1049-51		6.75
*B35-8		10.00				59		3.00	138-54 ave-f		12.00	*322 lt toning		2.10	**1050		1.65
**B39-42		10.45				59 f		2.40	139-41 s/d-f		.55	*322 lt toning		2.10	**1054-5		4.25
**B39-43		8.65				59 ave		1.80	*139 f		1.60	322		.90	**1059-63		1.15
*B39-42		7.80				59 s/d		.90	*139 ave		1.20	**323		2.80	**1073		20
**B44-6		8.50				*60 ave-f		114.00	*139 s/d		.60	*324		3.00	**1074-5		.45
B44-47		7.85				60-3 f		12.40	*140,1 s/d		21.40	*324		1.35	**1076		.85
**B46		5.80				61 f		1.30	*141 f		30.00	324		.65	1076		.45
*B48		.65				61 ave		1.00	*141 ave		22.50	*325-6		4.05	**1076-7		1.20
**B49-53		10.70				61 crease		.50	*141 f ng		22.50	*326		3.75	**1076-7		1.20
B49		.65				61 s/d		.50	*141 s/d		11.25	326 s/d		.60	**1084		.85
*B54-57		4.95				*62 ave-f		193.00	*142 s/d		26.25	*327-8		5.00	**1090		40
B56		1.20				62		2.65	*144 f ng		8.25	**330-1		10.70	**1092 sht(25)		4.70
**B60-63		1.70				62 f		2.10	*144 ave		8.25	**330		2.45	**1100		13.15
*B60-63		2.25				62 s/d		.80	*144 s/d		4.15	**332		3.40	**1106-7		90
**B65-68		1.00				62a		238.00	*144-5 s/d		5.10	*332		1.50	**1109-10		40
*B65-8		1.25				*63 ave-f ng		192.00	*159 ave		.45	332		1.00	**1109-10 blk (4)		1.50
B65-7		1.15				63 ave		3.45	*160 ave		.40	**337		11.25	**1112		70
B67 f-vf		.40				63 s/d		1.75	*162 ave		.45	*342-6		4.80	**1113-7		1.30
**B69,72		.85				*64 ave ng		37.50	*162 s/d		20	342-7		14.25	**1114		30
**B69-73		2.10				*68 ng		240.00	*166 ave		.90	*343 s/d		.70	**1115		25
*B69-73		1.80				*68 f		320.00	*166 s/d		.45	344		2.50	**1116		25
*B69-73 ng		.60				*68 s/d		120.00	*168 f		1.00	*347		22.50	**1117		25
B69-73		3.65				*70 ave-f		201.00	*168 ave		.75	349		6.75	**1119		20
**B74-5,7		1.35				*70 ave		172.50	*168 s/d		.35	*350		2.25	**1133-4		40
**B74-7		1.75				70 strip of 3 f		21.00	*173 ave		1.10	350		2.25	**1142-4		.60
*B74-7		1.00				73 f		3.30	*173 ave		1.15	*352		.40	**1142-4		.50
B74-7		1.50				73 s/d		1.25	175 on pc		.45	*364 f part gum		1.00	**1149-53		1.50
B74-7 f-vf		1.40				75 f		5.00	*175b f		60.00	**369		5.65	**1149-51,53		1.20
**B75-77		.85				75 ave		3.75	*178 ave		.75	*369		2.25	*used 1149-53		1.00
B77 f-vf		.55				*76 s/d		138.75	186,8,190-1,3-6 f-vf		7.60	*370		2.10	**1150 imp s/s		1.50
**B80-1		1.15				76pr f-vf on piece		9.00	*191 s/d		.70	*372		12.75	**1150 s/s(mentioned in Scott)		ungrammed
**B82-83		1.20				76 f		4.00	*193 s/d		1.65	*372 blk		51.00	**1153		30
*B82-6		3.50				76 ave		3.00	193		1.75	*372		4.80	**1162		15
*B82-6(B82 thin)		3.30				76 s/d		1.50	193 f		1.40	*372 f-vf		4.00	**1171		20
*B87-90		1.70				76 pr ave-f		7.00	193 ave		.55	372		3.25	**1171 blk (4)		75
B91-93		6.15				*77 ave		53.00	193 s/d		.55	372 f		2.60	**1172		20
**B94		.70				*78 f		10.00	*195 s/d		3.75	*372-3		9.90	**1172-75		90
**B98-100		2.50				*78 s/d		3.75	195 s/d		1.20	*372-4,88		20.70	**1175		20
*B98-100		1.70				*80 f-vf		370.00	*196 f		2.10	*374		4.25	**1176		25
**B101-3		6.05				*25 ng s/d		202.50	*196 ave		1.60	*374 toned		2.00	**1185-91		3.30
B106		1.75				*25 s/d		202.50	*196 s/d		.80	374		3.50	**1185-91		3.30
*B107-9		6.75				*26 ave		60.00	*198 ave-f		2.20	374 f		2.80	**1195-6		75
**B109 rd cor		1.20				27 f		.60	*198 f		.90	*388		6.60	**1195-6 blk (4)		3.00
**B110		1.60				28 f		12.00	*198 ave		.70	*388 f-vf		5.50	**1197-8		40
*B110-3		6.70				28 ave		9.00	*198 s/d		.30	388		2.50	**1199-1201		75
*B110-13		5.70				28 s/d		4.50	*198-201 f		16.30	**390		2.65	**1202		20
*used B110-3		5.50				28a s/d		5.25	198-9,201		3.90	*396		4.80	**1202 blk (4)		75
**B117-9		8.45				*29 f		15.00	*201 f		45.00	*419		.15	**1204		40
*B119		1.65				*29 s/d		5.65	*201 toning		7.80	*427-9 imp prs		12.00	**1204-7		1.50
*B120-2		6.75				29 f		6.40	*201 f		10.40	*475-76H		22.30	**1205		40
*used B120-22		6.15				29,32,6 s/d		6.15	*201 f ng		7.80	*475-76H		17.85	**1208		20
*B123		1.15				*30 se		15.75	*201 s/d		3.90	**503		.30	**1208 blk (4)		75
B123-25		3.00				*30 s/d		15.75	201 f		2.30	**523A-J f-vf		2.50	**1211		20
B126 blk(4)		4.00				30 f		10.00	201 s/d		.90	*523A-J		1.50	**1215		30
**B126-8		6.40				30 s/d		3.75	*220-1,23-5 f		9.70	548-52		2.30	**1217		20
**B127		2.25				*31 s/d		24.75	*220-5 f-vf		12.50	*568-71 s/d		.75	**1217 blk (4)		75
B127		1.25				31 s/d		5.65	*220-5 f		10.00	*575		6.00	**1219		20
**B128		2.25				*32 f		86.00	*220-5 ave-f		8.75	575		.45	**1219 blk (4)		75
B128 blk(4)		5.00				*32 ave-f		75.00	*224 s/d		.55	**590		2.65	**1220		70
*B135-37		5.15				*32 ave		64.50	93 f		10.80	*612-15		9.00	**1220 blk (4)		2.80
*B142-4		7.00				32 f		2.00	*225		10.80	*623		.25	**1222		20
*B151-3		4.75				32 ave-f		1.75	*225 f		7.20	*630-2		11.15	**1222 blk (4)		75
**B152		2.00				*33 perfin		52.00	*225 f rd cor		3.60	*630-2		8.90	**1227-9		75
*B154-6		7.80				*33 reper		35.00	*228a f-vf		450.00	*630-2		8.90	**1230-1		60
**B160-2		5.10				*33 ave		52.50	*242 s/d		.30	*634-36		.85	**1236-9		1.20
*B166-8		2.45				*33 ave ng		52.50	*242,5 f		1.55	*649		3.00	**1237		30
**B176-8		2.70				*34 f		250.00	*243-4 f		2.10	649		1.65	**1243		30
**B179-81		2.25				34 f		5.00	*244		2.40	*650-54		12.60	**1243 blk (4)		1.20
**B185-7		2.05				34 ave		3.75	*244 f		1.60	650-54		1.20	**1247		30
*B194-96		2.20				34 s/d		1.90	*244 s/d		.60	*654		9.00	**1247 blk (4)		1.20
**B197-99		2.85				34a		15.00	246 s/d		90.00	*659-63		1.10	**1251-5		2.20
*B200-2		3.00				34a f		12.00	248		1.20	*668		.			

4