



WORLDWIDE
ICELAND - MOZAMBIQUE

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

ICELAND			144-48.....	10.25	*338-39.....	1.00	664.....	35	C9,11.....	175.00	**2081a.....	9.00	73-80 ave-vf.....	5.95	
*1 thin.....	250.00		144,6-8.....	10.70	**340-1.....	.85	**671-2.....	4.90	C9-11.....	262.00	**2089c.....	11.25	**78 f.....	2.70	
*1 s/d.....	158.00		144,7 f.....	7.40	**340-1 toned.....	30	671-2.....	1.00	*C16a.....	19.50	**2093a.....	9.75	**78 ave.....	1.50	
*2 f.....	135.00		144-8 tollar cancel.....	8.00	**342-44.....	1.45	672.....	.80	**C17.....	29.00	**2101a.....	8.25	*80 ave.....	7.50	
2 s/d sock on.....			144-8 (147 s/d).....	6.55	**342-44.....	1.15	**675-6.....	7.90	*C28.....	18.00	**2103a.....	7.50	88-9 s/d.....	8.25	
nose canc.....	187.50		*145 rd cor.....	18.00	**345-47.....	1.05	**677.....	14.25	C28-9.....	5.70	**2103e.....	6.00	89.....	4.80	
*3 s/d.....	49.00		145-6.....	1.00	**348-49.....	.65	677.....	4.25	*C29 f.....	2.80	**2117e.....	9.75	*89 s/d.....	1.20	
3 s/d.....	210.00		145-8.....	8.10	**350-51.....	1.30	680.....	.65	C29.....	4.75	**2154a.....	6.75	89.....	15.00	
4 space filler.....	220.00		145-8 f-vf pulled perf.....	3.50	**352-53.....	.80	**681.....	7.15	C29 f.....	4.00	**2167c.....	6.40	89 blk.....	60.00	
*5 space filler.....	48.00		**146 toning.....	13.50	**359.....	1.80	687.....	.80	O2 s/d.....	105.00	**2179a.....	6.40	89 s/d.....	4.50	
5 s/d.....	265.00		147.....	5.00	*359.....	1.35	**695c bklt.....	6.75	*O3 s/d.....	16.50	*2188a.....	2.25	94-8,'99-100.....	74.50	
6 space filler.....	200.00		147 s/d.....	2.00	**369.....	1.00	**698-99.....	5.65	O4 thin.....	12.00	**2220a.....	2.65	*111 s/d.....	2.25	
7 s/d.....	93.00		*148 regum inkspot.....	14.00	**377.....	2.65	**711A bklt (10).....	7.50	O5 s/d.....	2.85	**2230a.....	2.25	*113-9.....	78.00	
*8 s/d.....	71.00		150 rev cancel.....	14.00	**378.....	10.00	**711A-B.....	1.50	O6 f.....	6.40	**2259a.....	2.25	*114-9.....	72.00	
9 space filler.....	90.00		*152-66 (152,156,160 thin).....	232.00	**402-3.....	2.90	**711Bbklt.....	7.50	O6 s/d.....	2.40	**2569-72.....	1.05	*114-9 reprints.....	14.00	
12.....	32.50		**152-56.....	35.00	**402-3 blks.....	11.60	**712.....	.85	O6a s/d.....	12.75	**O113-7.....	2.10	116-8.....	13.00	
13 thin.....	100.00		*152-8,60-1.....	62.50	402-3.....	2.25	**713-4.....	5.50	O9 ave.....	28.50	**O120.....	4.30	**147.....	26.25	
*14 s/d.....	15.00		*152,6,8,9,62.....	58.00	404-5.....	1.00	713-4.....	1.45	*O10 thin.....	3.00	**O121.....	2.05	*236.....	240.00	
*16 ng.....	25.00		*152,6,8,9,62.....	58.00	404-5 blks.....	4.00	714.....	1.15	*used O13-9 f-vf.....	17.75	**O122.....	2.80	*237.....	240.00	
16 s/d.....	2.25		*152-7,9,61,3,6.....	103.50	404-5.....	.90	**715.....	9.40	O13-19.....	28.25	*O122-5.....	9.90	**238.....	225.00	
17.....	25.00		*153 f.....	2.25	406-7.....	1.20	722.....	.50	O19,31,35,36 pairs.....	54.50	**O123.....	1.15	*238.....	180.00	
*19 s/d.....	13.50		**156 f-vf.....	2.45	**408-9.....	5.25	728,737.....	1.50	**O20 f.....	.65	**O124.....	2.10	*239.....	299.00	
*21.....	75.00		*156.....	1.95	**408-9 blks.....	22.00	*737 ng.....	3.30	*O20.....	.75	**O125.....	6.40	*281.....	120.00	
23.....	10.00		*156 ng.....	1.00	408-9.....	4.15	737.....	1.40	*O20 f.....	.50	**O150.....	1.15	*318.....	300.00	
25 thin.....	3.80		**159.....	11.00	410-11.....	.70	737 blk of 4.....	5.50	*O20-24 f-vf.....	3.30			*321.....	75.00	
*27.....	45.00		**160.....	11.00	**412-15.....	2.10	737 s/d.....	.40	*O20-24.....	2.50	INDIA-COCHIN			**336.....	45.00
*33 s/d.....	150.00		*160 s/d.....	1.20	**412-15 blks.....	8.50	738-9.....	1.50	O20-24 f-vf.....	16.30	85 f-vf.....	.10	*337.....	36.00	
34.....	2.00		*161.....	12.00	412-15.....	.85	**740.....	10.50	**O23.....	.75	O58.....	5.00	*337 s/d.....	9.00	
35.....	.70		*used 170-5.....	32.50	412-15 blks.....	3.40	744.....	.65	**O24 f.....	.60	O59 f-vf.....	.15	*338.....	30.00	
36.....	.60		*170-5(171 used)f-vf.....	64.00	**415.....	1.50	**745.....	15.00	*O24 f.....	.40	O79.....	.15	*338.....	24.00	
37.....	6.50		*172 f.....	12.50	**417-19.....	1.65	749-50.....	2.25	O26 f.....	65.00	O84.....	.10	*339.....	45.00	
37 f.....	5.20		172.....	8.00	417-19.....	1.10	**751.....	10.15	O30 f.....	24.00			*339 f.....	37.50	
43.....	13.00		175.....	17.00	417-19 blks.....	4.40	755.....	2.75	*O31.....	5.70	INDIA-ORCHHA			*340.....	67.50
*51.....	24.00		**176.....	3.30	**422-4.....	2.05	**759a.....	7.30	*used O31-38 f-vf.....	23.00	16.....	170.00	*340.....	54.00	
71.....	.70		**176 blk.....	13.20	422-4.....	1.10	**776a.....	7.00	O31 f.....	3.50			340.....	45.00	
*73 f.....	1.25		*176-86.....	437.00	422-4 blks.....	4.40	779.....	.65	*O32.....	2.10	INDO-CHINA			360.....	2.00
73 f.....	.70		176-87.....	179.00	428.....	.45	**780-1.....	4.00	*O32 f.....	1.60	**203-4.....	2.75	360 blk.....	8.00	
75 f.....	1.60		*180.....	2.15	428 blk.....	1.80	**781a.....	4.30	O32 f.....	3.70	**241.....	1.80	*422.....	15.00	
76.....	.80		*194 pin hole.....	21.00	**433-4.....	5.50	**788.....	5.25	*O35.....	2.85	INDONESIA			*422-7.....	207.00
76 f-vf.....	.70		*196.....	9.00	433-4.....	3.75	**790 bklt.....	7.50	O36.....	15.00	423.....	.65	*422-7 forgeries.....	23.00	
76 f.....	.60		Used 203, *204-7 f-vf.....	29.00	433-4 blks.....	15.00	799.....	.30	*O39 f.....	4.80	*473-8.....	2.40	*422a s/d.....	7.50	
*77 f-vf.....	3.75		*used 203-8B.....	29.00	*447-8.....	4.00	807.....	.65	*O39 cor mar strip of 3.....	25.00	**488-93.....	1.15	423.....	90.00	
*78 thin.....	1.95		*204 f.....	13.00	447-8.....	.50	808.....	.35	with plate no.....	25.00	**544-8.....	3.15	*423,6 no ovpt.....	78.00	
*79 f ng.....	2.60		*204 ave-f.....	9.10	453.....	.40	*808-9.....	7.00	*used O40-7 f-vf.....	9.60	**544-9.....	4.50	*424.....	15.00	
80 f.....	4.80		*204,208-8b.....	35.00	460.....	.35	808-9.....	3.35	*used O40-49.....	28.00	*550,560-73.....	7.50	*424 s/d.....	3.75	
*82 f.....	2.80		*208 thin.....	4.80	*467.....	.70	814-5.....	.80	O40-7.....	10.75	*589-92.....	1.20	*425.....	15.00	
*85 s/d.....	26.00		*208A foxing.....	2.25	469.....	.45	815.....	.50	O40-3.....	6.25	*730-1.....	.50	*425 ng.....	7.50	
*86-91.....	45.00		208Bd s/d.....	1.75	*470.....	.95	816.....	2.25	O41 f.....	1.50	**747a.....	3.20	*426.....	42.00	
86-91.....	49.00		**209-11.....	28.00	470.....	.65	816 s/d.....	.70	O42,3,5 f.....	2.50	*748a.....	2.55	*426 f-vf.....	39.00	
87.....	7.50		*209-11.....	13.50	471.....	.35	*816-7.....	6.20	O42,4,4-5 f-vf.....	2.70	*763-5.....	1.90	*426-7 toned.....	36.00	
89.....	12.50		*213-16.....	39.00	*474-75.....	.50	816-7.....	4.00	O42,5 f.....	2.00	**794.....	10.15	*427.....	37.50	
91.....	25.00		213,6 f-vf.....	75.50	*476-77.....	.75	818.....	.50	O42-6.....	5.40	*795-6.....	13.15	*427.....	30.00	
94.....	9.00		*214.....	2.70	*485-86.....	1.30	824.....	.10	O43,4,5 f.....	1.95	*797-9.....	10.50	*427.....	20.00	
**96.....	59.00		*217-20,23.....	4.90	486.....	.35	*829.....	3.60	O45.....	2.25	*837-9.....	4.35	*434-8,41-4.....	115.00	
*99.....	4.80		*used 217-28.....	45.00	*488.....	.50	837.....	2.65	O45 f-vf.....	2.00	*856-8.....	4.55	435,8,40.....	2.75	
*99 ng.....	2.85		*used 217-28 f-vf.....	8.50	488.....	.25	837 s/d.....	.80	O45 f.....	1.60	*859-61.....	14.20	435,7-45 f-vf.....	36.50	
99.....	10.00		217-28.....	11.45	*489.....	1.30	842.....	.45	O52 f.....	1.00	*922.....	1.30	*439.....	300.00	
99 ave-f.....	7.00		**217a.....	1.50	489.....	.75	844.....	.75	O56.....	23.75	*922-25.....	7.50	*440-4.....	142.50	
*99-101,3-4.....	25.00		**217a f-vf.....	1.30	*490.....	1.00	847.....	1.40	O71 f.....	.90	*925.....	1.70	*440-4 f-vf.....	63.25	
*used 99-107.....	99.00		**217a blk.....	6.00	*490-1.....	2.10	851.....	.65			*999a.....	9.00	*440 pair.....	24.00	
*100.....	2.55		*217a.....	1.50	495.....	.25	852.....	.50	INDIA			**1000a.....	9.00	*442 f.....	24.00
*100 f-vf.....	2.00		*217a.....	1.20	*496-97.....	1.20	854.....	.50	6f.....	250.00	1092.....	.50	*442.....	24.00	
*101.....	2.40		*217a,8a,9c.....	4.50	496.....	.35	855.....	.50	18 ave str of 4.....	33.00	**1166.....	15.75	*443 f.....	12.50	
*101 f.....	1.60		*218.....	.40	*498-99.....	3.50	867.....	.45	*153a.....	1.80	**1210-2.....	6.00	*444 f.....	15.00	
101 s/d.....	1.60		**218,19,22,3,5,6.....	2.30	*498-99.....	2.70	*878a.....	10.90	*162 s/d.....	.35	*1373 perf.....	19.50	*444.....	7.50	
*103.....	14.50		*218a.....	2.10	*507.....	2.25	885.....	.65	*174 ng.....	3.00	1572.....	.100	*456 f lt toning.....	.30	
103 thin.....	26.00		**218a blk.....	8.25	*508-10.....	1.05	*905a.....	6.00	**200-2 toning.....	2.40	**1642.....	2.6			

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
*871-2.5	12.60	**1421-22	3.00	**1759	65	**351-3	2.20	*108-10,13-4	28.00	**175-76	10.00	**338	40				
*871-5	20.70	**1426	45	**1760-64	4.90	**378a	5.00	*109	1.50	*175-76	8.00	**343	20				
882 s/d	75	**1427-28	1.25	**1765	75	**378a imp	15.00	109-14	5.25	*176	6.50	**343-59	11.50				
900	1.50	**1429	50	**1773	75	**378a perf & imp	30.00	110	1.75	*176 ng	3.25	**343-4,6,9-59	6.40				
900,2.6	39.00	**1430	40	**1777a	6.75	*378a imp	12.00	*111	1.65	176	6.00	**344,6-7,9-59	18.80				
903	2.00	**1431	1.90	**1778-83	6.75	*406	4.50	*112	1.65	178	2.25	**348bc	1.90				
914	2.50	**1432	2.65	**1784-85	1.50	*418-20	3.95	*113	2.10	*179-81	3.60	351	1.40				
940	5.00	**1433	65	**1787-88	4.90	*439-42	3.10	*113	1.65	*179-81 ng	1.70	**357	85				
**966-69	18.75	**1434	2.25	**1789-94	6.00	*457	85	*114	1.65	179-81	3.90	**358	1.50				
*981	15.00	**1435	60	**1795-98	3.75	*460a	9.00	115-7	22.65	181 f	65	*358	1.20				
*982	45.00	**1436-38	3.40	**1804a	6.40	*476a	6.75	*117	105.00	**182-83	2.30	*358 ng	60				
982	15.00	**1439-40	1.90	**1810-2	6.20	*484a	3.75	117	21.25	*182-3	1.85	358	30				
**990-92	49.00	**1441	40	**1817	1.15	*486a	6.00	117 s/d	6.40	182-3	2.60	358-9	1.10				
1028	1.50	**1442	40	**1843	1.50	*495	60	118	35	183	2.50	**359	3.00				
**1047	30.00	**1433-44	1.00	**1848	65	*498a	4.50	*120	2.25	183 f	2.00	359	75				
**1048-50	24.00	**1445-46	1.00	**1849-50	1.30	*503a	9.00	*120	1.20	*184-5	1.50	**360	60				
**1051	3.75	**1447-48	75	**1857a	75	*506-9	17.00	120	90	184-5	75	360	40				
*1054-5	27.00	**1449	75	**1860-61	6.60	*512-6	5.60	*121-3	19.65	*184-8	4.00	**361-62	2.05				
**1056-57	3.00	**1450	6.00	**1862-63	2.25	*538-43	4.80	121	1.40	185	50	361	35				
**1058	11.25	*1450	4.80	**1864-67	1.90	*546a	8.25	121-3	7.60	*186-87	2.65	**363-4	90				
**1071	318.00	**1451	75	**1888-89	2.45	*555a	4.15	121-3 f	6.20	186-87	1.65	363-4	60				
**1073	11.25	**1452	60	**1895	1.30	*574-8	4.75	121-3 s/d	2.00	*188-89	2.10	**363-6	2.40				
**1073	9.00	**1453-5	6.20	**1903-5	1.85	*608-12	25.65	122	2.00	189	2.00	**365-66	1.00				
**1077-8	18.75	**1456-59	3.60	**1907-9	6.40	612	10.50	122-3	6.40	*190-1	1.35	**369-70	3.20				
**1079	7.50	**1456-57	1.90	**1910	11.25	*738a	7.50	122 f	1.60	190-91	1.50	374-5	60				
*1079	9.00	**1459	1.50	*1910	9.00	*743a	5.25	*123 s/d	2.55	191	1.40	**376-79	1.25				
**1080	7.50	**1460	40	**1918	60	*781	24.50	123	4.40	*192-3	2.10	379	50				
*1080	9.00	**1461	60	**1924-40	31.60	*856	4.90	123 f	3.50	192-3	3.15	**380-1	1.20				
**1081	11.25	**1462-64	4.20	**1927-40	31.00	*905-7	1.00	123 s/d	1.30	193	3.00	380-1	80				
**1099	9.75	**1465-68	1.55	**1941-45	2.50	*930	22.50	*124-5	2.45	*194-95	2.10	381	70				
**1100	7.50	**1469-71	2.50	*1950-3	1.75	954	1.15	*124-5 tone spots	1.05	194-95	3.10	**382-84	1.00				
**1101-2	26.25	**1472	1.00	**1957a,58-60	4.00	*973-7	2.55	*124-5	1.90	195	3.00	382-84	90				
*1105-6	2.10	**1473-74	1.00	**1959-60	2.80	*1032-3	4.05	124-5	1.40	*196-7	12.75	**385-86	90				
*1108	60	**1475-77	2.80	**1961-72	60.75	*1042	4.35	124-7	2.75	*196-7	10.20	**387-88	90				
*1113	7.50	**1478-79	4.15	*1979-82	4.15	*1065A-D	3.85	124-30	4.50	196-7	2.10	388	45				
*1117	6.00	**1480-81	1.50	*1982	1.20	*1069-72	8.25	*125,39 f	2.10	197	1.50	**389-92	1.15				
**1122-5	165.00	**1482-84	1.95	**1991-92	3.20	*1109-12	2.35	*126-7	1.80	197 f	1.20	*392	50				
1123 strip of 3	15.00	**1485	65	*1996-9	4.75	*1117	3.20	126-7	1.40	*198-9	3.75	392	30				
**1126-7	3.00	**1486-87	2.00	*2000-3	5.85	*1118-20	2.85	*127	1.35	198-9	3.00	*392b	2.90				
*1128-9	3.00	**1488-90	22.50	*2008-18	65.40	*1121-4	2.60	128-9	1.05	200-1	3.00	*392b	2.30				
*1133	16.50	**1491	75	*2020-22	7.00	*C12-4	4.70	*128-30	2.50	202	35	*393-94	2.10				
**1134	1.50	**1492-94	1.15	*2020-2	5.55	*C15-8	5.45	128-32	6.25	*204	4.15	*395	40				
**1135	9.40	**1495-8	2.25	*2023	11.25	*C32-3	5.10	129	85	*204-5	12.00	**395-6	85				
**1154-5	2.45	**1499	45	*2023	9.00	*C53	56.00	*130	1.45	*204-5	9.60	**395-402(no 398)	4.25				
*1154-5	1.95	**1503a	9.40	*2024-6	7.50	*C62	4.20	*130 f	75	204-5	2.30	*396	35				
**1159-60	6.00	**1504	1.90	*2034-6	10.50	*O7	3.60	*130 f	60	205	1.40	*396,99-402	3.30				
*1159-60	4.80	**1505-7	1.60	*2041	2.25	*used O72-84	10.25	130	70	*207a-13a	16.00	*397-9,401	2.85				
**1161	11.25	**1508	60	*2042	1.30	O90-100,2,7	2.75	*131-32	7.50	*209a	3.75	*401	70				
**1162-3	3.00	**1509	60	*2073-82	9.20	*O115-22	6.00	*131-2	6.00	212-13	3.50	*405	95				
**1164-5	11.25	**1510	1.90	*2073-79,81-82	8.15	O120-2	1.75	*131 f	60	212	1.75	*408-10	90				
*1164-5	9.00	**1511	75	*2099	40	O123-9,31	1.55	131-32	4.50	213	1.75	410	40				
*1164-5(1165 ng)	7.15	**1512	1.15	*2105	1.70	O162c	90	*133-34	3.90	*214-5	2.10	*411-2	75				
**1167-8	7.50	**1513-15	7.90	*2106	2.25	*O222-4	12.60	133-4	3.50	*216-17	1.75	412	35				
**1169-70	3.00	**1516	9.00	*2202	45	*O225-7	15.40	*135-36	5.75	*216-17	1.40	*413-14	3.00				
**1186-7	11.25	*1516	9.00	*2208	1.00	O226,32-3	1.00	137	1.90	217	80	*423-5	95				
**1192-93	3.40	**1517	65	*2219	95	O228-31(O23 s/d)	6.20	137-8	2.50	*218-9	60	425	40				
**1194-5	3.00	**1518	1.30	*2290	95	O229 s/d	1.15	*139-40	5.40	218-9	40	*426-27	1.00				
**1196-7	4.50	*1519-20	75	2298-2305	10.50	O240	1.90	139-40	2.50	225-6	1.50	*436-9	1.00				
**1204-6	4.30	**1521	40	*2335	95	O242	1.90	*141	2.20	*232-33	1.70	439	50				
**1207-8	5.65	*1522-3	6.75	*2396	1.75	O244	1.50	*141	1.75	*234-35	1.05	*440-2	85				
1216	1.25	**1524-6	3.40	*2415	1.90	O308	1.75	141	70	234-5	40	*443-4	6.40				
**1234-5	7.50	**1527	75	2441	1.00	O312	2.00	*142-44	11.65	235	30	*447-8	45				
**1236-7	8.65	**1528	60	*2621-4	3.15	O324-5	2.50	*142-4	12.75	*238-9	1.05	*449-52	2.40				
**1238-9	3.40	**1529	75	*2626-30	2.10	RA1	7.50	142-4	13.50	*240-1	1.05	*453-5	1.15				
**1240-2	8.65	*1530-32	1.30	*2637-41	3.35	RA2	7.00	142-4 1 pulled perf	4.75	240-1	40	*456	45				
*1240-2	9.00	**1533	60	*2664-6	2.60	RA4	10.00	143 s/d	1.40	241	30	*457-60	1.75				
**1241	3.75	*1534	60	*2667-9	2.70	RA6	8.50	*144	6.90	*242-3	2.80	*459-60	1.00				
**1242	5.25	**1535	6.00	*2874	6.00	RA8	2.25	144	7.00	243	1.00	*461-2	1.05				
**1243-4	18.75	**1536-37	2.10	*B11-5	7.30	RA22	1.50	*145-46	2.20	*244-5	1.05	*463-4	5.25				
**1245-6	11.25	**1538-9	2.65	*C53	60			*147-48	16.70	*246-7	1.25	*466	45				
*1247-8	9.75	**1540-41	1.90	C53	50	IRELAND											
*1259-60	18.00	**1542-6	12.00	*C53-5	1.20	*15	2.00	147-8	13.35	246-7	80	*468	75				
*1261-62	9.00	**1546	3.75	C54	50	*17 f	8.00	147-8	16.40	247	40	*470	75				
**1265-6	6.40	**1547-48	1.15	C55	25	*149-50	30.50	*149-50 f	20.00	*260	70	*472	75				
**1269-70	6.75	**1549-51	3.00	*C57	60	65	75	*149-50	24.30	*261	55	*478-9	3.75				
**1271-2	6.40	**1552	60	C57	60	65 f	60	149-50	6.75	261	1.10	*480-83	1.50				
**1273-4	6.40	**1553	60	*C58	60	65-68	3.40	149-50 f	5.40	262	1.50	*483a	1.90				
*1285	2.45	**1561.6	4.15	*C59	60	*65-76	83.00	*149-52	32.50	263	1.50	*484-86	1.10				
**1286-87	4.50	**1574	60	*C60	75	65-76	61.00	150	13.00	266	15	*487-88	1.10				
**1288-89	7.90	**1575	30	*C60	60	65-70,72-76	58.00	150 f	10.40	*266-7	75	*489-91	1.35				
**1290-93	29.25	*1576	40	C64	5.00	65-74,76	43.65	*150 ng	15.00	268	15	*492-95	1.00				
*1300	3.60	**1577	90	C78	10.00	66	75	*151-2	6.00	*270-71	1.50	496	15				
**1303-4	6.00	**1578-80	1.10	*C83-84	6.75	67	1.50	*151-2	4.80	271	65	*496-7	4.15				
**1305-7	9.60	**1581	2.65	*C86-88	11.25	*68	2.65	151-2	1.75								

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**830a,31a bklt.	6.00	**1539 bklt.	21.00	*J3 f	16.25	**757-69 tabs	3.75	35-6	3.00	**120 ng	12.00	413		1.05			
**832-3	2.10	**1539c bklt.	21.00	J3	7.50	**768 tab blk.	1.20	35-6 s/d	45.50	*121 f	11.60	**413-18		49.00			
**848-51	4.40	**1545-8	5.25	J3 s/d	2.25	**759 tab	.75	38	15.00	*124 ng	2.55	*413-18		18.00			
**855a	3.20	**1550-3	5.00	**J28-36	16.65	**770-800a tabs	10.25	*43 ave ng	217.50	*125 f	19.00	413-18		10.45			
**864-5	2.80	**1554-5	2.10	Q3 s/d	2.90	**800a tabs	.75	43	6.50	126 f	2.40	413-17		7.30			
**918a,b bklt.	6.75	**1559-60	2.25			**829 tele beche		43 f	5.20	127 s/d	.90	413		1.05			
**923-4	1.55	**1568	2.25			sht(32)	4.50	43 s/d	2.40	*133-35 f	7.80	**414		3.25			
**938a	7.50	**1569-60	2.25	ISRAEL	32.00	**829a sheet	7.20	*44 ng	165.00	*133 ave	2.25	414-16		3.20			
**946a,b,947a,b bklt.	8.25	**1571b	11.25	*15 PR tabs gum dx		**832 tab	.40	45-8 f	4.65	133 ave	9.60	*415 thin		1.30			
947b bklt.	13.00	**1575b bklt.	22.50		25.0027 f	**837-40 tabs	2.10	45-8.50 f	13.45	133-5 f	42.00	415		1.05			
**955c	3.20	**1579b bklt.	4.50		5.10	**838	1.00	*46 s/d	71.25	*134 ave	4.80	415-16		2.10			
**959a	5.25	**1580	1.15	**32b	33.75	**848-50 tabs	1.55	46 f	.60	*134	3.90	*416		3.00			
**959a Singapore		**1581	1.45	**32b nib perf.	18.00	**849-50 tabs	.95	46,47,50 s/d	3.75	*135 ave	4.80	416		1.05			
*95 ovpt.	7.50	**1585a bklt.	27.00	*32b	27.00	**852-6 tabs	1.15	*47 ave ng	112.00	*135 ave	2.00	*416-18(413-15) color					
**960-1	1.75	**1586	3.20	45 tab	1.90	**857-67 tabs	3.35	*48 pr f	640.00	*140 f	4.60	changes see Scott note					
**972b prestige bklt.	12.45	**1592	1.50	52 tab	.40	**876-8	1.70	*48 ave	240.00	*140-42 f	18.25			79.00			
**995a,b bklt.	11.25	**1605a bklt.	20.80	*53 tab	.65	**876-8 tabs	3.55	*48 s/d	120.00	*141 ave	6.75	*417		3.90			
**995b	7.50	**1605b	4.50	**65 tab	6.00	**876-9 tabs	5.25	48	3.65	*142 f	4.60	417		2.75			
**1003b	2.80	**1613-14 sht	26.25	**86-7 tabs	.80	876-9	1.20	48 ave	2.85	*143-46 f	9.20	*418		4.80			
**1003b,4a,5a,5b bklt.	8.65	**1613-14	2.25	**88-89 tabs	1.75	878	.40	48 s/d	1.10	*165	13.20	*423-26		1.85			
**1003c	12.00	**1615-18	4.90	*105-16 toning	.75	**880-3 tabs	1.30	48,50 s/d	4.40	165	90.00	432		1.75			
**1004a	2.65	**1618	1.60	**117	20	**888	.70	50	11.00	165 f	72.00	*439		1.35			
**1005a	2.65	**1619	10.50	**117-20	.75	**888-891 tabs	2.25	50 f	8.80	*166	13.20	**463-70		6.90			
**1005b	3.40	**1620	.85	**117-23	1.30	**892	1.20	50 ave-f	7.75	166 f	72.00	**463		.65			
**1005b bklt.	12.00	**1620-2	3.20	**124-6	.55	**892 tab	1.30	50 s/d	4.10	166 s/d	27.00	*463 pr		1.25			
**1060	.75	**1659b	6.00	**124-31	1.25	**896-7 tabs	1.30	*52 ave	262.50	*167	13.20	*used 463-76		26.00			
**1067	7.50	**1661	1.05	**124-31 tabs	1.50	**898-9 tabs	2.95	52-5 ave	24.00	167	90.00	*473A		20.25			
**1073b	2.25	**1662	1.05	**132	.25	899	.70	52-6 ave	31.00	*168	13.20	*474		7.65			
**1073c	3.00	**1663	1.05	**142	.20	**904 tab	1.15	52-6 s/d	15.60	168	90.00	**475		47.00			
**1075b	3.75	**1663-64	2.25	**149 tab	.70	**904-6 tabs	2.10	53 f	8.00	175-77	1.85	*476		5.75			
**1075b bklt.	12.00	**1665	1.30	*154 blk(4)	.75	*906 tab	.50	53 ave	6.00	177	1.15	*476 f		3.40			
**1086-89	1.75	**1671a	2.25	**158 tab	.25	**910-2	2.05	54	4.25	177a	63.00	477		.90			
**1089a	3.75	**1671b	2.45	*160 tab	.25	**913-6	1.05	54 f	3.40	*178-83 f	6.75	477a		1.25			
**1090-92	1.80	**1672	1.90	*160 blk(4)	.75	**913-6 tabs	1.70	54 ave	2.85	*182 s/d	.75	477a s/d		.50			
**1093a	18.75	**1673	1.15	*168-77 tabs	1.50	*917 tab	.40	54 s/d	1.30	182a	20.00	*478-85		1.80			
**1100a(2) bklt.	12.00	**1677b	4.15	*187a	9.75	**917-21 tabs	4.25	55 f	19.00	191	3.65	*486-8		375.00			
**1103a	3.00	**1682 bklt.	30.00	**190,5,216 coils (6)	4.00	*919	.75	55 ave	14.25	191 f	2.90	*487		16.20			
**1104b	4.30	**1683	.95	*194a,6a shts (36)	24.00	**920 tab	1.05	55 thin	8.50	*198	1.80	*488		285.00			
**1104b bklt.	19.50	**1684	.95	**203-14 tabs	5.75	**920-1	.75	55 s/d	7.10	*199	14.50	*488 f-vf		245.00			
**1106Bc bklt.	13.50	**1685	.95	**222 tab	.65	*921 tab	1.15	55 space filler	4.25	*200	10.20	492		11.25			
1107	1.10	**1686	.95	**222-3	.40	931	1.40	56 f	8.80	201 f	6.40	*495-506		88.00			
1109	1.90	**1690 bklt.	21.00	**226,227	.40	**943-50 tabs	6.10	56 ave	6.60	201 s/d	2.40	*495-505		55.00			
**1111A	19.00	**1694a bklt.	25.50	**228a	1.70	**952-3 tabs	2.15	56 s/d	3.30	*used 213-28	25.50	501		1.50			
**1119a	5.10	**1694c	5.80	228a	.90	*956-9 tabs	6.00	57 s/d	160.00	228	2.00	*502		5.40			
**1123a	5.45	**1697a bklt.	29.00	**238-40 tabs	2.25	**961-2 tabs	1.70	*58-60,2-3 ave-f		*232-38	79.00	503		5.00			
**1124-5 sht	22.30	**1702a bklt.	11.25	*241 tab	1.20	**965-7 tabs	6.75	dist. gum	39.00	232-5	37.00	503 f		4.00			
**1142c	4.15	**1704	5.25	*245 tab	.75	*968-9 tabs	1.75	*58-63 ave-f	51.00	*239-41	5.25	504		1.25			
**1144b	6.75	**1707a	2.25	*250 tab	4.15	**970-2 tabs	1.45	*used 58-63 s/d	22.00	*245 s/d	2.20	505		3.00			
**1144b bklt.	8.65	**1707b	2.25	*250	.50	*973 tab	1.30	58-63 (60 s/d)	63.00	245	5.50	*506 s/d		23.00			
**1156a	7.50	*1713a bklt.	11.25	*250 tab	3.30	*974 tabs	.95	58 s/d	1.05	245 f	4.40	*506 pulled perf.		16.50			
**1164a,b bklt.	9.00	**1718	1.15	*251-4 tabs	5.80	*979-81 tabs	2.25	59	3.50	*248-56	97.00	506		11.25			
**1164c	5.25	**1720a,22a	5.65	*256-8 tabs	2.60	*982-8 tabs	3.65	59 f	3.20	*251	18.00	506 f		9.00			
**1168 sht (16)	24.00	**1722b	5.25	*271a	1.05	*988,90 tabs	.90	59 ave	2.40	251	2.00	510-13		2.65			
**1172b	6.95	*1722c bklt.	22.50	271a	.70	*988a	.75	*60 s/d	8.65	253	6.00	513		1.25			
**1174	.75	*1727a bklt.	4.30	*276-91 tabs	7.50	*989	2.25	60 f	19.00	254	6.00	*514		15.60			
**1175	.95	**1728a bklt.	11.25	*276,83-6,9-91 tabs	4.20	*991-3 tabs	1.80	60 s/d	6.40	254 f-vf	5.40	514		3.75			
**1183a	2.65	**1729	1.70	*289 tab	.45	*994-5 tabs	1.45	61 f	2.80	*262	37.50	515-7		20.75			
**1185 sht.	22.50	*1729a bklt.	16.90	*290 pr tabs	1.50	*996-8 tabs	1.20	62 f	15.00	*262	12.00	518		50.00			
**1208b	6.00	*1730-1	2.55	*290 tab	.50	*999-1001 tabs	2.45	62 s/d	5.65	262	4.75	518 crease		20.00			
**1216a	16.90	*1732	1.15	*291 tab	1.15	*1004-6 tabs	1.50	63	27.50	262 f	3.80	524		4.00			
**1223	1.15	*1738b bklt.	22.50	*298-303 tabs	1.15	*1012 tab	3.40	63 f	22.00	*263 s/d	3.50	526		1.00			
**1230	1.30	**1744	1.15	*323-8 tabs	4.50	*1014-5 tabs	.70	63 s/d	8.25	263 f	6.40	527		18.75			
**1231	2.00	**1745	1.70	*330-32 tabs	.60	*1025E	4.50	64-66 f	41.00	263 ave	4.80	537		1.65			
**1235a sht(4)	15.00	**1746	1.15	*334-6 tabs	1.30	*1041 imp	36.00	65 f	4.40	*265-67	25.00	*538-39		48.00			
*1235a	4.50	*1747a	11.25	*361	.20	1049	.60	65 ave	3.30	265-67	4.20	*547		1.20			
**1236 sht	206.00	**1750-1	2.80	*370-4 tabs	.95	*1320 tab	.50	65 s/d	1.65	267	2.40	*555-7		7.60			
**1239a,41a	3.75	*1750a	1.15	*375a	.30	*1320b	15.00	*65-6 ave-f	358.00	*268-79	84.00	*560		14.70			
**1242-3	1.90	*1750a,1a	2.80	*378-80 tabs	1.50	*1328	3.20	66 f	17.00	270-76	12.65	*562		6.30			
**1242-3,5a	5.10	*1751a	1.70	*381-5 tabs	1.15	*1332	.45	*67 ng	165.00	275	2.00	*566b		19.50			
**1246	11.25	*1753a,5a	5.65	*386-93 tabs	2.80	*1332 tab	.50	*67 ave ng	137.50	*276	22.50	567		1.50			
1246,9a,51a,4a,		*1762	1.20	*386-9,90-2,3 tabs	1.30	*1333 tab	2.45	*67 ave part gum	148.50	276	4.00	577		2.15			
58a,61a in folder	67.50	*1762a	31.90	*389A sht (36)	6.75	*1339a tab	3.00	67	1.15	*280-89	100.00	580		27.50			
**1262,4-5	2.95	*1764a	12.00	*389Ad(2) bklt	1.05	*1342 tab	2.10	67-71	12.35	280-86	10.40	*583 s/d		4.80			
**1262-5	3.70	*1765a	5.45	*389Ae sht (18)	5.00	*1348-50 tabs	2.10	67-70 f	6.30	*286	60.00	*583 pr imp		37.50			
**1269c bklt.	15.00	*1766a	12.00	*389Bf	.70	*1362	2.80	68	1.15	286	2.00	586 thin		.60			
**1279	1.50	*1767	1.80	*389c,389Ad		*1404a tabs	2.80	68 f	.90	287	43.75	589		5.00			
**1280	5.65	*1767a	5.45	shts (36)	10.00	*1630	2.65	68 s/d	.45	295	1.20	590-91		1.50			
**1285a	10.50	*1772a bklt.	18.75	*394-400 tabs	3.65	*1633-6	4.90	69	1.15	*296	4.80	592-93		2.50			
**1290-1	2.25	*1773	1.90	*399 tab	.95	*1637	5.05	69 f	1.00	*296 crease	1.60	596		9.50			
**1300	6.00	*1773a	18.75	*400 tab	1.70	*1642	5.10	70	4.50	299	2.00	597		.75			

4

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET		
**480		1.00	**720a		23.25	**1378-9		2.80	**577-9		2.10	**1015A-E		2.90	498		11.25		
**481		1.30	**721-3		6.20	**1381a		4.00	**608-10		2.65	**1028-31		3.00	506,a,7,a-c	1.00	**1187-90		11.25
**483		2.45	**721a-23a		18.00	**1382		3.40	**611-13		4.50	**1032-6		3.05	506,6a,7,b,c	.95	**1191-3		5.25
**485-86		2.50	**728		2.45	**1382e		1.60	**636-37		1.90	**1038-42		4.20	506,a,7,c	.75	**1200-3		5.40
*485-86		2.00	**728a(2 nd printing)		30.00	**1434		5.65	690a		3.25	**1043		1.50	509-11	1.65	**1217-9		5.25
**485a		2.80	**730-2		10.15	**1435-6		4.50	726		1.40	**1044-8		3.40	512	.50	**1234-5		4.90
**486a		2.80	**730a		7.00	**1437		13.15	**734-39		6.00	**1049-51		3.25	516,18	.95	**1236		2.25
486a		1.75	**731a		7.00	**1438		4.90	762		6.25	**1052-6		3.40	525a-c,26	.60	**1278-93		19.75
**487-88		6.60	**732a		7.00	**1452a		2.25	763		28.75	**1057		1.50	527-8,30,32	2.50	**2400		5.65
*487-88		5.25	**735-6		2.25	**1452a-5a		10.50	763 thin		11.50	**1058-62		3.65	**528	2.65	**2567c		6.40
**489-90		4.15	**735-36		1.75	**1463a		2.45	**790-91		2.45	**1063-6		3.20	536	.50	**2568c		6.40
*489-90		3.30	**735a		5.65	**1481a		5.05	**841-42		3.00	**1078-81		3.90	**549	1.90	**B26-30		16.30
**490a		3.20	**735a-6a		11.25	**1481Fg		15.75	863		50	**1103-6		4.25	**571	2.10	**B31-4		12.60
490a		2.40	**738-46		11.80	**1490a		10.15	866		.60	**1113-7		3.85	577-9	.80	**B34a		4.35
**492a		18.00	**738a-40a		14.65	**1490Fg		12.00	867		1.15	**1127-9		4.05	588-9	.90	**C54-6		1.60
*493		1.20	**741a		4.90	**1507a		16.90	868		1.90	**1130-4		4.05	**594	1.90	**C67 imp		2.10
*493-95		5.15	**742a		4.90	**1541-4		2.40	869		4.25	**1143-7		2.75	596,8	.60	**C67a		18.00
**496-98		9.00	**743a		4.90	1594C		.50	870		7.00	**1148		2.25	619	.30	**C67a toned		7.20
**499-501		6.70	**744a		3.75	**1595a		1.70	**872-73		3.60	**1155-9		3.95	620	.60	*C67a		14.40
**499a-501a		7.50	**781-6		29.25	**1613a		3.00	**880-81		3.00	**1155-9,60		5.80	643	.25	**C77		30.00
**500		2.45	**781-5		19.50	**1643-50		4.65	**888-89		4.90	**1170-3		5.20	645	.50	**C77 sht(4)		
**508a		3.20	**781-6		29.25	**1660a		3.40	**971-72		4.50	**1174-7		5.40	**646-9	4.90	**UNICEF		120.00
**510		1.60	**781a-6a		54.00	**1664a		3.00	**985-86		3.20	**1178-82,83		7.50	646,8-9	1.20	**C77		24.00
**511		5.65	**785b		29.25	**1668a		2.45	**995-6		3.50	**1184-6		4.65	650a-b	.45	**C77a		26.25
*511		4.80	**786		4.90	**1685b		3.00	**997-98		4.50	**1187		2.45	**651	2.45	**C103		1.30
**523-25		30.00	**787a-9a		18.00	**1692a		4.90	**1007-9		3.40	**1188-91		5.65	656-8	1.00	**C113		1.15
**525		6.40	**790-4		20.65	**1696-9		1.50	**1010-12		4.70	**1192-4		4.05	659-60	.95	**C119 imp		2.10
525		.75	*790-4		16.50	**1749a-50a		3.00	1022		.70	**1203-6		4.30	664,5,7	.85	*C127		2.65
**534		2.65	**790a-4a		45.00	**1765a		2.45	**1024-26		7.90	**1207		3.00	675	.25	*C133		1.30
*535		1.50	*790a-4a		36.00	**1775a		3.00	**1049-51		4.85	**1208-12		4.50	681-3	1.00	*C136		3.00
**535a		2.65	*794b		21.00	**1779a		2.25	**1058-60		4.15	**1213-6		3.85	692	.65	*C138		1.30
*538a		1.50	**795		15.00	**1787a		2.25	**1061-63		4.15	**1217-20		4.15	693,5	.75	*C140		1.50
538a		2.00	**797		1.00	**1810-1		1.85	**1070-72		5.65	**1221-5		4.75	695	.50	*C145		.95
**539		7.15	**798		1.50	**1869-72		3.00	**1078-80		6.00	**1221-6		7.20	696-7	.55	*C150		1.50
**541a		2.80	**798-9		3.00	**1912a-15a		3.90	**1105-7		6.00	**1226		2.45	711-2	1.00	*C152		2.25
**543a		2.45	*798-99		2.40	**1922a		3.00	**1111-13		5.65	**1227-30		4.00	714	.50	*C159		1.30
543a		1.75	**804-5		2.65	**2057a-8a		3.00	**1123-25		4.15	**1231-5		4.60	725	.65	*C161 imp		11.25
**544-5		12.30	**804a		17.25	**2076		3.40	**1158-60		5.45	**1231-5,6		7.00	727-8	2.05	*C161		1.05
**545a		12.00	**805		1.30	**2140		2.65				**1237-41		3.50	**758-59	4.50	*C162		1.30
**546a		2.65	**805a		17.25	**2237		16.50				**1237-42		7.80	*B6	.30	*C163		2.25
**547a		2.80	**808a		9.40	**2256		15.00				**1242		4.30	*2N37-44 see note in		*C166		1.30
547a		1.75	**810-1		2.85	**B6-7		4.50				**1243-6		4.00	Scott set of 8 imp	.50	*C167		1.30
**548a		2.80	**811a		9.40	**B7		2.25				**1247-9		3.55			*C172		1.90
548a		2.00	**823-4		4.90	**B8		3.40				**1250-3		4.40			*C177		2.80
**549a		3.00	**824		2.45	**B9		3.40	**80-86		2.25	**1254-8		4.45	**272		C187		1.40
**550a		3.20	**827-29		4.30	**B12		5.65	**162		1.00	**1259		2.65	**281	6.40	C207		1.25
**552-4		6.05	**831b-33b		7.50	**B16-17		1.05				**1260-4		4.45	**336-9	5.00	*C212 imp		8.25
*552a		1.80	**832		1.00	**B19-20 shts (20)		21.00				**1265-7		3.60	**344-50	8.65	*C219		1.90
**552a-63a		49.50	**835-6		2.05	**B34a		2.10				**1268-72		3.90	**381-4	6.45	C219		.70
554a		2.40	*835-36		1.65	**B35		1.15	*8 ng		58.50	**1272		1.50	**415-7 f-vf	1.40	*C220		1.90
**558-60		10.90	**841a		3.40	**B36		1.15	8		50.00	**1273		2.65	*434-5	12.60	*C222		2.45
558a		3.25	**842-3		2.25	**B42		2.65	*75 f		4.00	**1284-8		3.55	*440	1.00	F20-24		8.75
559a		3.25	**844		6.40	**B43-6		3.00	*75 cds		6.00	**1289-91		1.60	**445				
560a		3.50	**845-54		9.85	**B47-50		3.00	*77		16.50	**1292-5		3.65	C164	1.20			
**561-3		7.70	**845-6		1.90	**B47-54		3.30				**1296-1300		3.00	C192	.75			
**561a		3.00	**847-8		2.20	**B51-4		2.25				**1296-1301		5.25	**C284-5	1.70	*2		.85
561a		2.00	**849-50		2.25	C22		1.75	**48-51		2.40	**1301		2.25	**C285a	34.00	*21 f		1.10**135-36
562a		3.00	**851-2		2.25	C26		5.00	*48-51		1.70	**1305-10		4.75	**C285a		.45135-46		
562a		2.00	**858a		3.75	**C43		1.70	*48-51		1.10	**1305-11		9.00	**B62-8	3.15	*137		15.00
**563a		3.60	**859a-68a		45.00	**C43a		8.65	*52-5		1.10	**1311		4.30	**RA12-3	4.70	**138		.70
563a		2.40	**871-2		3.00	**C44		2.10	*,used 52-5		1.00	**1319-21		1.65			*139		15.00
**564a		2.65	**875a		12.00	**C45		2.65	52-5		.85	**1322-7		3.25	**25-36	8.55	**140		1.30
**566-7		21.00	**876-77		1.65				52-5 blocks		3.30	**1322-8		9.00	**56	1.60	**141		16.90
**567a		15.00	**880a-1a		6.75				54-5		.50	**1329-35		8.70	231	1.90	**142		16.90
**579		18.00	**883a-92a		32.50				*,used 60-5		1.90	**1336-40		2.00	232	2.50	**143		2.25
*579a		50.00	**884a		5.65				**66-69		4.45	**1336-40		1.65	**262-65	1.30	**150-2		5.00
**579a		36.00	**893-902		9.85	**634-38		14.80*636-8	*88		.90	**1341-6		3.60	**277-75	164-5	*137		.70
**580a		4.15	**893a-902a		30.00	**156-9		10.95	**156-9		10.95	**1347		3.75	296	1.00	*139		15.00
**580-1		4.90	**914a		3.40	**657-60		9.00	**244-5,C114-5		9.00	**1348-53		3.75	**301	1.00	**140		1.30
**580a		3.75	*916a		5.45	**703-5		2.30	**268-8C		2.80	**1348-54		7.50	301	.80	**141		16.90
**581a		4.15	**918a		5.65	**744-48		13.50	*268-8C		2.25	**1354		3.75	**318	.75	**142		16.90
581a		2.50	**922b		2.80	**787-92		8.25	**336		4.15	**1355-8		1.85	318	.50	**143		2.25
**586		1.10	**923a-24a		6.00	**800-3		6.00	**386-91		5.25	**1359		7.00	**319	1.90	**149-2		5.00
**586-87		2.30	**931a		3.55	**1274-77		5.25	**405-10		3.25	**1359a-i s/s (9)		7.15	**321-4	18.25	*150-2		5.00
**587		1.20	**932a-41a		18.00	**1290-94		5.25	**426		1.45	**1359j		11.25	**337A	1.30	*150-2		5.00
**588-9		4.15	**944-53		7.90	**1424-28		3.90	**459-64		3.10	*B2		1.50	*358 sht (8)	2.40	*150-2		5.00
**592-3		5.10	**952-3		2.40	1435a		5.00	**467-72		3.40	B6-8 blocks		3.00	*407	3.00	*150-2		5.00
**592a		2.80	**954		3.40	1466a		3.75											

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**1130-5		6.70	**733-4		.75	**1369		1.50	**417		5.65	**302a		1.70	**791a		15.00
**1136		3.40	**735-6		1.15	**1405		1.50	**418		16.90	**307-10		3.00	**794		2.25
**1164		6.40	**737-9		1.65	B14 s/s trimmed		25.00	**469-71		8.25	**314a		2.60	**809		2.10
**1164a-p		6.00	**740-3		1.70	**B18		26.25	**485a single		5.65	338		.90	**820k bklt		79 f
**1165		2.60	**744-6		1.15	*B18		12.60	**486-88		9.30	**369a		1.50	**821-24		6.20
**1169		1.90	**747-50		2.20	*B22-3		.90	**500-3		9.90	**370-3		8.70	**844		5.10
**1185		6.75	**751-3		1.00	**C24-33 (*C33 one stamp			**504a single		4.30	**374-7		2.85	**1093		2.65
**1214		6.75	**754-5		.80	hinged) shts of 9		337.00	**522a single		4.30	**378-81		2.10			
**1215-8		6.00	**756-8		1.85				**540a single		4.50	**418		12.75	MALAYSIA-SABAH		
**1216-8		3.40	**759-61		1.90	LITHUANIA			**560a single		3.75	**422a		2.65	*1-16		44.00
**1218		1.15	**762-5		1.30	*264-67		1.25	**577		45.00	**442-5		4.90			
**1239-42		15.00	**766		.75	*264a,268a		3.10	**583a single		6.75	**450-3		13.15	MALDIV E ISLANDS		
**1239a-42a		6.75	**767-8		3.75	**265-68		2.05*267 imp	**611a single		3.00	**458-61		14.50	**10 f		3.75*68
**1248		7.50	**769-71		1.00			1.35	**624b		11.25	**470-3		10.20			7.50
**1249		7.50	**772-4		2.15	*267-8 imp		2.70	**639b single		3.20	**482-5		7.15	**86a		1.80
**1273		7.50	**779-80		.85	*268 imp		1.35	**647a		13.20	**485a		10.50	*86a		1.45
**1274		6.75	**781-3		1.25	*268 perf		1.35	**682		3.40	485a		8.50	**146a		3.00
**1275		5.25	**784-6		1.80	*275 imp		.90	**757		2.10	**498-501		16.30	*234a		3.15
**1316		16.90	**799-800		2.55	*275-6 imp		2.40	**789a		6.00	**550-3		10.15	**298-301		3.85
**1320-1		6.00	**801-3		1.30	*276 perf		1.50	**796a		5.45	**554-7		10.15	**301a		2.80
1329a-c		15.50	**804-5		.85	*276 imp		1.50	**812-15		3.00	**562-5		13.00	**301a w/ 1970 ovpt		6.75
1352		6.00	**806-8		2.65	*277G imp		1.35	**823a		4.15	**565a		19.50	**479		9.00
1368		5.00	**809-12		1.90	**317-22		3.40	**825-28		2.25	**566-9		12.60	**488		14.25
1378		5.00	**813-5		1.80	**465-67		1.50	**859		4.50	**569a		12.75	**495		7.15
1380		18.75	**843		1.15	**472a		3.00	**868a		4.50	**570-3		14.80	**502		4.15
1387		10.50	**844-6		1.35	**491		.40	**873		3.60	**574-7		12.00	**533-40		12.90
1404		4.65	**848		2.65	**568-69		1.50	**877		3.75	**577a		13.50	**592		15.00
1420		1.75	**858-9		1.05	**598		1.00	**974a		4.90	**578-81		15.40	**622-29		6.00
**1421		9.75	**861-62		1.40	**628-29		1.90	**977a		1.00	**598		45.00	**622-29 imp		6.00
**1424		60.00	**863-4		2.95	**691-92		2.25	**983		2.65				**630		11.25
**1414 crease		20.00	**864		1.90	**722		1.15	**1001		1.90	MALAYA			**630 imp		11.25
B3		15.00	**865-67		2.35	**866		1.30	**1008		1.70	14		80.00	**638		7.90
**B175-6		17.65	**872		1.70	LUXEMBURG			**1010		1.70	14 f		64.00	**639-41 imp		4.50
**C58-60		2.85	**873-76		2.40	4 f		230.00	*C6		16.50	*19b		8.10	*642		7.50
LIECHTENSTEIN			**877-79		2.10	5 ave		210.00	MADAGASCAR			*20a		7.50	**642 imp		7.50
*1-3		128.00	**880-81		1.20	5 s/d		105.00	(FRENCH MALAGASY)			22a		4.75*24	**662-7		3.25
*2 f-vf		47.00	**882-84		2.65	9 f		140.00	63-8		3.75	24		8.75	**662-7		2.60
*2a		45.00	**886-87		2.45	*10 thin		80.00	*130		.70	35 f-vf		63.00	**668		3.75
*3		51.00	**898-900		3.20	10 thin		60.00	239 f		.90	*38		5.70	*668		3.00
*4-9		7.20	**901-2		1.60	11 w/ cert		150.00	**300		60	62		4.25	**743-8		1.45
4-9		4.50	**903		2.45	*12 f		480.00	**369a,370a		1.80	68		2.50	**743-48 gtr prs		2.90
**11-6(15 thin)		46.00	**904-6		2.85	**12 f		450.00	**381		.75	73		50.00	**743-8 s/s (3)		4.30
*59a ng		10.50	**907-10		3.70	32b		550.00	**382-83		2.75	**80-83		6.00	**748 s/s (3)		1.40
*62		42.00	**911-4		2.65	33c		1625.00	**382		.75	**105-7		2.70	**749		1.50
*64		51.00	**921-3		2.80	42		55.00	**383		2.00	**108-10		3.00	**750-56		8.05
*69		144.00	**924-5		1.45	*55 f		95.00	**440-43		24.50	111-13		4.90	**750-56 imp		8.05
85		35.00	**927		2.10	62a sh perf		90.00	**447-49		3.10	**114-15		1.55	**757		10.50
104		175.00	**928-9		4.15	**217		83.00	**1001C-J		9.75	*J7		13.15	**757 imp		10.50
**237		2.80	**928-9 shts(8)		33.00	**242-5		11.25	**1014-20		5.40	J15 f		1.40	**758-64		6.35
*237		1.20	**930,3A-4,6-8,41		4.05	**261-4		18.75	**1014-21		7.95				**794-8		1.50
*239 s/d		1.80	**930-3,4,6-9		4.10	**272-7		131.00	**1029-35		4.45	*16		18.00	**815-19		1.80
273		3.00	**931,933,935,939		2.10	**315-7		34.00	**1037-43		4.50	*17		84.00	*826-32		1.05
276		16.25	**942-4		3.05	**324-5		2.65	**1037-44		6.80	21		11.25	**835		5.65
283		3.60	**945-7		2.85	**326-8		4.90	**1064-71		8.05	65		5.75	**855		5.25
**289-92		32.00	**952-54		2.35	**344-5		.75	**1080-6		5.75	122		225.00	**873		.95
**293-6		13.50	**955-56		1.55	**354-5		2.65	**1087		3.60	*127		15.60	**874 imp		1.00
**297-300		16.90	**957-58		1.75	**359-60		1.15	**1106-13		7.70	*128-29		17.55	**874 shtlt(9)		8.45
*297-300 dist gum		6.95	**960-63		3.00	**376-9		3.00	**1114-20		10.75	*146		5.10	**874 shtlt(9) imp		8.45
**303-6		13.15	**967-68		4.60	**384-5		.55	**1114-21		14.50				**875		1.20
**308-11		24.40	**970-72		3.30	473		35	**1122-28		6.00	*4		21.00	**875 imp		1.20
**312-4		12.00	**973-75		3.25	*603		3.40	**1122-29		9.85	MALAYA-KEDAH			**881		.75
**317-9		11.25	**976-78		3.60	*608		2.80	**1173e		13.50	43		63.00	**882-5		3.80
**320-3		15.75	**979-80		1.90	*630		3.00	**1182-88		3.75	*95-105		36.00	**887-96		10.00
*326-28		6.30	**985		4.30	**729-30		3.00	**1182-89		6.40				**896		4.50
**329-31	</																

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET		
**J27a-31a		1.45	**992a.5		10.90	**C624-8		1.00	**1285		3.75	**134 blk		75.00	**2169		9.00		
MAURITIUS	5b thin	170.00	**992a.5a		8.70	**C627-31		.95	**1301		1.20	**134		18.75	**2173a		3.40		
	21 thin	32.00	**995a		5.65	E22		1.65	**1302-3		4.50	**144-8		35.25	**2175		4.50		
	*32 f ng	25.50	**996-1001		14.25	JX25 s/d		15.00	**1305-6		1.90	**203-10		3.30	**2176-9		8.25		
	*35 remainder	10.00	**998a		15.00	O11		3.00	**1307-8		6.75	**223-4		3.75	**2187		2.60		
	*54 foxing	60.00	**998a,1000a		27.00	O12		3.00	**1309-10		2.75	**304-7		33.75	**2201-7		3.10		
			**999		3.00	O16		15.00	**1316-17,18-21		13.15	**359		3.40	**2208		3.00		
			**1000a		22.50	O17		9.00	**1323-28		9.30	**439-46		3.40	**2227		7.50		
	76 f	214.00	**1060,1,5,70		90	MICRONESIA			**1329-30		2.25	**488-94		4.10	**2237		7.50		
	89	.90	**1111		70		**4a		1.45	**1334-35		1.70	**496-503		3.40	**2238-46		3.25	
	99	1.20	**1141,50		45		**20		6.40	**1342		90	**514		3.40	**2255A-I		8.15	
	103 f	2.00	**1161,C556-7		65		**155		3.60	**1343		60	**523		2.65	**2246A		3.00	
	109	2.15	**1162,5		45		**155a-h		3.60	**1349-50		5.25	**534-8		1.45	**2246A-B		6.00	
	*115 ng	9.00	**1178,82,86		70		**178		5.05	**1351-52		2.65	**534-8 blks(4)		5.70	**2246B		3.00	
	129	1.50	**1189		1.70		**191		4.30	**1353		1.50	**542-9		3.45	**2247		6.00	
	152	2.25	**1211-14		90		**195		2.05	**1358		1.70	**624-30		4.80	**2247Oq		11.25	
	*208-10	1.05	**1215-7,9		90		**213-26		17.85	**1366		4.90	**643-9		3.25	2247q		11.25	
	*225-28	1.10	**1220-2		70		**233a-h		7.15	**1385		2.25	**667-74		3.60	**2255K		3.40	
	*SG# 251a	19.00	**1226-9		1.00	MONACO	**238		3.95	**1406-9		2.75	**686-8,90,2		1.90	**2255K-L		6.75	
	**266-69	1.05	**1231-3		70		**238a-h		3.95	**1418		5.65	**686-92		3.80	**2255L		3.40	
	**276-90 bklt	47.00	**1231-3		55		**249		9.40	**1431		2.25	**795-801		3.50	**2256		15.00	
	*276-80,82-83	4.40	**1234-7		90		**249a-h		9.40	**1436-7		6.00	**796-801		3.30	**2269-77		4.50	
	*289	8.40	**1248-50		75		**267		1.90	**1440-1		3.00	**834-40		4.30	**2278-9		6.75	
	*290	15.60	**1251,4,6-9		1.45		**273 sht(6)		5.65	**1446		3.00	**850A-G		25.50	**2338-40		6.75	
	**295-98	3.05	**1260-3		90		**715		15.00	**1457-60		3.10	**851-7		4.20	**2335-7		16.90	
	*296-98	2.10	**1264-6		70		**C1-3		1.80	**1472		4.90	**858-64		4.10	**2382-83		1.50	
	**299-301	1.60	**1267-9		70			*2 f		23.00	**1473-74		1.70	**880		3.00	**2463		4.15
	*299-301	1.25	**1270-3		90			*2 ave-f		20.00	**1475-76		1.70	**881-7		3.50	**B1-5		4.45
*302-5	1.80	**1274-7		90	*2 ave			17.25	**1477-78		1.30	**904-10		2.65	**B17-8		5.65		
*306-20	10.25	**1290-2		70	*2 s/d			8.60	**1479		2.45	**928-34		3.30	B17-8		5.65		
*321-26	1.75	**1297a		3.00	*5			210.00	**1480		1.00	**935-6		1.90	**C4		2.65		
*327-32	7.15	**1306a		11.25	*5 s/d			53.00	**1481-85		9.40	**954-60		4.95	*C163		2.10		
348	5.25	**1321a		2.10	*6 f			37.50	**1487		1.20	**961		3.40	MONTENEGRO				
353a	1.50	**1335a		3.00	*6 ave-f			26.25	**1493-95		2.75	**962-8		3.40		**59a	3.45**128b		
354	2.50	**1341a		3.00	6 s/d			11.25	**1493		75	**982-8		5.10					
355b	8.00	**1347a		2.65	*15 ng			30.00	**1500		6.00	**997-1003		4.50					
**356a	21.75	**1348		1.00	*15 ng f		35.00	**1505		.85	**1012-8		3.40	**128C		32.00			
**357-62	3.00	**1385		2.80	*15 s/d		15.00	**1508		1.00	**1027		3.45	**159		4.50			
**357-60,62	2.40	**1388a		3.00	15 ave		4.80	**1509		6.00	**1028-36		6.00	**246-47		3.60			
**385-88	3.15	**1389		2.65	*17 f ng		52.50	**1510		2.10	**1038		3.40	**248		3.60			
**391-92	2.30	*1389		2.10	*17 ave		53.00	**1513		3.60	**1040-6		4.10	*J26		1.05			
**411-14	2.10	**1397a		3.40	*17 s/d		26.00	**1525-28		3.75	**1128		2.65	*2N24-32		83.00			
	**419-23	6.75	**1403		2.25	*20 f		16.25	**1529		.85	**1129-35		3.45	MONTserrat				
	**439a	3.75	*1403		1.80	*20 s/d		41.25	**1531a		18.75	**1137-44		9.60		**264-67	.85		
	**440-43	6.00	**1498		1.15	C54 f		4.00	**1539		3.75	**1145		5.60		**268-73	3.70		
	**440-43 gtrr prs	12.00	**1995		18.00	*C75		1.80	**1540-41		2.25	**1209-16		3.40		**273a	11.25		
	**464	1.60	**2066		.95	*C100-2		7.50	**1542		1.90	**1224-30		3.00		**274-77	1.15		
	**465-68	6.70	**2066 blk (4)		3.75	*C111-3		15.00	**1544		2.65	**1231		3.00		*274-77	.90		
	**465-68 gtrr prs	13.35	**2118		3.75	*C126-8		7.50	**1545		1.50	**1232		3.40		*278-81	4.15		
	469-72	12.15	**2401		15.75	*C143-7		22.30	**1549		1.50	**1233-40		3.45		*288-91	3.40		
	**479a	3.75	**2490,91,d,92,93d,98a			C184		1.00	**1564a		18.75	*1264-70		2.05		*295a	12.00		
	**487	1.30	2500,d,2,2,d		11.00	*548-51		3.00	**1577-78		3.40	**1369		3.40		*296-99	1.15		
	**502-5	3.00	*B1		12.00	*562-5		2.60	**1608a,9a		16.50	**1377		2.45	MOZAMBIQUE				
	**507-10	1.95	*B2		15.00	*562-65		2.10	**1616-19		3.40	**1378		3.00		**362a	3.00		
	**511-14	2.20	**C13 f		18.75	*587-89		2.60	**1624a		20.65	**1378		2.25		**362a blk(4)	2.25		
	*520-22	1.30	*C13 f		18.75	*613		4.70	**1643-44		3.40	**1378		2.25		**363-65	.60		
	520-2	1.30	*C75		1.80	*613		3.75	**1643-44		3.40	**1378		2.25		**363-65	.60		
	**523-29	2.90	*C100-2		7.50	*693-8		11.00	**1675		1.00	**1379-82,4		2.10		**366-69	1.55		
	**530-32	2.20	*C111-3		15.00	*722		1.20	**1683a		20.65	**1379-82,4 blks(4)		8.25		**369a	2.45		
	**537-39	2.25	*C126-8		7.50	*781		1.90	**1685-88		3.45	**1379-82,4 shts(25)		52.00		**385-88	.85		
	**540-43	3.75	*C143-7		22.30	*J1		.90	**1695-96		6.00	1473		2.00		**393-96	1.40		
	**540-43 gtrr prs	7.50	C184		1.00	*J7		.65	**1712		1.00	**1514-20		2.70		*302-5	.90		
	*548-51	3.00	*C189		.95	*J8		2.25	**1713		1.60	**1521-7		2.70	*305a	3.20			
	**562-5	2.60	*C189		.75	*J8-13		11.50	**1714-15		3.30	**1538E-H		2.25	**313a	.55			
	*562-65	2.10	*C193		2.25	MEXICO			**1717a		20.65	**1546		2.60	*322a	2.65			
	**587-89	2.60	*C220E		.70		*204-8		7.00	**1737-39		3.40	**1562H		3.00	*337-39	1.70		
	*613	4.70	*C220F		3.75		*204-8 (207 toning)		3.95	**1761a		22.50	**1584-90		2.80	*358a	1.50		
	*613	3.75	*C237		.65		*204-8		5.55	**1816a		11.25	**1591		2.60	*362a	3.00		
	**693-8	11.00	C237		.15		*204-8,CB7-10		55.00	**1841		7.90	**1620		3.00	*363-65	1.15		
	*722	1.20	*C239-40		.50		*209-13		9.40	**1843-7		7.05	**1646		3.40	*274-77	.90		
	*781	1.90	*C256		3.60		*209-11,13		4.65	**1851		1.80	**1659		2.60	*278-81	4.15		
	*J1	.90	C256		1.50		*209-13		7.50	**1883-5		3.85	**1661-7		2.85	*288-91	3.40		
*J7	.65	*C262		1.05	*237-9			.75	**1905a		9.00	**1668		2.60	*295a	12.00			
*J8	2.25	*C262		.85	*247-49			.50	**1925		10.								