



WORLDWIDE
NAMIBIA – RYUKYU IS.

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
NAMIBIA																		
**759-61		1.70	*61 s/d		3.30	B15a		4.90	**C11		25	**402		6.20	**680a		.95	
**999		4.50	61		1.60	B53a		9.75	J2 f		8.00	**405		1.70	680a		.65	
**999k		4.50	69		1.60	*B102 f		2.90	**J3		8.15	**447		1.50	**693-5		.50	
999l	4.501060-63		69 f		1.30	*B134-8		2.40	*J102		7.80	**501		1.50	694 blk (4)		.50	
	7.20**1212-14		*76 s/d		1.40	**B144-5		6.00	NETHERLAND									
	7.50		**77 f		20.00	**B144a		.6800	ANTILLES									
NATAL																		
16 f		14.00	*80 s/d		22.00	*B144a s/d		13.50	*295-300		.90	*B11		1.35	*B12A-B		1.35	
41 pen canc		2250.00	83a		55.00	*B149-53		.75	**410-13		1.05	*C16		1.05	697		.45	
55		60.00	*84		60.00	*B154-8		.75	*527-30		3.15	*C17		1.05	701		.15	
*63 ng		45.00	84 f		1.30	*B159-63(used B159)		1.45	**811a		7.70	*C19		1.45	701-3		.30	
79 pr SG# 114d,h		10.00	106		.80	*B164-9		1.80	**C26		3.00	*C26		3.00	702		.15	
			**110 f		45.00	*B164-7		1.20	**C31		9.00	**C31		9.00	**703b		.45	
			153		.20	*B164-8		1.50	*17		.75	**C33		18.75	703b		.30	
			**156 f		20.00	B164-9		1.15	**22		8.70	*C38		13.50	**718		.20	
			*158		21.00	B180-4		1.05	*25		12.00	*C38		10.80	719-23		.55	
*9 broken "n"		50.00	160		.40	*B182		.75	*28		30.00	*C49		7.20	720		.15	
*17 type II		4.00	161		.35	B189-93		1.05	*29 thin		8.00	**C50		5.10	723		.15	
**18a		1.90	179		2.25	*B217		8.10	*49		1.45	*C50		4.05	726		.10	
**117a single		4.10	179 toning		1.35	B228		3.90	*55		9.60	**C68		10.50	**734-5		.45	
**161-64		3.75	*181 f		2.90	*B229-33		14.50	*57 ng		9.60	*C134		3.75	734-5		.30	
**165-7,70-81		10.00	*183		4.35	B233		3.00	*59 thin		19.50	*C174		2.25	**735a		.45	
*165-81		7.00	188		.35	*B234-7		9.00	*63-80		145.00	*C188A		3.00	735a		.30	
**193a		.70	*191		5.40	*B234-6(u B237)		12.65	*81-86		5.10	**C195-6		3.60	755-6,8-65		1.25	
**218a,20a		.90	*191b-2a f-vf		49.50	*B237		3.15	*84a		2.45	**J42-50		5.00	766-9		.95	
**224-26		.80	192		.10	B237		1.75	*95		16.80	768		.20	**1445		1.20	
**249a		1.30	**193		99.00	*B238-42		9.05	*101-24		32.00	768-9		.60	**1445 gtr prs		2.40	
*256		1.30	*193		35.00	*B238-42		7.25	*102a-23a(11) f-vf		112.00	769		.35	1448		.65	
**430-31		1.60	193		.45	*B249-53		12.00	*105		.85	NEW HEBRIDES						
*431a		1.95	**193a		68.00	*B249-53		9.65	*106a s/d		8.65	(British)						
**431a gtr strip		4.50	*193a		27.00	**B253		10.90	*116a s/d		9.75	**258		1.30	770A		1.65	
**436a		5.65	196-99		2.30	B253		5.25	*123a s/d		1.20	770A		1.65	1473		.65	
*436a sht(4)		22.50	199		1.75	B253 f		5.80	*130 f		1.60	**794a		3.00	1483		1.00	
**592a		22.50	201		1.60	*B254-58		7.50	*133		3.60	**808-10		1.20	1497		1.00	
			202-3		1.65	*B254-58		6.00	*136		9.60	NEW HEBRIDES						
			204-5		2.40	*B258		6.20	*149		4.90	(French)						
8		30.00	**206-8		9.00	B258		2.00	*149		3.90	**98-108	.44.00**110-11		813-4		1.15	
9		35.00	206-8		.95	*B259-63		8.25	151a		63.00	**134-5		6.60	814a		1.40	
10a vert pair		35.00	207		.10	*B259-63		6.60	*263-67		1.05	*233-35		1.90	835		3.00	
36		2.00	*208		2.40	*B264-68		13.75	*294		1.30	*J1 thin		10.00	875a		2.40	
*88	118.00		208		.70	*B264-68		11.00	*310-11		.40	**J6-10		77.00	877 blk (4)		2.20	
*89	5.65		*216-8,20B-22,4-5B		14.50	*B269-70		2.15	*C8		.90	879		1.05	879 blk		4.20	
*117	60.00		217		.15	*B271-75		7.50	NETHERLAND NEW									
151A	4.00		*220B,24,5		2.00	*B276-80		10.00	GUINEA									
175	.30		225B		1.00	*B281-85		6.50	*B19-22		2.25	9f f		250.00	881-2		1.15	
**220-3	.690		*225-B f		1.30	*B286-90		7.80	*B23-6		5.10	9f s/d		93.75	882		.65	
316	.40		225B f		.80	*B288		3.00	NEVIS									
327	1.50		225B f		.80	*B291		2.25	*135,7,9 specimen		1.90	34 pr f		295.00	**88a		1.05	
330	.45		239		3.65	*B291-95		16.00	*135-40 shtlts		22.75	65 f		3.20	**889		2.10	
334	.25		240		4.25	*B291-5		12.75	*135,7,9		1.85	65 ave		2.40	889		1.40	
367	1.15		*used 243A-Q		1.70	*B294		9.75	*139-40 sht of 7		7.90	*67 ave		37.50	889a s/d		6.00	
388	2.25		275		1.05	B295		6.00	*141		1.50	88 f-vf		1.80	892-93		.90	
394	.30		282-85		1.10	*B296-300		4.90	*186-89		1.75	*118a f		47.50	902a		2.15	
516	1.25		283-5		.90	*B296-300		3.95	*280-83		2.00	136 f		1.40	904 blk (4)		1.70	
*550	3.00		284		.70	*B300		2.75	*378		3.40	*139-40 sht of 3		4.25	906		.75	
*O12-14	.65		284 f		.55	*B301-5		5.45	*460-3		2.80	*161 s/d		1.65	906 blk (4)		4.20	
			*286-30' (286,92 used)		36.00	*B309-10		6.40	*465-7		4.80	*188		4.10	915 strp(3)		1.50	
			*297 s/d ng		2.40	*B316-20		12.15	*498-99		1.25	*190		15.00	*917		1.60	
2 f	11.00		298		5.00	*B330		4.70	*560-4		3.80	191		1.65	**920-23,25-27,29		4.25	
*3 f-vf	385.00		*336-39		45.00	*B341-2		2.25	*571-4		6.90	192-9		66.50	920-3,5-7		1.60	
3	.65		300		.85	*B353-7		5.50	*575-9		2.90	*194 thin		2.40	927		.50	
3 f	50.00		300 f		.70	*B373-7		5.45	*582-5		4.60	196		10.00	*928		.90	
3 s/d	18.75		306-18,25-7		3.60	*B404a		15.00	*606-13		6.00	197 f-vf		13.50	928		.50	
5 s/d	1.60		308		.10	*B408a		3.00	*616-8		3.40	212a		.80	940		.75	
*6 s/d	160.00		*315		26.00	*B409-13		1.60	*619		3.95	215b f		1.30	942 blk (4)		1.30	
6	50.00		*323-4		3.85	*used B409-13		1.25	*650		2.05	*232		.80	*959a		3.20	
6 s/d	15.00		*323-4		3.05	*B431a		3.20	*651		3.40	*263,5 plt no blks		6.75	963		.55	
*6a s/d	17.25		323-4		1.10	*used B439-43		2.25	*652		6.75	284		1.25	968		.65	
7 s/d	.50		*327		51.00	*B441a		6.00	*706		3.40	*333-52		52.00	976		.50	
*11 s/d	315.00		327		.65	*B449-51		3.15	*839-46		8.65	349		.60	977		.75	
11 s/d	16.50		*328-9		4.80	*used B449-51		2.10	*1030		5.25	*355		.15	985		1.00	
17 thin	.75		*328-9		.95	*B455a		6.60	*1063		1.70	*355		.75	991		.75	
*18 s/d	30.00		*332-35		4.05	*B468a		9.00	*1064		2.80	*358		.15	991 blk(4)		3.00	
18,20 f	59.00		*332-35		3.25	*B468a wrinkled		margin	*1065		5.65	361		.75	992		.90	
*19 toned	4.65		*336-39		45.00	*B475		1.70	*1066		2.80	*375-77		5.40	995		1.15	
*20b f	70.00		*336-39		34.00	*B478a		5.40	*404A-D		21.00	*376		.90	996		1.15	
21 s/d	8.25		361,4		.80	*B491a		4.50	*1083 sht		7.90	*386,92,7,400-2,4		37.60	998 blk(4)		1.30	
22 f	28.00		361-4		1.15	*B491a		3.60	*1096 sht		3.60	*451		.30	1001		.65	
25,7,30,31 s/d	3.25		362-4		1.00	*B491a		3.60	*1532a-h blk(8)		4.50	*451		.30	1002		1.00	
26	1.20																	

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
**B63a		15.00	**1653		2.60	**317-34		25.00	*SG#123 f		90.00	51 f-vf		7.65	360-69		2.00	
*B63a		12.00	**1654-60		4.15	**323-8		4.20	145a		22.50	*53 thin		4.80	*363		1.00	
**B63a-4a		30.00	**1671-4		1.35	**332		3.00	*193-97		15.45	53,53a		2.25	**370-4		68.00	
B63a		13.75	**1675-81		4.00	**333		4.35				53 pr		1.00	*370-4		40.00	
**B64a		15.00	**1685-91		4.20	**342a		3.00	NORTHERN RHODESIA				*53a thin		22.00	**used 370-4		3.65
B64a		13.75	**1710		4.15	**354,356 shts(5)		10.30	*26		.85	53a s/d		1.40	370-4		50.00	
**B65a		9.75	**1726-32		4.30	**360-63		6.40	*54-58		4.30	*54		33.00	*372 ng		1.00	
**B66a		9.75	**1741-8		4.15	**363a		5.10	*J5-10		24.00	**54 ng		16.50	**373		37.50	
**B67-8		.70	**1821-7		4.20	**380-88		17.05				54		1.50	380-81		1.05	
**B67a		16.90	**2020-2027		60.00	**389-94		6.60	NORTH WEST PACIFIC ISLANDS				*54a thin		18.00	**382-6		10.90
**B69-70		.90	**C509		2.05	**416a		1.70				55		1.75	**397-8		1.75	
B71-2		.90	C788		.50	**417-31A		25.00	2		11.2511	55 f		2.00	408-12		1.50	
B71a-2a		27.50	**C937		2.65	**432-33,35-36		2.05				*56a ng		27.00	*412 s/d		1.60	
**B77a		7.50	C999		1.10	**437-44		8.20	*12 f		3.10	*57 thin		10.00	**414-5		1.30	
**B78a		7.50	C1006		.35	**445		3.75				57		1.25	*414-15		1.05	
**B80a-1a		15.00	**C1143-9		2.95	**445d		4.90	NORWAY				57a s/d		3.75	414-5		1.15
**B82a		7.50	**C1155-60		4.25	**466-70		12.75	1		.88	*58 f		24.00	*416-30		20.00	
**B82a,83a		15.00	**C1162-8		4.00	**476,478		2.10	1 f		66.00	60 f-vf		43.00	*416-30(426 used)		13.00	
**B83a		7.50	**C1172-8		4.40	**496-99		7.50	2		70.00	62		2.75	416-30		4.90	
**B85a		7.15	**C1187		2.80	**505-8		4.45	3		25.00	65		42.00	*421,4,6-8 f-vf		14.00	
**B86a		7.15	*O101 f		1.50	**519		3.00	3 f-vf		22.50	*66 thin		26.00	**423		2.25	
B89-91		1.50	O112		5.00	**522-59		26.50	3 f		20.00	**70,72,73		20.00	*423		1.80	
**B90a		17.00	*O119 s/d		.50	**530-33		10.40	3 ave-f		15.00	70,a		2.15	*423 s/d		.45	
B90a		25.00	**RA60a		3.00	**534		8.25	3 s/d		7.50	*74-95		115.00	*424 s/d		.65	
**B93a		11.25	**Philex France		3.00	**535		9.00	*4 ave		84.00	74,6,83,7,9,94,5		1.20	*433-5		1.70	
**B97a		3.20				**546-7		9.00	4		6.50	74-95 (87,92 s/d)		9.00	**433-6		2.45	
**B102a		1.05	NIGER				**548-50		6.75	4 f-vf		5.85	*81		31.00	433-36		1.40
**B108a		1.45	**99		3.60	**551		6.75	4 f		5.20	**84		19.00	**435-6		1.60	
B108a		1.65	**100		4.90	**552		8.25	3-5 s/d		26.00	**86 f		16.00	435-6		.70	
**B109-11		.70	*100		3.90	**564-67		8.50	*5 s/d		210.00	**88		21.00	436		.55	
*B110		.20	**101		1.70	**571		10.90	5		30.00	*95 f-vf		12.00	437		.35	
**B111a		1.15	**102		2.25	**578-81		11.00	5 f		24.00	100-103		1.70	*446-9		1.80	
B111a		1.75	*132-4		2.00	**582-85		11.80	5 f pale shade		24.00	100-103 f		1.35	*456-57		1.60	
B114c		3.75	*132-7		7.05	**587		3.75	5 s/d		9.00	102		.30	*458		3.40	
**B114a		3.75	**147-9		2.20	**588		12.00	6 f		100.00	**103 f		5.85	*470		2.10	
**B120a		1.90	*184-5		.85	**624-25		20.65	6 s/d		37.50	*111		4.20	**475-6		1.80	
B120a		1.90	**190-3		2.65	**532-35		6.60	7 s/d		45.00	*114		3.60	*475-76		1.45	
B123a		3.50	**266-9		3.50	**642-5		5.80	8		7.00	114 rough perfs		2.50	**486-89		4.90	
**B126a		2.65	**310		1.90	**646		8.65	8 f-vf		6.30	*115-28(123 used)		30.00	*487 f-vf		1.50	
B126a		2.00	**406-10		3.10	**662-66		9.40	8 f		5.60	*used 115-28		35.00	*496-7		3.00	
**B128a		1.45	**484-7		3.60	**721-24		4.90	8a		12.50	115-28		5.30	**500-1		1.90	
**B129a		4.30	**491-5		3.10	**738-9		4.50	8b s/d		11.25	116		1.50	*510-2		2.45	
B132		.65	**537-42		4.70	**740		4.50	9		30.00	120		1.50	**521-22		1.50	
B136a		4.40	**538-9,41-2		2.50	**746-7		4.50	9 s/d		9.00	129		1.50	**537-43 (540 ng)		22.00	
**B137-8		1.40	**569-71		3.45	**756-8		3.95	10		63.00	129 f		1.20	**used 537-43		2.75	
B139-40		1.85	**586-9		3.35	**772-73		16.50	*11 ave		30.00	131		1.25	*555-6		3.00	
B140a		3.75	**599-602		2.50	**822		7.15	11 f-vf		24.75	131 f-vf		1.15	*557-59		3.75	
B142a		3.15	**614-21		10.05	**B37-40		2.50	11 f		22.00	132-5		6.15	**560-61		3.00	
**B145-8		2.85	**638-40		1.85	*B52-55		5.00	11 ave		16.50	132-5 f-vf		5.50	560		.25	
**B162 coil (1)		.60	**920-1		11.40	**B56-59		15.00	11 thin		11.00	133		2.00	564		.20	
**B168 coil (1)		.45	**922		4.90	**B60		13.50	11 s/d		8.25	133-5		4.50	565		.55	
*C6 f		.60	*B11,13		1.35	**C10		4.95	12 f		10.00	*135 s/d		1.05	*579-81		1.60	
**L1-3		6.75	*B13A-B		.55	*O12		1.90	12 s/d		8.25	*585a		2.50	*585a		4.50	
*L1-4		9.00	*C15		6.75	*O13		3.60	12a thin		22.00	135 f		2.00	*586-89		3.00	
*L1-4		7.20	*C15		5.50	*O15		3.30	13 f		64.00	145-8		3.50	588		.20	
*L4 f		2.25	**C23-5		3.10	NORFOLK ISLAND						148		1.50	*590-91		2.70	
*L5-8		43.00	**C44		1.45				13 thin		32.00	148 f		.70	*596-98		3.60	
*L9-14		1.70	*C44		1.15	*13-18		45.00	14		5.50	150-3		3.60	*608,611,615		1.25	
*L9-14		1.35**L61-66	**C45-8		5.65	*13-18		35.00**23	14 f-vf		5.00	153		2.00	*609 bkt (10)		49.00	
		8.05L71	**C68-70		5.70				14 f		4.40	153 f		1.60	*611 bkt (10)		38.00	
		1.20	*C76-7		4.15	*23-4		19.15	14 s/d		1.65	154-7		3.65	*611 bkt		37.50	
L78		1.65	**C90-92		2.50	*23-24		15.30	14a s/d		1.65	158-61		3.05	631		.25	
O36		5.00	**C90-93		4.15	*24		15.00	15		27.50	161		2.00	638		.20	
O68B f		8.00	**C112		6.00	*26		4.00	15 f		22.00	*177-80		15.00	*639-42		3.10	
*O83		8.70	*C115-8		7.10	*27		5.25	15 s/d		8.25	177-78		2.25	*643-4		1.45	
*O84		8.70	*C129-30		2.65	*28		4.35	17 s/d		12.75	*used 181-3		5.00	654		.10	
*O85		3.45	*C133		3.00	*35		6.00	18		6.00	181-86		3.00	*656-7		1.60	
*O86		21.00	*C141-42		3.40	*37		3.60	18 f		14.00	183		1.25	*658-9		1.45	
*O100,2,4		1.85	*C150		2.25	*43		3.00	18 s/d		5.25	184-6		.75	*658-9		1.20	
*O106 f		.55	*C170-2		4.35	*44		1.50	18a ave		4.20	*220-38		25.50	675		.20	
*O109,111		31.00	*C173		5.25	*49		.35	18b s/d		3.75	224		5.00	*693		1.30	
*OY29		1.00	**C238		5.65	*51		9.00	*19		9.00	226		10.00	*693-4		1.50	
OY31		.45	*C240-3		5.20	*52		.85	19 s/d		10.90	230		2.50	*693a bktl		9.00	
**OY49		.30	*C240-3		4.15	*53		20.00	20 s/d		10.90	243		1.25	*694a bktl		6.75	
**SB26		8.00	*C273-7		5.90	*54		1.30	*22 ave ng		1.95	244		1.00	*698-701		2.85	
**10 game bird			C278		1.00	*55		1.70	*22 s/d		1.30	245		1.15	*706-8		1.30	
Pukeko		7.50	**C314		2.65	*71-82		9.15	22 f		3.20	255-8		1.00	*727-28		1.70	
First issue card proof			**C361,3-5 imp s/s		6.25	*71-82		7.35	22 s/d		1.20	*256 imp pr			*741-3		1.65	
2 pence black		75.00				*76		.55	22-7 f		38.00	No Devon or Norway		40.00	*748-9		1.05	
**1990 world stamp ex.			NIGER COAST PROTECTORATE				*79		.85	22-30 s/d-vf		73.00	258		.25	*753		4.15
Antarctic discoverers						*80		.60	23		17.50	*259-66		2.00	*754-6		1.30	
s/s(see note after Scott			*1 crease		4.50	*81		2.10	23 f		14.00	*275-8		54.00	*757-8		1.30	
#906)		5.00	*40		12.00	*82		1.90	24		7.50	*275-8 ng		28.00	*761-2		.85	
NICARAGUA			*41 f		9.60	*82a		3.75	24 f		4.80	*275-8(**278)		37.60	*765		3.75	
			42		8.00	*97-8		.65	24,9		5.70	275-8		.50	*786-9		2.80	
*1 s/d		11.25*5	*44		9.00	*100-113		9.60	*24a ave-f ng		127.00	278		.20	*800-1		1.15	
		60.00	48 torn		1.25	*108-13		6.25	25		1.75	*279-89		28.25	804		.20	
*5 ave		30.00				*126-40		22.75	27		6.00	279-89		2.65	*819-20		1.60	
*																		

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**82-3.....	1.00	**435.....	50	*465-9.....	2.70	**1084-87.....	6.00	**833a blk (4).....	1.90	**471 marg blk.....	50	66.....	1.50				
**83.....	70	**440 sht (6).....	5.65	*470-3.....	1.05	**1089.....	6.75	**853a.....	1.90	**472-73.....	3.60	66 s/d.....	45				
**83.....	55	**533.....	4.50	*476-77.....	80	**1182-7.....	7.15	**853b.....	3.40	**497 margin blk.....	50	67.....	1.00				
**84-6.....	1.00	**540.....	3.00	**482-5.....	1.70	**1269-72.....	7.15	**886-8 blks.....	2.15	**506-7.....	6.40	67 f.....	90				
**90-1.....	1.30	**541-5.....	33.50	*482-5.....	1.35	**1319-22.....	7.30	**901.....	3.00	**507A-10.....	3.00	67 s/d.....	30				
**92-4.....	1.00	**553-4.....	4.80	*486-90.....	1.20	**1338.....	5.80	**944-5.....	45	515.....	35	67,71.....	1.25				
**95.....	1.90	**562-3.....	6.00	*491-4.....	1.50	**1349.....	6.60	995.....	45	**518-20.....	19.50	68 s/d.....	80				
**95 f.....	2.65	**570-1.....	6.00	*491-4.....	1.20	*C5.....	1.65	1089.....	90	**518-20 (519 s/d).....	6.05	71.....	1.00				
**96-8.....	2.65	**574-5.....	6.40	**495-8.....	1.50	J14.....	50	1196a.....	1.00	**549-50.....	3.30	71 f.....	50				
**99-100.....	60	**578-9.....	6.75	*495-8.....	1.20	PARAGUAY			**1208a.....	9.00	**555.....	1.00	71a s/d.....	30			
**99-102.....	1.15	**578-80.....	9.75	**499-502.....	1.35				**1232a,3a singles.....	3.75	**555-6.....	4.90	72.....	4.60			
**101-2.....	50	**580.....	3.00	*499-502.....	1.10	**491-7,C225-32.....	2.20	**1256-7 imp.....	3.75	**555-6,B85.....	5.10	72 ave.....	2.80				
**103.....	60	**581-3.....	11.10	*508-11.....	1.15	**491-7,C225-32.....	2.80	**1258-9 imp.....	2.80	**557.....	40	72 s/d.....	1.40				
*104-5.....	55	**584.....	9.75	**516.....	1.30	gtr prs.....	4.40	**1350e.....	15.00	**557,B86-7.....	5.25	79 f-vf.....	3.95				
**105.....	45	**585.....	6.00	*521-4.....	1.10	**491-7,C225-32.....	4.40	**1379-84.....	8.25	**575-77.....	17.00	79 s/d.....	1.30				
**106-7.....	1.00	**588.....	5.10	**525-8.....	1.90	margin gtr blks.....	8.85	1379-84.....	1.60	**595-6.....	6.30	207.....	2.50				
**112-3.....	40	**589.....	1.80	*525-8.....	1.75	**560-4,C265-8.....	7.45	1384.....	45	**596.....	40	208.....	2.50				
**114-5.....	60	**592.....	4.50	**529-33.....	2.50	**565-8.....	65	1384 blk.....	1.80	**633-34.....	6.40	213.....	1.25				
**122.....	70	**606-9.....	21.20	*529-33.....	2.00	**565-8,C269-71.....	1.65	**1392-7.....	22.35	**635-6.....	8.45	289.....	2.50				
**122 blk.....	2.85	**610-5.....	23.50	**536-9.....	1.50	**577-81.....	65	1397.....	90	**687-92 imp.....	4.15	*used 558-60.....	17.00				
*129b,35a,5c.....	3.85	**624-6.....	11.25	*536-9.....	1.20	**630-37.....	7.80	1397 blk.....	2.00	**719-23.....	5.25	561-9.....	4.10				
**132a.....	2.25	**630-3.....	16.50	*536-9,615.....	1.65	**783-7.....	3.75	**1403-8.....	8.25	**729-32.....	2.85	568A.....	60				
**133.....	1.50	**639-42.....	16.50	**540-4.....	1.55	**MI# 1160-7.....	4.00	1408.....	25	750-6 thins.....	1.00	586.....	1.40				
133a.....	75	**680-3.....	15.00	**545-8.....	1.60	**1624.....	11.25	**1411-6.....	8.25	**896-7 imp pr.....	35	594.....	1.30				
139a-40a.....	85	**677.....	3.75	**554-7.....	1.65	**1624 specimen.....	11.25	1411-6.....	2.50	**1090.....	1.70	*594a s/d.....	30.00				
**151-2.....	1.15	**C4a.....	2.65	*554-7.....	1.35	**1625A.....	11.25	**1425-30.....	8.25	**1115-23.....	9.05	*595-601.....	24.00				
**153-4.....	1.00	**C9a.....	3.40	**558-61.....	1.70	**C136.....	30	**1600.....	1.20	1178-85,87.....	90	602.....	1.75				
**155-6.....	1.15	**C16a.....	2.80	*558-61.....	1.35	**C279-81.....	90	1621.....	1.00	**188-97.....	6.25	602 stp of 3.....	5.25				
*155-6.....	90	**C23.....	3.00	*562-5.....	1.25	**C310-2.....	6.75	**1689a.....	12.00	**1216-25.....	6.30	*605-14.....	42.00				
**157-8.....	1.30	PALESTINE			**566-9.....	3.90	**C313.....	7.50	**1690 imp.....	18.75	**1511-6.....	1.65	613.....	2.40			
**159.....	1.30				**566-9,75-9,88-91.....	10.80	**C422.....	16.90	1697.....	1.00	*1513.5.....	40	637.....	95			
**162.....	75				**566-7,9.....	1.55	PENRHYN ISLAND			**1699-1704.....	13.50	**2381-83.....	90	641 thin.....	55		
**163-6.....	3.00	PALESTINIAN AUTHORITY			569.....	1.40				**1705 imp.....	30.00	2536.....	50	*641a.....	47.00		
166.....	1.65				**570.....	75				**1731A-F.....	13.50	2537.....	90	647.....	1.05		
168 f.....	40				*570.....	60	**79-80.....	2.25	1731F.....	3.00	2536-7.....	1.35	649.....	2.10			
**174.....	20	**150.....	8.65	**571-4.....	1.80	**80d shltt.....	3.00	1734f-g.....	3.00	**2576-80.....	1.35	*655.....	4.95				
**175.....	20	**B1.....	5.10	*571-4.....	1.45	*83a.....	1.05	1734j.....	1.50	*2673-5.....	65	655.....	2.00				
**178.....	40	**B2.....	2.80	**575-9.....	8.25	**87-89 shltts.....	3.65	**1747A-F.....	12.00	**2788-91,93.....	1.50	661.....	1.40				
**178 blk.....	1.50	PANAMA			**580-3.....	1.35	**93-95 shltts.....	19.00	1842.....	1.50	**2798-2803.....	1.80	669.....	2.90			
**224,6.....	1.30				*580-3.....	1.10	**93-96.....	6.05	**1907.....	6.75	**2841-6.....	2.10	673-74.....	1.70			
**245.....	20				**583.....	65	**99a.....	2.45	**1907 imp.....	22.50	**2888-93.....	1.55	*675-82.....	93.00			
**267-8.....	2.45	**C100-4.....	2.65	*584-7.....	1.55	**100a.....	2.45	**1955-60.....	6.75	**2900-2,4,5.....	80	680.....	2.00				
**271.....	45	**C237a.....	3.40	**588-91.....	4.60	**104d.....	1.05	**1955-60 imp.....	18.75	2917-21.....	65	680 f.....	1.60				
*279-80.....	90	*C237a.....	2.20	**602-3.....	7.80	**104d s/s(2).....	2.10	1959.....	1.00	**2929 w/ label.....	70	*681.....	49.00				
**312.....	1.50	**C301-4,6-8,10-18.....	16.80	*602-3.....	6.25	**110a.....	3.25	**2220.....	11.25	**2934.....	1.10	682.....	3.75				
**523a blk.....	1.50	**C327-8 imp.....	3.40	603.....	5.00	**111-13.....	2.25	2253b-e.....	1.60	**2935.....	45	*682a.....	87.00				
**586.....	4.75	**C329C-H.....	14.25	603 s/d.....	2.00	**117 shltt.....	6.40	**2293e.....	9.40	**2948-53.....	2.30	734.....	1.05				
712,5,7.....	50	**C330a.....	40	**604-7.....	1.90	**118.....	1.60	2304.....	2.15	**3056.....	1.70	746.....	1.00				
**731.....	1.50	**C338a imp.....	16.90	**610-3.....	3.00	**126a.....	2.45	2328.....	1.90	**B107.....	37.50	*784-91.....	58.00				
**744.....	2.65	**C367A.....	2.65	**611-3.....	2.80	**219-21.....	4.65	2410-1.....	8.25	**B132.....	1.15	*794-97.....	39.00				
**748-9.....	5.65	**C367B.....	2.65	**613.....	1.45	**255-59.....	7.50	*2503.....	1.50	**B142.....	95	*818-21.....	53.00				
**750.....	4.15	PAPUA NEW GUINEA			614.....	2.25	**311-4.....	11.65	*B3.....	2.75	**B148.....	1.15	855-6.....	3.20			
**759.....	2.25				**616-9.....	2.65	**324-26.....	7.50	**B10-1.....	75	**C13-8 toned.....	4.00	*856.....	6.60			
778.....	30				**621a-5a.....	8.05	**336.....	4.50	*B10-1.....	60	C13-18.....	1.00	862.....	70			
778 blk (4).....	1.20	*28.....	4.50*94	**627-30.....	5.90	**340-42.....	4.20	C66.....	1.35	C18.....	25	*865.....	8.40				
782a.....	55	*96.....	2.10	**631.....	6.75	**346-8.....	8.25	**C67.....	9.40	C21-6.....	1.15	865.....	90				
**784-5.....	2.10	**118-21.....	1.90	*645-8.....	7.20	*354-56.....	7.60	*C67.....	7.50	C22-6.....	65	933.....	1.25				
**786-9.....	4.50	122-4,26-31.....	2.50	**649-50.....	2.50	**357.....	12.00	C67.....	3.25	C23-4,6.....	70	*945-46.....	2.00				
790e.....	1.50	**123-7.....	2.75	**659-62.....	5.65	**358.....	12.00	C76.....	1.65	C23-6.....	95	*947-49.....	3.35				
**791.....	2.45	**124.....	60	662.....	2.00	359.....	60	C76 f.....	1.35	C24.....	20	*958-60.....	7.50				
**794.....	5.65	**124-5.....	3.20	*676.....	3.20	**363.....	6.75	C81.....	40	C26.....	20	*968-70.....	7.00				
794.....	1.50	**125.....	2.65	676.....	2.15	**369-72.....	6.00	C86.....	40	C44.....	20	*976-79.....	4.30				
795.....	50	126-34.....	3.40	676A.....	3.75	**373.....	6.75	C94-5.....	50	C53-6 f-vf.....	1.70	*994-96.....	7.15				
**797.....	3.00	*129.....	3.00	**682-5.....	4.70	**379-82.....	4.50	C95.....	20	C55.....	35	*997-1000.....	1.25				
797.....	1.50	130,2,3,4.....	1.65	**691-4.....	3.85	**384.....	2.45	**C173a.....	3.75	**CB1.....	2.25	*1004-7.....	4.40				
816.....	40	*131.....	2.10	**697-700.....	12.00	**385.....	12.75	**CB3a.....	3.00	**CB1a.....	7.50	*1008-10.....	2.10				
O22 thin.....	2.00	132,4.....	1.15	**721-4.....	5.50	**411-14.....											

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**1573a		4.50	**77-80		2.05	*J36-44		33.50	**B440		3.00	**3731		2.25	C90		2.00
**1578a		8.25	**81		1.15				**C51a		4.50	**3837a		1.90	C90 f		1.30
**1588a sht(4)		18.00	**81a		13.50	RHODESIA			**C51a,C52a ovpt		22.50	3939-42		.60	C93-4		.55
**1589-92		4.30	**82-85		2.30	*18 crease		455.00	**C56		2.65	**3989		1.15	**C94		.90
**1593a-96a		15.00	**86-87		2.25	39 P l		35.00	**C57 1959 ovpt		94.00	**4062		1.30	**C94 blk		3.60
**1596b		4.50	**88		1.15	*63		15.00	**C57		26.25	**4072		1.90	*C94 f		.55
**1597-99		3.85	**88a		3.75	98		12.50	C69		.35	**4073		1.90	C96		1.50
**1600		.85	**90-93		3.10	98 f		10.00	C79-85		.75	**4091		1.30	**C98		.75
**1601a		4.50	**94		1.15	*101		12.00	C96-102		.90	**4109		1.50	*C98		.50
**1605a		6.00	**94a		3.75	103		6.25	C110		.10	**4173-4		.45	C98		.15
**1610		5.25	**95-96		2.00	105 thin		10.40	C112-8		.70	**4298a,4301a		7.50	**C109-14		1.60
**1617-20		2.55	**97-100		3.10	122		8.00	**C160 s/s imp		6.40	**4324		.35	**C115-20		1.50
**1617a		3.75	**101		1.45	125 thin		7.00	**C184		7.50	**4339-40		.70	RWANDA		
**1618a		3.75	**101a		4.50	127		4.40	**C186		5.65	4342		.65	**23-26		1.05
1619a		3.75	**102-3		2.25	**200-1		2.05	**C187		5.65	**4391		1.50	**27-35		2.4076-83
**1624a		3.75	**104-7		3.25	*200-2		4.50	C187		3.75	**4408		1.30	**4415		1.50
**1627a		5.65	**108-9		2.75	*203-5		2.35	**C191		5.65	**4416		2.25	**83a		5.45
**1661-62		1.90	**110		2.10	**240a		7.50	**C287		3.40	**4459		2.45	**114-25		13.85
**1663a-68a		15.75	**110a		6.75	**249		.45	**3NRA3		1.15	**4472		2.25	**208-9		6.75
**1671a sht(8)		13.50	**111-14		5.45	262		.40	RUANDA-URUNDI			**4572-6		1.60	208-9		4.50
**1672		2.25	**115-18		5.65	RHODESIA & NYASALAND			**129		.85	**4586		3.75	**210		3.60
**1672a		11.25	**119		1.15	141-54		13.90	**146		.40	**4589-94		1.60	**249		8.25
**1673-76		5.40	**119a		4.50	172-77		14.40	RUSSIA			**4608		2.25	**249c		9.00
**1690a		2.65	**122		3.00	ROMANIA			8 thin		2.70	**4614		1.50	**254		8.25
**1691a		2.65	**122a		7.50	31c s/d		10.90	28		.80	**4644A		1.50	**255		2.25
**1722a		4.50	**129		1.90	56 s/d		.75	32		.60	**4689		1.70	**280		5.25
**1751-53		2.85	**130		7.50	66 f		1.70	59c sh perf		105.00	**4727		1.05	**283a		2.65
**1772-73		1.15	**138		5.65	66 s/d		.65	*68c		360.00	**4780 missing			**286a		2.65
**1776		9.40	**152		7.50	68 s/d		.65	*74,76,77,79		2.00	yellow		100.00	**309		3.40
**1777-80		4.10	**167		4.50	73 ave		.75	**137a		8.40	**4783a		1.00	**359-66		9.30
**1781		5.65	**175		4.50	87 s/d		3.15*159,63 f	**139		.55	**4791		.65	**457-66		8.30
**1799		4.50	**186a		2.80				**141		2.25	**4805		1.50	**495-504		9.15
**1807		6.75	**195a		3.75				**219		1.30	**4817		1.15	**505		7.50
**1839-58		14.00	**196a		3.75				**287		1.15	**4862-64		1.15	**549		4.50
**1860		7.50	QATAR			*196-206 s/d-vf		72.00	303a f		70.00	**4877		3.75	**594-601 s/s(6)		9.00
**1896		3.60	*35		18.00	*287		1.15	571		4.25	**4928		3.75	**612-13		2.65
**1918-23		20.25	*36		39.00	*467-8		4.30	580a-81a		2.25	**4936-39		1.50	**644-51		3.55
**1946		4.50	*100Cd		16.50	*468 f-vf		1.80	589a		1.75	**4950-54		1.15	**652-59		5.75
**1990		3.40	*101E-H s/s imp		33.00	**558-67		3.70	**603a		21.75	**5001-6		1.40	**685-92		4.15
**2053a		4.50	*102-102A		6.60	863a		7.50	*628		2.40	**5038		.70	**693-98,B2-3		4.60
**2225a		2.80	*102-102A imp		10.50	990		.20	**1254,55-7		5.50	**5127		1.15	*730		3.00
**2421a		2.80	*102B		26.00	1018		.25	**1082-93 imp		37.50	**5148-52		1.50	*730 imp		3.00
**2490a		2.80	*119-119A		48.00	**1082-93 imp		37.50	**1107a		.90	**5157-61		1.50	**738-45		2.80
**2530-34		3.25	*119-119A imp		48.00	**1115		.35	**1345		1.90	**5164-68		1.20	**754-61		3.30
**2614		2.65	*267-74		21.00	1131		.30	**1345-6		4.50	*5213		3.00	**827		22.50
**2620		9.00	**290-1,2-8		95.00	1258		.20	**1346		2.60	**5222-25		.75	**836-43		6.25
**2648		.65	*290-1,92-8		76.00	1259		.25	1468		9.00	**5280-84		1.00	**905-12		11.30
**2649		1.05	**303-10		19.00	1286		.35	1514		3.00	5286-9		1.90	**986a-89a		9.00
**2650		3.40	**308a		28.15	1478-85		.80	1593		.40	**5319-23		2.25	**1009-18		9.00
**2652a		1.90	**317-20		20.25	**1489		3.20	**1652		1.00	**5321-23		1.90	**1027-34		5.20
**2657		3.40	**331-40		20.50	**1501		3.75	**1653		1.20	**5341-44		1.50	**1112-21		5.80
**2658-63		8.25	**347-53		28.45	1502-9		.80	1653		.45	**5377		1.15	**1114,7,19-21		4.60
**2664		2.65	360C		12.50	1553-60		.85	**1654		3.40	**5429		1.15	**1121		2.25
**2665		2.25	**415-22		30.00	1597-1604		.90	**1689		.60	**5435-39		1.55	**1130-9		12.80
**2666		.65	**534-5		5.10	**1691-8 imp		5.25	1689		.25	**5532,4-5		1.10	**1158-65		8.20
**2667		2.65	**542-3		4.15	*1729-36		5.50	**1753-55		5.65	**5539		1.30	**1175-82		6.15
**2668		1.80	555		1.25	**1830-35		3.60	*1761-63		8.10	**5557-59		1.50	**1353-54		15.00
**2671-74		3.40	556		2.50	**1835a		4.50	**1767a ovpt "1962"		56.00	**5560-64		1.60	RYUKYU ISLANDS		
**2675		3.40	**563-4		4.00	**1837-44		6.45	**1786a		7.50	**5580-2		.75	**21		2.00
**2677		1.90	**579-82		20.80	**1845-48		2.80	**1787a		15.00	**5585-89		1.95	**32		.75
**2682		3.75	**585-6		6.00	**1859-64		5.35	*1916-23		5.90	**5605-9		1.75	**39		10.00
**2688		3.75	**587-90		6.95	**1879-86		3.05	*1924-29		9.00	**5623		3.75	**43		.65
**2689		8.25	598		1.10	**1907-12		3.10	**1943a		26.25	**5635		.40	**43 sht(10)		6.50
**2694		5.25	606		1.35	**1913-19		1.90	*1979a		15.00	**5665		1.50	**54		.95
**2810		1.90	626		1.10	**1958		2.45	**1991		2.65	**5674		2.10	**56		.55
**2904		2.25	627		2.25	1964 Tokyo			*1991		2.10	**5675		.55	**57		1.00
**3211		2.25	628		3.25	Olympics s/s		2.50	**1992-3		2.10	**5687-91		2.15	**58		.25
P1		.70	**647-8		9.75	*2038		2.25	**1995 gtr pr		15.00	**5687-60		1.20	**65		1.50
P1a		1.40	658		1.50	*2094		1.95	**1995 cr gtr blk		30.00	**5761		.95	**66		2.25
*1S 45 dble ovprmt		50.00	659		3.00	**2148-51		1.60	**1995		7.50	**5783-5		.90	**67		.75
*2 S 8		.65	**724-5		5.65	**2217		3.75	**2002a		37.50	**5785a		4.15	**68		.75
*2 S 8 ng		30	**728		8.25	**2235-40		1.80	*2003-17		9.00	**5837		1.70	**72		4.30
**Portuguese Colonies			**729-32		7.70	**2248		2.25	**2032-5		3.75	**5851-53		1.15	**73		.75
Anti Malaria set of 8		4.60	**731		2.10	**2268		1.30	**2083		1.90	**5903		1.50	**74		4.20
PORTUGAL-AZORES			**732		3.00	**2269-84		8.50	**2086-87,2147-51 imp		11.65	**5906-8		1.00	**75		1.40
**315a		2.80	**762-5		6.65	*2307		1.25	2086-7,2147-51			**5906-8 sht (9)		2.90	**98		.30
**322a		3.40	**781-4		5.80	*2609		1.65	imp blks		31.00	**5909-11		.70	**107		.25
**333a		3.75	**840-1		2.90	*2642		1.85	**2089-91		3.15	**5920-24		1.15	**114		.95
**336		1.15	**842-3		4.50	**2712-17		1.95	**2095-99 imp s/s		18.75	**5936a		1.50	**117		.40
**336a		4.50	*869		1.90	**2718-22,B442		2.70	**2095-2106 imp s/s(2)			**5938-40		.90	**125		.40
**344		1.15	**897-900		6.40	**2803-8		1.55	**5941-5		1.75	**5954-8		1.50	**127		.30
**344a		5.25	**904		1.90	*2968		1.45	**5954-8		1.50	**5957		.40	**150		.20
**353a		4.15	**919		18.50	**3038-41		1.05	**5957		.40	**5961a,5963a		1.15	**153		.30
**356		1.70	**923-4		25.50	3102-9		.80	**2149		12.00	**5977a		2.25	**156		.20
**356a		5.25	RAS AL KHAIMA			3102-17		1.90	**2151		17.50	**5977b		3.00	**162		.20
361-62		2.75	**13a,14a 3.75MI# BK16-			**3575-82		2.95	*2213-19		3.85	**5977c		7.50	**163		.20
**363		1.15	8		3.90	**3634-8		1.30	**2280								