



WORLDWIDE
DAHOMEY - FUJEIRA

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
DAHOMEY			6 f.....	76.00		85a,90b,95a,91a			246-51.....	20.00	1053.....	25	Q43(2),Q44,Q46-7		2328.....	70	
*101.....	1.20		6 ave-f.....	66.50		postally used.....	800.00		246-51.....	3.25	1059.....	15	on pc.....	4.60	2337.....	70	
*135.....	50		6 ave.....	57.00		91.....	3.65		**247,51.....	3.75	1064.....	15	Q44(3),Q47 on pc.....	3.35	**B33x perf imp.....	6.00	
**156-9.....	1.80		7.....	4.50		97-109,111-25.....			**249-50 s/d.....	4.80	**1066a.....	4.90	Q44,Q46-7 on pc.....	4.00	SG# R1 postally used.....	5.00	
*156-9.....	1.45		7 on pc.....	4.50		7-9 f-vf.....	55.75		**250.....	30.00	**1070a.....	10.50	Q46,Q48 on pc.....	6.00	SG# R2.....	10.00	
**160-71.....	9.65		7 f.....	3.40		97-109,111-3,115-21.....			*250.....	9.60	1075.....	15	Q46-7,Q48(3) on pc.....	17.00	SG# R3.....	6.00	
**202.....	1.30		7 ave-f.....	3.15		123-31(*101).....	98.00		**251.....	4.90	**1082-85.....	6.75	*cut sq similar				
*202.....	1.05		7 ave.....	2.70		97-109,111-9,21-5 f-vf.....	49.00		**252,4-5.....	10.00	1082,84-5.....	3.00	to DWI U1-2.....	2.50	DOMINICAN REPUBLIC		
**215-8.....	3.65		7 s/d.....	1.35		98 ave.....	75		*252,4-5.....	3.15	**1086-89.....	4.70	cut sq similar to DWI.....	5.00	*356.....	1.95	
*215-8.....	2.90		7a.....	4.00		**103 f-vf.....	25.75		252 blk.....	50	1087.....	15	cut sq.....	1.00	375 s/d.....	1.60	
**225a.....	2.25		7a f.....	3.80		**103 ng.....	3.45		252-6.....	3.50	1092.....	15			**471-2,C96.....	4.30	
*225a.....	1.80		7a s/d.....	1.40		**107.....	150.00		*256.....	9.60	**1097a.....	4.50			**474-8 perf.....	5.65	
*232-3.....	1.05		8 pair f-vf.....	95.00		107.....	4.40		*258-61.....	13.50	**1100-1.....	2.45	7.....	99.00	**474-8 sht perf & imp.....	11.25	
**234.....	1.15		8 f.....	38.00		107.....	4.40		258-61.....	1.65	**1109a.....	9.00					
*234.....	90		8 ave-f.....	34.00		*111.....	21.00		*259-61 vf-s/d.....	8.35	1144.....	15	DJIBOUTI		*474-8,C97-9 shts (3).....	9.00	
**237-8.....	1.35		11.....	17.50		112 f.....	1.00		*261.....	11.40	**1150-1.....	2.50	**485-8.....	5.00	perf.....		
*243a.....	2.70		11 s/d.....	5.25		**114.....	40.50		261.....	1.40	**1159a bklt.....	11.25	494.....	25	**478a,b perf.....		
**250-1.....	1.50		11-15.....	194.00		115.....	3.25		**262.....	1.05	1180.....	2.15	495.....	35	imp sheets.....	3.60	
**262.....	1.05		11-15 f.....	155.00		116.....	2.00		*263 single.....	1.70	**1213a.....	4.90	510.....	40	**478a,b,C99a,b.....		
**262-3,C105.....	3.40		12.....	37.50		118 f.....	60		*264-66.....	1.80	**1214-17.....	4.85	**513-4.....	3.40	perf, imp.....	7.95	
**270,C124-5.....	3.00		12 f.....	30.00		118.....	80		*264.....	20	**1328b.....	3.00	**515-6.....	2.65	*479-83,C100-2.....	1.80	
**271-4.....	5.55		12 s/d.....	11.25		119.....	1.00		*264-6.....	1.35	**1344a.....	3.00	**517-8.....	3.25	*479-83.....	75	
271-4.....	1.25		13 s/d.....	1.20		120 s/d.....	1.15		*265-6.....	1.15	**1356a.....	4.90	**519-20.....	2.75	*479-83,C100-2.....	1.45	
274.....	60		14 xf.....	67.50		122a.....	3.90		267-72.....	4.15	**1373a.....	3.75	**521-3.....	6.60	*479-83,C100-2 imp.....	1.80	
**277-82.....	6.50		14 f.....	36.00		124.....	40		269.....	3.00	**1379a.....	3.40	**525-7.....	4.50	**501-5 s/s perf, imp.....	3.00	
**321-23.....	5.10		15 xf.....	120.00		125.....	1.15		*277-9.....	2.25	**1392a.....	9.40	**529-30.....	4.15	**501-5,C106-8.....	1.70	
**330-33.....	4.90		15.....	87.50		128.....	1.55		*280-7A.....	1.55	*B15-7.....	1.35	**529-30.....	3.30	*501-5 sht imp.....	1.90	
**336-37.....	2.10		15 ave.....	52.50		129.....	10.50		*283 blk ng.....	40	*B28.....	75	529.....	45	**501-5,C106-8.....	1.60	
*B12,14.....	1.45		15 reper f.....	40.00		132-34.....	9.15		*284 blk ng.....	50	**B32-33.....	1.50	**531-2.....	3.85	*553-7,C118-9.....	1.95	
*B14A.....	50		16 s/d.....	4.10		133 f.....	2.80		*286B ng.....	15	*B49-52.....	2.45	**533-4.....	5.10	*1277-82.....	13.00	
**MI# 646-9.....	4.00		16a s/d.....	4.10		**156.....	2.80		*286B,287 ng.....	30	*B82.....	1.90	**535-6.....	3.40	**1283.....	4.30	
*C14-5.....	10.05		18 s/d.....	1.50		156-7.....	4.00		302-3 f-vf.....	1.00	*B83.....	1.70	**538-41.....	2.80	**C57-61.....	25.20	
**C16a.....	5.25		19 s/d.....	11.25		156-7,60 f-vf.....	6.25		**306.....	1.95	*B90.....	1.80	545.....	35	**C97-9 s/s perf & imp.....	11.25	
*C16a.....	4.20		20 s/d.....	26.25		**156-8.....	26.25		*used 333-41.....	3.55	*B91.....	2.10	**545-6.....	5.80			
**C18.....	3.75		25 s/d.....	2.25		156-8.....	2.70		*361-2 creased.....	90	*B92.....	2.10	**561.....	6.75			
C18.....	1.00		25c f.....	6.40		156-8 f.....	2.15		*382-94.....	10.75	*C1 f-vf.....	16.00	561.....	1.15	DUBAI		
**C20-3.....	15.00		26 a-c.....	17.30		**157 s/d.....	1.00		*395-400.....	35.00	*C2 f-vf.....	39.00	**C110-2.....	5.25	**33-38,C36-38.....	4.60	
**C28.....	1.70		26c s/d.....	2.40		*157.....	1.80		*399.....	1.80	C2.....	55.00	C116.....	50	*127-30.....	4.35	
*C28.....	1.35		27 f.....	29.00		**158.....	16.85		*406.....	30	C2 s/d.....	15.00	**C127.....	9.00	*131-3.....	3.00	
*C31.....	1.80		27 s/d.....	10.95		*158.....	7.50		*417-9.....	2.40	*C3 f-vf.....	25.00	**C128.....	2.25	*144-5.....	5.45	
*C38.....	1.05		28a.....	2.50		158.....	2.25		*437,8-41,2-4.....	7.80	C3 sh perfs.....	15.00	C128.....	30	*147-50.....	4.15	
*C45.....	1.15		29.....	2.00		158-9 f-vf.....	6.00		*444.....	3.15	11-5.....	3.75	**C129-31.....	5.55	**151,C57-9.....	5.50	
*C45a.....	1.95		29 f.....	1.60		158,60 f-vf.....	7.90		*458.....	60	*I2.....	6.75	**C132.....	6.75	*152-3.....	2.95	
**C46-48.....	12.60		29 s/d.....	60		159-60.....	6.75		*476-77.....	1.20	12.....	60	**C133-4.....	4.30	*152-3,C60.....	3.70	
C46.....	1.15		29b.....	5.00		159-60 f-vf.....	6.00		*505.....	2.25	I2 f.....	90	C137.....	90	**C20-4 s/s.....	45.00	
C46-7.....	2.75		29b f.....	3.95		160.....	6.50		*506.....	2.25	I2-3.....	60	C137 blk (4).....	3.50	*C20-4 s/s (5) imp.....	36.00	
**C46-8.....	12.60		29b s/d.....	1.50		160 f.....	5.20		*509-12.....	1.75	**C138-9.....	4.15	**C138-9.....	4.15	*C25-7.....	2.80	
*C46-8.....	10.05		29c.....	2.00		160 s/d.....	1.95		*530b.....	4.05	J3.....	3.25	C139.....	30	*C25-7 imp.....	2.80	
C47.....	1.60		30.....	3.25		161.....	2.50		*546.....	60	*J5.....	39.90	C142.....	35	*C25-7 imp.....	2.25	
**C49-50.....	4.90		30 f.....	2.60		162.....	7.50		*565.....	5.65	J6 thin.....	1.55	*C143.....	2.25	C55-6.....	30	
**C50.....	2.45		30b.....	2.15		164-6,8-75.....	42.50		*573-75.....	2.35	*J7.....	21.00	C146.....	30	*C57-9.....	4.90	
*C57a.....	2.40		30b f.....	1.70		164-75.....	47.00		*585.....	3.40	*J7.....	3.25	**C149-50.....	3.20	*J1-2.....	1.50	
**C58.....	1.50		31,31a(1 short perf).....	26.00		164-75 f-vf.....	42.00		*591.....	7.50	*J8 f-vf.....	22.75	**C151-52.....	3.20	**MI# 273-5.....	1.30	
*C58a.....	5.10		31b ave-f.....	11.40		164-75 s/d-vf.....	34.00		*600-1.....	2.70	J8.....	10.00	*C155-57.....	3.60			
*C59a.....	2.10		32 f.....	16.00		**165.....	5.25		*602-5.....	2.45	J8 f.....	6.40	C157.....	50	ECUADOR		
**C63-6.....	6.50		32a s/d.....	9.40		*167a.....	22.50		*613.....	45	*J9-11.....	13.30	C158.....	45	*46.....	7.20	
C66.....	1.00		33 f.....	15.00		*167a,71a.....	45.00		*624-5.....	1.30	*J38.....	3.15	C158-59.....	90	*377.....	2.25	
**C69-70.....	2.25		33 (unlisted wmk).....	200.00		*171a.....	22.50		*651-52.....	3.00	*J38.....	3.25	C176.....	40	*378.....	2.40	
*C70a.....	2.25		33a.....	87.50		**173 f.....	4.20		*655-58.....	3.10	O3 s/d.....	49.00	C178.....	35	*497-502.....	6.15	
**C77-80.....	7.50		33a ragged perfs.....			**173-4 f.....	11.00		*670-71.....	1.45	*O6-9.....	40.00	C180.....	65	*555-7.....	2.05	
C80.....	50		at bottom.....	25.00		*175a s/d.....	14.00		*696-99.....	2.50	*O7.....	7.20	C180-81.....	1.65	*717.....	45	
**C85-88.....	5.55		33a s/d.....	26.00		176.....	7.50		699.....	20	*O7.....	4.50	**C190-1.....	3.00	*765-5E.....	7.80	
C87.....	30		34.....	30.00		177.....	9.00										

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	
**614		3.75	CB3		13.75	11 f wmk dble line "C"			**1L73a		1.90	314a bklt		7.50	**684-86	**1L73a	7.50	
**631a		1.90	CB4		13.75		50.00		**1L84-7		5.65	329a bklt		7.50	**687-90	6.75	*,used 312-23	29.00
**632-44		7.30	*E8		9.60	*22		5.40	**1L84-87		5.65	331a bklt		7.00	**691	6.60	*,used 312-23	6.95
**646-49		2.80				*23a f		6.80	**1L92-95		3.00	345a bklt		7.50	**691a	6.75	*318	6.00
**664		1.15				*30		1.80	**1L94A		14.95	**351a bklt		9.40	**698-701	12.75	327-28	1.00
**674-76		1.40				*32 f		12.00	**1LB1		2.25	351a bklt		7.50	**713-8	7.00	*336-8A	14.55
**674-77		2.45	**152 imp		4.70	*41 f		1.40	**2L1-2		70	368a bklt		4.50	**713-8 gtrr prs	14.00	*340	1.00
*674-77		1.95	**152 imp pr		9.40	**2L1-8		1.05	**2L1-8		19.00	369a bklt		6.00	**772-5	8.10	**341	2.65
**684		3.75	**B60-2		2.25	*55		2.70	*2L1-8		15.25	375a bklt		5.75	**788-91	9.05	341	3.25
**702		3.75				*57		3.60	*2L6		14.25	387a bklt		4.50	**797-802	5.75	342-44	2.00
*702		3.00	**120-34		17.65	**81-83		3.00	*2L6-7		14.40	**388a bklt		9.00	**810-3	5.20	**343	1.15
**739		2.45	**240		5.25	*81-83		1.75	*3L1-8		15.15	388a bklt		6.00	**820	3.95	343	1.10
**807		11.25	*271 thin		1.70	*85a		13.50	**3L1-2		55	**393a bklt		6.75	**821-24	6.70	**343-4	4.90
**837		2.45	**278-80		8.65	*85B		1.20	*3L1-3		85	393a bklt		4.50	**824a	5.65	343-4	1.40
**1075a		1.00	*278-80,C21-22		27.50	*86-87		2.25	*3L6		11.40	**394a bklt		9.00	**849-52	6.00	**344	6.00
**1076-84		5.10	**351-54		5.65	*86A		85	*3L6-7		14.40	394a bklt		6.00	**858-61	6.75	*347-48	1.25
**1092-6		2.70	*351-54		4.50	87A		4.25	*4L1-8		15.40	**396 in folder		9.00	**867-72	4.90	*349-50	8.40
**1097,99-1101		2.65	**355-56		3.60	*88		1.65	*4L1-2		70	**396		7.50	**903-6	4.70	*350	7.50
**1102		2.45	*355-56		2.85	*89		4.50	*4L6		11.40	**401-2		2.90	**908-13	5.10	351-3	1.50
**1104-5		2.65	**369-72		3.30	*90		9.00	**5L1-2		70	**407a bklt		7.90	**947-50	4.90	**354-55	1.80
**1106-10		1.80	**369-74		11.60	*91		18.00	**5L1-8		18.60	407a bklt		5.10	**951-54	4.70	*354-55	1.35
**1111		2.80	**375-7		5.80	**97-98		70	*5L1-8		14.85	**408a bklt		9.00	**955-58	5.25	**357	16.50
**1139		2.80	**378-82		5.95	*97-98		55	**5L6		14.25	408a bklt		6.00	**959-62	6.20	*357	12.00
**1194		3.00	**383-85		3.30	*99		1.25	**409-12		7.15	**409-12		7.15	**993-96	7.30	361-62	1.00
1285A		1.90	**386-90		13.30	*101		4.50	*413		3.75	**413		3.75	**1098-1101	5.65	*363 ng	1.70
**1291-3		1.65	*386-90		10.65	*101-2		8.55	**414-15		2.80	**414-15		2.80	**1103-6	5.25	**375	80
**1295-1302		5.10	*386,89-90		9.50	*102		4.05				**416-17		2.25			375	25
**1304-7		1.75	**391-5		3.00	*103-6		8.40				*417a bklt		12.00			*376-77	1.05
**1308-16		4.30	**396-402		6.70	*115		18.00				417a bklt		8.00	3 s/d	250.00	**380-81	15.00
**1319-31		7.00	*415-9		8.00	*118 thin		4.00	**8 (6),11 (2) bklt		2.40	422 FDC		2.25	*4 regummed	255.00	*380-81	12.15
**1346-8		1.95	*416		1.70	*121		70	# blks of 4		4.35	**425a bklt		15.00	*5 f-vf ng	218.00	*381	10.00
**1350		90	*425-7		3.95	*121		55	*21-23		2.30	425a bklt		10.00	6 f	68.00	**388-90	4.90
**1350-9		4.85	**434-8		5.55	*122-27		22.20	21		75	426		2.75	6a	2250.00	*398-415	67.00
**1353-59		3.00	**468-9		2.50	*128		2.50	21 s/d		20	**428a bklt		11.25	*6b ave	120.00	398-415	4.00
**1351		40	**476-80		13.40	*128		3.00	**24-7		7.10	428a bklt		7.50	*7 f-vf	178.00	398-400,3,4A-5A	
**1361-3		1.80	**481-3		3.60	**128-37		22.60	*24-27		4.60	**432		11.25	7 sht perf	50.00	7-8,10-3,4A	2.50
**1365,7,8		1.55	*484		11.25	*128-37		16.95	33		30	*437a bklt		13.15	7 ave-f	70.00	*408	7.75
**1370-1,3,4		2.15	**488-91		10.15	*129		3.20	**36-8		2.10	437a bklt		8.75	7 s/d	34.00	*412	1.20
**1376-82		3.85	**492-6		4.00	*130		3.40	*36-38		1.45	438		5.50	7b f	120.00	*415	12.60
**1388-92		2.20	**530-5		4.90	*131		1.90	*42		4.90	**442		10.50	7d ave-f	131.00	*419	75
**1388-94		3.75	**536-40		5.00	*138		3.60	*42		3.60	**443		3.60	8 f	140.00	*431-2	2.10
**1394		1.20	**541-3		2.30	*139		22.50	*43		40	446a bklt		9.00	8 s/d	60.00	*439	2.70
**1400-7		3.80	**544-7		3.25	*139		19.50	*45-7		1.10	**450a bklt		13.50	8a f-vf	200.00	*441,4,6,8,53,5,71,3	5.00
**1400-10		4.80	**548-52		3.90	*140		16.50	**48-52		2.20	450a bklt		9.00	9 ave	17.25	*450-52	1.80
**1409-10		70	*548-52		3.10	*141		28.50	*48-52		1.65	*451		15.00	9 s/d	10.00	*457-59,60-70A	29.00
**1425,7,8,30		2.10	**553-7		2.30	**143-45		2.30	**49-52		1.85	**455a bklt		11.65	9a f	39.00	*457-70A(*458,464A)	
**1440-2		90	**572-4		2.65	*146		6.30	**53-4		75	455a bklt		7.75	10	38.75		30.00
**1445a		1.05	**582-6		6.00	*147		1.25	*55-58		1.15	*462		15.00	10 f-vf	34.90	*,used 457-70A	5.40
**1490,3,6-1500		3.25	**592-4		3.10	*150-53		8.75	**59-62		1.45	462		10.00	10 f	27.00	458-70A	5.05
**2039		17.00	**599-603		4.15	*154-55		5.80	*63-4		70	466a bklt		8.00	10 ave	20.25	*461A	30
**2112-13		1.90	**604-7		1.30	*156-57		4.50	*65-9		4.60	474a bklt		7.75	10b vf	46.00	*464A	60
**B1		3.40	**604-8		2.50	*162-65		1.25	65-69		2.60	477		10.00	10b f-vf	41.60	*470A	7.50
**B2		7.50	**609-12		6.30	*166-79		42.00	86		30	479a bklt		9.00	10b f	37.00	*,used 471-73	1.30
*B3-6		1.30	*611		2.80	*166,8,73		1.25	**90-2		3.00	482a bklt		9.00	*10b ave	172.50	*475-80	2.75
**B9-12		7.30	*612		2.80	*188-91		6.05	**94a bklt		13.15	**483		11.25	11 s/d	129.00	*484-85	1.25
*B9-12		5.85	**617-9		4.15	**197-209		25.00	94a		8.75	484		10.00	12 ave	48.00	*487,489	1.10
**B13-5		3.40	*620-4		3.85	*210a		11.25	**97-100		4.90	*493a bklt		14.65	13 space filler	29.00	*494-96	1.45
**B26-8		6.60	**625-9		3.05	*213		4.50	*101		7.50	493a bklt		9.75	16 f	170.00	*498-99	8.50
*B26-8		5.25	**634-6		4.10	*213a		22.50	**106-7		1.50	*494		9.00	18 s/d	2.25	*502	55
**B27		2.25	**643-5		3.75	*218a		1.60	*108-11		3.00	*498a bklt		18.00	23	15.00	*503-5,6	1.45
**B28		2.25	**651-5		3.60	*223-24		60	112		45	498a bklt		12.00	23 thin	6.00	*512-3	6.40
**B48-9		4.00	**656-60		5.60	*227-30		21.00	**112-4		4.95	*500		3.00	23 s/d	6.00	*517	75
**C101		2.80	**656,58-9		2.50	*227-30		16.80	**120a		22.50	507a bklt		12.00	26 thin	1.25	518-22	1.60
**C103		2.10	**660		2.65	*232-34		90	**120a bklt		24.00	*518a		18.00	27 thin	5.40	*522a	7.50
**C104		1.70	**661-63		3.20	*235-36		1.90	120a		18.75	**522-3 (4) bklt		19.50	28	1.00	*525	55
C108-9		2.70	**669-71		2.20	*236a		6.00	**121-4		4.50	522 (4),523 (4) bklt		12.80	28 f	80	527	25
**C146-8		8.45	*690-4		3.45	*237-40		16.50	*125-26		2.10			65	28 ave-f	50	*529-32	1.55
**C147		2.25	**695-9		3.25	*241-44		5.15	*127-29		4.15			30	28 s/d	30	533-7	1.00
**C157		2.25	**712-5		4.20	*245-49		7.50	*130-33		3.70			50	34 s/d	50	*537a	20.65
**C169-70		3.70	*731-5		6.70	*254a-56a		10.80	*138a		10.50	507a bklt		12.00	35 s/d	3.75	*544	70
**C174		1.90	*751-57		4.75	*254a-56a bklt		15.35	*138a bklt		12.00			37 thin	150.00		*545	80
**C191		1.00	**758-62		4.00	*256a		4.50	138a bklt		8.00	1992	**232-46	34.00	43	45.00	555-7,8-70	3.55
**C204-5		4.00	*768-70		4.00	*257-59		3.75	**139-42		3.75	1995	**276-94	33.00	43 s/d	50	*571	2.45
**CB2a		7.50	*776-78		2.85	*260-74		13.90	*143-44		2.90	2001	*389-408	53.00	*49	10.00	*572-73	1.90
**E4		4.50	*779-83		2.75	*260a-73a		11.00	*145-7		4.20	2002	*409-26	55.00	*52	12.00	*587	2.45
**J60-4		9.40	*782		70	*275		3.00	*148		6.60	2003	*427-38	63.00	*53	12.00	*608-9	6.75
**M14-15		10.50	*784-88		2.30	*278-81		1.25	*149		1.70	2004	*439-51	68.00	*53	10.00	*634	75
**N57		3.75	*807-11		3.20	*291-93		1.05	*149-51		4.65	*54		18.00	*54	18.00	*644-45	1.90

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**1071		70	**223		1.35	*51 ave ng	24.00	*125 f	10.60	**308		**878		25	**2036-37	1.90	
**1073		75	**225 bklt	9.00	51 f	5.40	*125 s/d	4.00	*308	11.40	**879-82	3.00	**2038-41	6.75			
**1088		70	**249a bklt	12.40	51 ave	4.05	126	37.50	308	1.35	**889-90	1.25	**2045-7	2.00			
**1099-1100		4.15	**252-3	3.75	51 str edge	2.05	126 f	30.00	*309-10	5.25	**896-903	1.20	**2103	.95			
**1101-2		1.80	**265a bklt	13.10	51 s/d	2.05	126 ave	22.50	310	1.65	**907-9	22.50	**2124	.75			
**1103		1.15	**266a bklt	18.00	*52 s/d	37.50	*52 s/d	11.25	*311-12	15.30	*907-9	18.00	**2145a	2.25			
**1109-10		1.45	**270-1	11.20	52 s/d	6.00	126 perfin s/d	11.00	311-12	5.75	**910-13	15.10	**2155-7	3.10			
**1111-12		3.00	**275	2.25	*53 pr	180.00	*127 s/d	6.40	**312	24.40	**929-30	1.05	**2175-6	1.95			
**1114		.85	**280	1.15	*53 ave ng	45.00	129 f-vf	1.25	*312	9.60	**937	.35	**2204a	8.25			
**1117-19		2.80	**281	1.15	53	3.75	129 f	1.15	*312 ng	4.80	**943-8	5.00	**2218-9	1.90			
**1256 sht		16.90	**281a bklt	9.00	53 f	3.00	*130 f-vf	42.50	312 s/d	1.45	**943-9	6.90	**2227-30	4.65			
B1		5.00	**284d bklt	13.50	53 ave	2.25	*130 f ng	25.50	*313-14	10.20	*943,5,7-9	3.75	**2232	3.40			
B5-7		27.00	**290a bklt	12.00	*53a f	60.00	*130 s/d	12.75	*313-14 s/d	2.55	*944-9	5.35	**2254-55	2.05			
B6		8.25	**291-2	3.75	53b s/d	39.00	130	2.50	313-14	2.60	*949	1.50	**2259	3.40			
**B7		1.50	**292	2.15	*55 ave ng	79.50	130 f	2.00	*314	7.80	*968	.10	**2268-69	1.90			
**B9-11		6.20	**293	2.10	*55 s/d	39.75	131 thin	3.40	*314 ng	3.90	**970-1	.40	**2348 bklt (20)	26.00			
**B12-4		12.40	**305	1.70	56	2.25	133-7 ave	9.70	*314 f	5.20	**987		*2348	1.30			
B12-14		10.00			56 f	1.80	133-7 s/d-ave	4.95	314	1.85	**997-1001	3.05	**2348a	5.25			
B12		8.00			56 s/d	.70	*136 ng	30.00	*320 s/d	4.50	**1014-7	7.90	**2348a,c bklt	19.50			
**B18-20		8.65			56,9 f	4.20	*136 ave	30.00	320 s/d	.60	**1024,24B	.80	**2348f	13.00			
**B24-26		41.00	*36	1.35	*58 ave ng	33.00	136 f	.90	**321	20.65	1024-24B	.55	**2379-82	7.90			
*B24-26		7.40	36	1.15	*58 s/d	16.50	136 ave	.70	*321	7.50	**1024B	.60	**2395	9.00			
*used B27-30		5.10	37 f	.60	*59 f-vf	235.00	*137	150.00	321	2.00	**1039	.75	**2397a	2.65			
*B35-8		10.00	59	1.00	*59 ave	142.50	137 s/d	2.20	321 f	1.60	**1049	1.70	**2398-2401	4.90			
**B39-42		10.45	60	1.00	59 pr on pc	6.00	*138 s/d	1.20	**322	10.50	**1049-51	6.75	**2419a	1.00			
*B39-43		8.65	61 ave	.60	59	3.00	138-54 ave-f	12.00	*322	4.20	**1050	1.65	**2444	7.50			
*B39-42		7.80	**73 f	1.00	59 f	2.40	139-41 s/d-f	.55	*322 lt toning	2.10	**1054-5	4.25	**2450	3.75			
**B44-6		8.50	*196-207	20.15	59 ave	1.80	*139 f	1.60	322	.90	**1059-63	1.15	**2504	2.25			
B44-47		7.85	E3 s/d	3.75	59 s/d	.90	*139 ave	1.20	**323	2.80	**1073	.20	**2567-8	3.00			
**B46		5.80	*E16-17	4.80	*60 ave-f	114.00	*139 s/d	.60	*324	3.00	**1074-5	.45	**2604 bklt (20)	21.00			
*B48		.65	*P4 thin	.80	60-3 f	12.40	*140,1 s/d	21.40	*324	1.35	**1076	.85	**2604a	10.50			
**B49-53		10.70			61 f	1.30	*141 f	30.00	324	.65	1076	.45	**2628	.95			
B49		.65			61 ave	1.00	*141 ave	22.50	*325-6	4.05	**1076-7	1.20	**2672-5	4.30			
*B54-57		4.95	*1 s/d	225.00	61 crease	.50	*141 f ng	22.50	*326	3.75	**1084	.85	**3091	1.30			
B56		1.20	*1a f ng	547.50	61 s/d	.50	*141 s/d	11.25	326 s/d	.60	**1090	.40	*B2 f	13.00			
**B60-63		1.70	3b f	54.00	*62 ave-f	193.00	*142 s/d	26.25	*327-8	5.00	**1092 sht(25)	4.70	*B2 ave	9.75			
*B60-63		2.25	7 s/d	54.00	62	2.65	*144 f ng	8.25	**330-1	10.70	**1100	13.15	B2 f	1.30			
**B65-68		1.00	7 thin	72.00	62 f	2.10	*144 ave	8.25	**330	2.45	**1106-7	.90	B2 ave	1.00			
*B65-8		1.25	9 s/d	98.00	62 s/d	.80	*144 s/d	4.15	**332	3.40	**1109-10	.40	B2 s/d	.50			
B65-7		1.15	9b s/d	120.00	62a	238.00	*144-5 s/d	5.10	*332	1.50	**1109-10 blk (4)	1.50	*B7	66.00			
B67 f-vf		.40	10a pr f	420.00	*63 ave-f ng	192.00	*159 ave	.45	332	1.00	**1112	.70	*B9	212.50			
**B69,72		.85	14,14a,14b f-vf	23.70	63 ave	3.45	*160 ave	.40	**337	11.25	**1113-7	1.30	*B11	51.00			
**B69-73		2.10	14c f	7.60	63 s/d	1.75	*162 ave	.45	342-6	4.80	**1114	.30	B12-15 f	2.45			
*B69-73		1.80	14c s/d	2.85	*64 ave ng	37.50	*162 s/d	.20	342-7	14.25	**1115	.25	*B19	60.00			
*B69-73 ng		.60	*18 s/d	300.00	*68 ng	240.00	*166 ave	.90	*343 s/d	.70	**1116	.25	*B29	19.50			
B69-73		3.65	18	5.00	*68 f	320.00	*166 s/d	.45	344	2.50	**1117	.25	**B35 f	35.00			
**B74-5,7		1.35	18 f	4.00	*68 s/d	120.00	*168 f	1.00	*347	22.50	**1119	.20	*B39 f	16.00			
**B74-7		1.75	19 f	16.00	*70 ave-f	201.00	*168 ave	.75	349	6.75	**1133-4	.40	B42	1.25			
*B74-7		1.00	19 s/d	6.00	*70 ave	172.50	*168 s/d	.35	*350	2.25	**1142-4	.60	*B44-5	8.10			
B74-7		1.50	20 f	17.00	70 strip of 3 f	21.00	*173 ave	1.10	350	2.25	**1142-4	.50	*B45	5.70			
B74-7 f-vf		1.40	20 ave	12.75	73 f	3.30	*173 ave	1.15	*352	.40	**1149-53	1.50	B46	2.50			
**B75-77		.85	20 s/d	6.40	73 s/d	1.25	175 on pc	.45	*364 f part gum	1.00	**1149-51,53	1.20	*B48	3.40			
B77 f-vf		.55	*22 ave(stain)	42.00	75 f	.55	*175b f	60.00	*369	5.65	*used 1149-53	1.00	*B48	1.35			
**B80-1		1.15	*22 s/d	21.00	75 ave	3.75	*178 ave	.75	*369	2.25	**1150 imp s/s	1.50	*B48-53	21.90			
**B82-83		1.20	22 s/d	4.50	*76 s/d	138.75	186,8,190-1,3-6 f-vf	7.60	*370	2.10	**1150 s/s(mentioned in Scott)	1.50	*B50	3.40			
*B82-6		3.50	*22a s/d	21.00	76pr f-vf on piece	9.00	*191 s/d	.70	**372	12.75	**1150 s/s(mentioned in Scott)	1.50	*B51	6.60			
*B82-6(B82 thin)		3.30	22a s/d	5.25	76 f	4.00	*193 s/d	1.65	*372 blk	51.00	**1153	.30	*B52	3.60			
*B87-90		1.70	22-3,5-8 s/d-f	21.00	76 ave	3.00	193	.75	*372	4.80	**1162	.15	*B53	30.00			
B91-93		6.15	*23 f	76.00	76 s/d	1.50	193 f	1.40	*372 f-vf	4.00	**1171	.20	*B53	12.00			
**B94		.70	*23 ave ng	57.00	76 pr ave-f	7.00	193 ave	1.05	372	3.25	**1171 blk (4)	.75	*B54-9	22.75			
*B98-100		2.50	*23 s/d	28.50	*77 ave	53.00	193 s/d	.55	372 f	2.60	**1172	.20	*B60-1	4.50			
**B98-100		1.70	23 ave	3.00	*78 f	10.00	*195 s/d	3.75	*372-3	.90	**1172-75	.90	*B60-2	6.75			
**B101-3		6.05	23 s/d	1.50	*78 s/d	3.75	195 s/d	1.20	*372-4,88	20.70	**1175	.20	*B60-2	2.90			
B106		1.75	*24 ave	540.00	*80 f-vf	370.00	*196 f	2.10	*374	4.25	*1176	.25	*B63	5.65			
*B107-9		6.75	*25 ng s/d	202.50	80 s/d	.30	*196 ave	1.60	*374 toned	2.00	**1185-91	3.30	*B63 blk (4)	22.50			
**B109 rd cor		1.20	*25 s/d	202.50	*82 ave	24.75	*196 s/d	.80	374	3.50	**1195-6	.75	*B69 crease	1.65			
**B110		1.60	*26 ave	60.00	82	.70	*198 ave-f	2.20	374 f	2.80	**1195-6 blk (4)	3.00	*B70	11.40			
**B110-3		6.70	27 f	2.60	82 f	.55	*198 f	.90	*388	6.60	**1197-8	.40	*B71-72	12.75			
*B110-13		5.70	28 f	12.00	*84 ave	43.50	*198 ave	.70	*388 f-vf	5.50	**1199-1201	.75	*B71-72	5.70			
*used B110-3		5.50	28 ave	9.00	84	3.75	*198 s/d	.30	388	2.50	**1202 blk (4)	.20	*B73	6.00			
B110-13		3.50	28 s/d	4.50	84 f	3.00	*198-201 f	16.30	**390	2.65	**1220 blk (4)	.75	*B74	13.15			
**B117-9		8.45	28a s/d	5.25	84 ave	2.25	198-9,201	3.90	*396	4.80	**1204	.40	*B74	5.10			
*B119		1.65	*29 f	15.00	84 s/d	1.10	*201 f	45.00	*419	.15	*1204-7	1.50	*B75	6.40			
*B120-22		5.00	*29 s/d	5.65	84 pr f	6.00	*201 toning	7.80	*427-9 imp prs	12.00	**1205	.40	*B75	2.40			
*used B120-22		6.15	29 f	6.40	86,88-96 f	72.70	*201 f	10.40	**475-76H	22.30	**1208	.20	*B76	15.75			
**B123		1.15	29,32,6 s/d	6.15	88 f	.75	*201 f ng	7.80	*475-76H	17.85	**1208 blk (4)	.75	*B76	5.25			
B123-25		3.00	*30 se	15.75	88 s/d	.30	*201 s/d	3.90	**503	.30	**1211	.20	*B77	4.30			
B126 blk(4)		4.00	*30 s/d	15.75	*90 s/d	.75	201 f	2.30	**523A-J f-vf	2.50	**1215	.30	*B77	2.00			
**B126-8		6.40	30 f	10.00	90a s/d	.90	201 s/d	.90	*523A-J	1.50	**1217	.30	*B79	4.80			
**B127		2.25	30 s/d	3.75	91,92 ave	.50	*220-1,23-5 f	9.70	548-52	2.30	**1217 blk (4)	.75	*B80	5.25			
B127		1.25	*31 s/d	24.75	*92 f	9.00	*220-5 f-vf	12.50	*568-71 s/d	.75	**1219	.20	*B80 crease	1.75			
**B128		2.25	31 s/d	5.65	*92 s/d	3.40	*220-5 f	10.00	*575	6.00	**1219 blk (4)	.75	*B81	4.05			
B128 blk(4)		5.00	*32 f	86.00	*92b s/d w/cert	67.50	*220-5 ave-f	8.75	575	.45	**1220	.70	*B81 f	2.70			
*B135-37		5.15	*32 ave-f	75.00	93	12.50	*224 s/d	.55	**590	2.65	**1220 blk (4)	2.80	B81	4.15			
**B142-4		7.00	*32 ave	64.50	93 f	10.00	*										

4