

WORLDWIDE

GABON - HUNGARY

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
GABON														
	**380.....	1.15	86.....	.75	670-73,75-85 s/d.....	4.75	**766 ng.....	.15	1029-31,33-4,8.....	.80	1299.....	.15		
192.....	.65	381-84.....	4.65	87.....	.75	670-85.....	18.85	*767 ng.....	.30	**1033.....	1.00	**1299,1301.....	1.00	
**240-3.....	3.40	**388-90.....	3.55	88.....	.75	670-85(*674).....	18.55	**771-2.....	2.90	1037.....	.55	1299-1305.....	1.25	
**284-9.....	5.80	**391-93.....	1.00	89 s/d.....	.20	670-85 f-vf.....	17.00	**771-2A.....	6.80	**1044 s/d.....	.30	1300.....	.15	
*294.....	.60	**394-97.....	.90	91.....	.95	671,3 pr.....	10.00	**772.....	3.40	1044.....	.15	1301.....	.15	
**298-300.....	.80	**397a.....	.60	93.....	2.40	671,5-8.....	3.50	**772A.....	4.90	**1046.....	.25	1302-5.....	.70	
**514.....	2.10	**413-16.....	1.75	93 f.....	1.90	671-3,5-82,5.....	7.20	**776.....	.90	1047-9.....	.45	1308-12,4-5.....	1.45	
**973-4.....	4.80	**413-16 gtr prs.....	3.50	93 s/d.....	.75	673.....	1.30	*776.....	.75	1052-3,55,60.....	.55	1309.....	.15	
*C1 thin.....	1.50	*417-19.....	.55	99.....	1.15	675,7 pr.....	10.00	776.....	.30	1063-5.....	.40	1310.....	.15	
**C2.....	3.40	**426-28.....	.75	100.....	1.00	676.....	.45	*790-1.....	1.80	1064-5.....	.25	1311.....	.20	
*C4.....	3.00	*426-28.....	.55	*100c separations.....	16.50	678.....	2.65	790-1.....	.30	**1067-69A.....	1.30	1312.....	.20	
**C6.....	2.25	**432-35.....	47.00	113.....	.95	679-83,5.....	9.50	**792 blk(4).....	1.20	1067-9A.....	.60	1313.....	.25	
**C9-10.....	3.40	**485-88.....	13.90	113 f.....	.75	680-5.....	10.20	**793-6.....	8.60	1072,75,80.....	.40	1314.....	.40	
*C14-7.....	25.00	**493-96.....	1.30	118-9,21-32 s/d-vf.....	11.80	*681 s/d.....	5.65	**793-7.....	11.40	**1074-85.....	9.30	1315.....	.35	
**C16.....	11.25	**498-503,505-6.....	4.20	119.....	.75	682.....	.25	*793-7.....	9.15	1074-85.....	1.85	1321-40.....	3.15	
*C25a.....	8.40	**515-18.....	35.25	120.....	.95	683.....	7.25	793-7.....	1.10	1075-82,5.....	1.60	1322.....	.35	
**C49.....	3.40	**537.....	9.40	121.....	1.10	683 f.....	5.80	794.....	.15	**1074,6-82,3,5.....	7.50	1322-9.....	1.40	
**C50.....	3.00	**542.....	3.60	123.....	1.40	683 s/d.....	2.20	794 pair.....	.30	**1077.....	.30	*1328-9.....	1.15	
C50.....	.90	**566.....	2.25	124.....	.95	684 f-vf.....	.85	795.....	.15	1078.....	.15	1330.....	.20	
*C59.....	1.65	**598.....	4.00	126.....	.80	684-5.....	2.10	**796.....	7.90	1079.....	.15	1331-57.....	4.20	
*C60.....	.70	**620-7.....	7.05	127 f.....	.75	685.....	1.15	*796.....	6.30	**1080.....	1.20	1332.....	.15	
C62.....	1.00	**628.....	3.60	128.....	1.15	685 s/d.....	.30	796.....	.40	*1080.....	1.00	1341-65.....	3.75	
**C63.....	1.90	**628-9.....	12.40	129.....	1.15	685 str of 3.....	3.40	*796-7.....	8.55	1080.....	.15	1344-5.....	.30	
**C68-9.....	3.15	**629.....	3.60	130.....	.95	**686.....	45.00	796-97.....	.75	**1081.....	.75	*1346.....	.80	
*C69a.....	3.90	**702a-L.....	12.00	131.....	.75	686 s/d.....	2.25	**804b,d.....	3.90	1083.....	.15	*1346.....	.65	
*C73a.....	6.60	**708.....	5.80	132.....	1.15	**688.....	18.00	**804b,d,e.....	5.85	*1085.....	3.00	1349-50.....	.20	
**C83-5.....	12.75	**709-16.....	9.60	132 f.....	.90	688.....	6.00	804d.....	3.75	1085.....	.55	1350.....	.20	
**C90.....	15.00	**728.....	1.70	137.....	1.00	688 f.....	4.80	**805-6.....	1.05	**1089-90.....	.85	1353.....	.25	
**C92-94.....	4.50	**836-43.....	13.50	137-43.....	6.00	**689.....	8.65	*805-6.....	.80	**1091.....	.40	*1355.....	.75	
*C92-94.....	3.35	**844.....	6.00	144.....	.80	**691.....	11.25	805-6.....	.30	**1097.....	.60	1356.....	.25	
**C94a.....	4.90	**845.....	6.00	156.....	.70	**691 f.....	7.50	**807-8.....	1.50	1100-5.....	.90	*1357.....	.45	
*C102-2B.....	6.20	**985-87.....	4.80	160.....	.70	*691.....	3.90	*807-8.....	1.20	1107,10,4,5,19-21.....	.75	1358-83.....	3.90	
*C104 imp.....	10.20	**1016a.....	4.30	172.....	.75	691.....	3.75	807-8.....	1.00	**1114-15.....	.65	*1359.....	.50	
*C108E imp.....	1.50	**1017.....	4.30	177.....	.75	**692.....	3.40	**808.....	1.35	1119-22.....	.65	1359-60.....	.30	
**C109-11.....	6.80	**1111.....	6.75	204.....	.70	**692 f.....	2.25	*808.....	1.05	1122.....	.35	1362.....	.25	
*C109-11.....	4.45	**1227-30.....	5.40	213.....	.95	*692.....	.90	808.....	.90	1124-31.....	1.45	1363.....	.15	
*C111a imp.....	3.60	**1293-1300.....	9.60	222.....	.75	**693.....	32.00	**809.....	.75	1129-31.....	.60	*1364-71.....	4.85	
**C141-2.....	5.25	**1301-2.....	9.75	**223.....	.15	693.....	6.75	809.....	.50	1132-9,41-4.....	1.90	**1366-84,B594-604.....		
**C150-1.....	5.65	**1389.....	13.50	224.....	.75	693 f.....	5.40	809-10.....	.65	1139.....	.40	9N471-79,9NB187-97.....		
**C152.....	8.25	**1538a-d.....	14.10	**227.....	.20	*694 ng.....	1.60	811-2.....	.50	**1140.....	1.20	1982 year set in folder.....		
**C160-1.....	3.45	**1539a-d.....	14.10	227.....	.75	694.....	2.25	**812.....	.50	**1142.....	.40	40.00.....		
**C169.....	8.25	**1567-74.....	8.65	229.....	.75	694 f.....	1.80	**813-4.....	.45	**1143.....	.40	1366-83.....	2.65	
**C222.....	4.15	**1576.....	4.75	231.....	.75	695.....	9.50	*813-6.....	1.40	1144.....	.25	1367.....	.15	
C231.....	.60	**1604.....	7.50	231 s/d.....	.20	701.....	7.50	*813-6.....	1.15	1146-58.....	2.25	1372.....	.15	
C237.....	.40	**1613-16.....	6.75	*251 ng.....	.10	704,6,8-21.....	7.65	813-6.....	.90	**1146-47.....	1.80	1372-83.....	1.80	
*J34-45 prs.....	4.90	**1617.....	9.00	*289a ng.....	15.75	704,6,8-17,19-21.....	6.65	814-5.....	.25	**1150.....	.65	1384a-c.....	.40	
*J35a,37a.....	.50	**1617a-l.....	9.00	298.....	.95	708.....	.15	816.....	.50	1151-3.....	.50	1384c.....	.40	
*SG#1971.....	5.00	**1618-19.....	9.00	323-5,7-8.....	1.45	710.....	.15	**818-20.....	1.45	**1155-8.....	1.80	1385-6.....	.45	
GAMBIA														
*12-19.....	55.00	**1633.....	2.65	324a f-vf.....	95.00	712.....	2.25	*818-20.....	1.15	1159-60,62-9.....	1.65	1385-1408.....	4.80	
*15 f.....	5.00	**1729-34.....	9.00	327.....	.50	712 f-vf.....	2.00	818-20.....	.70	**1161.....	1.00	1392-3.....	.35	
*17 f.....	5.20	**1805.....	7.25	328.....	.55	712 s/d.....	.70	820.....	.45	1162-9.....	1.00	1393.....	.20	
*22.....	4.20	**1806.....	8.25	338.....	1.75	715.....	.30	**821.....	1.70	**1163.....	.65	1394-8.....	1.00	
*25 f.....	8.00	**1805-6.....	15.50	338 f.....	1.40	716.....	.80	*821.....	1.35	**1164-65.....	.75	*1400-1.....	1.15	
*31.....	30.00	**1826-39.....	23.00	347-9.....	.95	716 f.....	.25	821.....	.90	**1170-5,7-9,81,3-6.....	15.60	1401-2.....	.45	
*32.....	14.50	**1898-1900.....	27.00	350 f.....	6.00	716 s/d.....	.25	**821-2.....	1.90	88-9,92.....	.15	1405.....	.25	
*33.....	6.00	**2007-10.....	6.40	351-62.....	9.10	717.....	.35	821-3.....	1.20	*1170-4,7-9,81,83.....	6.30	**1408.....	1.00	
*36.....	7.80	**2011.....	6.60	351-62 s/d-vf.....	6.30	717 f.....	.25	827-9,32,38.....	.65	85,88,92.....	.25	1409-19,21-31.....	4.35	
*45.....	10.50	**2012.....	3.40	351-62(no 356).....	8.90	717,20-1.....	1.85	**834.....	.25	*used 1170-92.....	8.50	1409-11,13,5-6,8-9.....		
*79.....	3.90	**2013.....	3.75	353-7,60.....	1.70	717-18.....	1.35	*836.....	.30	1170-92.....	5.65	23-6,28-31.....	3.10	
*80.....	3.60	**2014.....	5.65	357.....	.55	718.....	1.00	836.....	.20	1170-83,5-6,8.....	5.20	*1412-4.....	2.10	
111 f.....	38.00	**2015.....	3.75	361.....	3.75	718 s/d.....	.30	**844-45.....	.45	1171-2,4,6-9,81.....	1.05	1414-19.....	1.20	
*125-28.....	7.85	**2133a-i.....	5.50	362.....	2.50	719-20.....	.65	**852-3.....	.50	1171-9.....	1.15	*1415-6.....	1.25	
*129-31.....	.60	**2134a-i.....	5.50	362 s/d.....	.75	719-21.....	1.65	*860.....	.15	1171-9,81-4,6-92.....	4.95	1415-6.....	.35	
*132-43.....	60.00	**2203.....	6.75	366-70,3-4.....	2.50	719-21 s/d.....	.50	863-5.....	.55	1171-9,81-4,7-8.....	4.45	1428.....	.25	
140.....	1.25	**2204-5.....	6.75	366-74,6-8,80.....	6.80	720.....	.50	**866.....	.25	**1178.....	.45	1430.....	.20	
*146-47.....	12.80	**2346-48a-f.....	21.00	366-74,6-84.....	14.55	720-1.....	1.50	*867-8.....	.35	1180.....	.30	1432-52.....	4.40	
*148-51.....	1.65	**2349-51.....	12.50	366-74,76-82,84.....	11.15	721.....	1.00	*867-8.....	.30	1181.....	.15	1437.....	.30	
*153-66.....	69.00	**2652.....	7.50	366-84.....	16.40	**724.....	5.10	867-8.....	.25	1182.....	.30	1439.....	.20	
**172.....	.85	**2676.....												

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
1519		20	1879		75	2289-92,94-2306	9.10	**B454		30	B890-4	6.30	9N33	200.00	9N242		25
1523		20	1881-95	6.40	2289-2306(no2301)	9.10	**B459-62	2.50	B892	1.00	**9N38	145.00	**9N243		1.00		
1524		20	1881-2,84-95	5.20	2290		40	**B459-62	2.00	B893	1.00	9N39	13.00	**9N248		.90	
1525		20	1882		30	2291A		**B460		40	B896	1.00	9N40	40.00	**9N250		1.50
1526		20	**1889		75	2294		B460,2	1.00	B907	1.20	9N41	45.00	**9N251-5		3.95	
1527		20	1889-93	2.15	2305		40	**B461		75	B910-4	6.60	9N42-4,9N62	38.00	**9N251-4		1.00
1528		20	**1892		75	2307-12,14-15,17-22,24		**B462	1.00	B910-4 s/d	2.00	9N42-6,8-58,60	11.90	*9N251-5 coil strps(7)	4.00		
1530		20	1893		30	26B	13.00	**B463-66	1.30	B913	1.00	9N42-60	18.55	9N251-3 strp of 3	1.00		
1532		30	1894-5	1.15	2314		35	**B475	1.10	B914	2.65	9N47	20	*9N251b		.50	
1533		40	1898-1901	1.25	2315		40	B475		65	B923-7	6.60	9N51 pair		**9N251c		1.95
1534		35	1898-1905	3.75	2317		50	B479		55	B929		9N51	35	9N252 blk (4)		.50
1536		25	1900		40	2318		**B496-99	4.25	**B936-40	9.90	9N54	20	**9N252,4		.60	
1537		30	1901		30	2320		**B498-9	3.15	B941-45	6.60	9N55		**9N252a		1.50	
**1538		2.25	1902	1.50	2320-1	1.75	**B502	2.25	B942	1.00	9N55 pr		9N55	65	9N253a		1.20
1538		30	1903-5,7,9-10	1.85	2321	1.05	**B503-6	2.25	B943	1.00	9N58		**9N254-55	3.40			
1539		50	1907		30	2326B	70	B506		65	B944	1.00	9N59	6.50	**9N254		.50
1540		60	1909-20	4.10	2328-9	1.30	**B508-11	3.75	B945	2.65	9N59 s/d		9N59	1.95	9N254 blk (4)		.70
**1541-48		6.15	1919	25	2328-33,35-38,40-43	8.55	**B516		B947		90	**9N61 crease	25.00	**9N255		3.00	
1541-67		5.70	1922	45	2329	70	**B521-24	1.85	B959-60	1.65	9N63		9N63	16.25	9N255		2.15
1544		25	1926		20	2338-43	2.25	B524		60	B960		9N64-67	13.35	**9N261		.75
1544-7		90	1938-45	3.60	2344-5B	1.30	**B525	85	B961-5	6.25	9N67 s/d	2.20	**9N267,9,71-4	2.25			
1546		30	1942	1.15	2344-6	1.65	**B526-9	2.50	B964	2.65	**9N68	56.00	**9N267,9,71		.60		
1556		25	1943		35	2345A-B	.60	B535		30	B965	1.00	9N77 s/d	1.95	**9N280-2		1.20
1556-7		45	1947-8,50-8	3.85	2347A	1.75	B544	25	B978-9	1.75	9N78 on pc	25.00	**9N288		.60		
1561-67		1.60	1948		35	2349-55	3.30	B553		15	9N80	2.40	9N78	25.00	**9N292		.60
**1565-83		18.90	1960-4,66	3.10	2350-5	2.95	**B553-6	1.80	B980 s/d		75	9N79 s/d	1.95	9N295		.95	
1568-90		5.65	1960-7	3.75	2357-74,76-86	16.15	B553,5	45	B981	1.05	9N80		**9N297		.75		
1569		25	**1964	75	2363-6	1.50	B555	30	B983		90	**9N82-3	16.50	**9N300		1.35	
1571		25	1967		35	2368-9	2.25	**B564 sht (10)	7.15	B990-1	1.75	**9N83	11.50	9N301		.60	
1573-4		35	1969-70,72	1.00	2369	1.10	B567	30	B991		.95	9N83(2) on pc	21.00	**9N302-4		1.10	
1575-7		70	1970		35	2373-73A	90	B577	25	B992-5	5.50	*,used 9N84-93	15.35	*9N310		1.00	
1576		25	1972		35	2373A	50	**B577-80	2.10	B996	1.05	9N84-5,87-93	14.95	9N310		.80	
1577		35	1974		35	2379	35	B578	30	B1002-5	4.70	9N85(2),9N88		**9N312		.50	
**1578		1.10	1974-6	1.15	2384	1.40	B579	35	B1006	1.05	9N85,89,92 on pc	12.65	**9N316-24	5.85			
**1579		1.10	1975		35	2390-3,5-8,400	4.10	**B581 sht (10)	4.90	B1008-9	1.60	9N88-93 s/d-vf	8.95	**9N316-21,23-4			
1579		30	1976		35	2391	40	**B581	50	B1009	.90	9N92	3.25	coil strips of 3	16.70		
1582-4		85	1977-93	7.65	2402	40	B582	40	B1010-3	5.15	9N93 pr on pc	2.00	**9N317-8,20-1	.90			
1584		25	1979-84	2.00	2407	40	B590	25	B1010-4	6.05	9N93	1.00	**9N321-4	4.80			
*1584-6		1.65	1980		35	2420	40	B591		90	B1014	.90	*9N94-98	14.20	*9N322		1.00
1586		25	1980-1		75	2424,26-9	3.20	B600	25	B1024-25	1.60	9N97	4.90	9N322		.55	
1587		25	1981		35	2428A	40	B600-1	55	B1026-9	3.80	9N98	11.50	**9N323		1.20	
1589		25	1982		40	2431-8	3.00	B600-2	90	B1026-30	4.70	9N101-2	2.65	9N323		.95	
1590		25	1983		40	**2440	85	B600-4	2.00	**C24	125.00	9N102	1.00	9N323A		.45	
1590-3		95	1988		40	2440-8	5.50	B601	30	**C25	320.00	**9N103	5.25	9N324		.50	
1591		25	1989		40	2441A	40	B602	50	**C26	409.00	*9N104	6.00	**9N326-7		.70	
1591-1618(no 1610)		7.15	1992		40	2442	40	B604	50	C46-56(C49 missing)	37.50	9N109	1.30	**9N328-30		1.05	
1593		30	1994-7	1.50	2444	1.00	B611	25	C46-52,54-5	15.15	9N109 pr	2.60	9N328-30	.60			
1594		30	1996		40	2451-6	3.00	*B611-4	2.05	C53	1.90	*9N109-10	68.50	**9N331-33	1.60		
1594-7		1.10	1998-9,2001-4	3.10	2460-1,63-9A	6.85	B611-15	2.25	C54	1.30	*9N110	51.00	**9N332-33	.85			
1600		30	2001	1.20	2464	40	B612	30	C55	9.50	**9N111	6.40	9N332-33	.40			
1600-4		1.25	2006-9	1.70	2466	35	B613	55	**C56 hor gum	200.00	*9N111	5.10	**9N334		.45		
1601		20	2010-3	1.40	2468A	70	B623	30	C56 hor gum	250.00	9N111	1.50	**9N335-7	1.50			
**1603		1.00	2015-28	7.70	2469A	1.15	B623-27	2.60	**C61-4	17.50	**9N113-14	5.70	**9N341-2	.95			
1607		30	2015-9,21-3	4.40	2471-6	3.00	B625	50	**C61-4 blks	70.00	*9N113-14	4.55	**9N346	1.50			
1608		25	2021	1.15	2478,80-81,83	2.00	**B627	80	*C61-4	14.00	*9N113-14 dist gum	3.00	9N346	.65			
1608-9,11-13		1.45	2021-2	2.25	2484-9	2.25	**B635a	3.40	C61-4	6.25	9N113-14	1.85	9N349	.25			
*1609,11		1.30	2022	1.15	2486-9	1.50	B636-9	1.85	C61,64	3.25	*9N113-15	15.00	9N354-8	3.00			
1611		25	2024		40	2490	40	B638	50	C61-2,4	3.75	*9N115	13.15	9N358	.60		
1612-6		1.35	2024-5,27-32	4.20	2491-4	1.45	B647,8,50	1.15	C62-4	5.90	*9N115	10.50	9N360-65,67-68	1.15			
1613		40	2029-31	1.30	**2492	90	B648,50	95	*C63	3.45	9N115	8.25	9N369	.40			
1614		25	2032-9	3.40	2494	40	B650	55	C63	2.50	9N118-9	1.95	9N370	.55			
1616		30	2034-9	2.55	2495,97-2511	7.90	**B651	1.05	C63 f	2.00	**9N120-30,2,4-6	26.70	9N375A	.95			
1617-8		60	2043		40	**2498	1.00	B658	55	C63-4	5.40	**9N120,21-24,26-35	30.00	9N376	1.65		
1620		30	2043-50	4.85	2504-17	7.00	**B658-61	3.25	C64	2.90	*,used 9N120-1,3-35	14.30	**9N379	.50			
1620-5		1.35	2050	1.05	2513-18	3.00	B658-62	2.75	C64 f	2.30	9N120-1,3,6,8,30-4	11.35	**9N381-7	3.70			
1621-5		1.10	2052		40	2514	30	B670,2	70	O2	.80	9N123,6-9,31-5	11.00	**9N386	.50		
1622		25	2056	1.20	2531-5	2.10	B670-4	2.20	O2,5-10,12-3	9.30	9N126 pr	25	**9N387	.75			
1625		25	2057		40	2532	40	B671	40	O4	1.15	9N127	15	9N390	.20		
1627		25	2058		45	2534	40	**B674	90	O5 f	.75	9N128	15	**9N391b	2.45		
**1627-9		2.40	2059		40	2537-40	1.45	B682	55	O5,7,9-10,3	5.10	9N129 blk(4)	.80	**9N391c blk(	6.60		
1627-9		60	2060-78	9.05	2537-43	3.30	B682-4	2.20	O6	.95	9N131	3.25	9N401	.60			
**1630-4		4.95	2078		40	2540	40	B684		95	9N131 pr	6.50	**9N404	.50			
1630-3		75	2080		40	2546-7	.80	**B685-6	1.80	O7 strip of 3	2.85	*9N131,4-6	19.20	**9N404-10	4.90		
1636-7		50	2080-2105	15.85	2553-4	1.40	B685-6	1.10	O7 f	.75	9N131,6		*9N404	.40			
1638-40		50	2101	1.30	**B90	18.00	B694-6	1.85	O8	.95	9N132	40	**9N406-10	3.45			
1642		25	2106-12	3.65	**B93-101	45.00	B696		O8,10-11	3.80	9N132 pr	.80	**9N408	1.00			
1642-8		1.35	2113-4,16	1.15	**B104	180.00	B697-700	2.05	O9	.75	9N132 blk (4)	1.60	*9N409	1.10			
1642-5,53		95	2113-6	1.50	**B118	7.30	**B701-4	4.95	O10	.95	9N133	40	9N409	.45			
**1645		1.00	2117-30	6.20	**B131 light crease	6.40	**B714-9	5.55	O10 f	.75	**9N135	1.30	*9N410	.60			
1649-52		1.65	2132-9	4.30	**B138-9	11.25	B714-9	3.60	O11	1.90	*9N135	1.05	*9N410	.50			
1649,51		50	2134	35	**B146	19.50	B714-8	2.60	O11-2	3.40	9N135	1.00	9N410	.45			
1653		25															

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
19N487.....		.55	**9NB231.....		.75	MI#S234.....		1.50	**100-2.....	5.65	188b.....		14.00	O36.....	1.25	275.....	6.50
**9N488-91.....		3.70	9NB231.....		.45	* MI#S235.....		1.20	*100-2.....	4.50	*189.....		2.40	*,used 10N29-44.....	11.60	275 f.....	5.60
**9N488-91.....		2.95	**9NB232.....		1.10	** MI#S237.....		1.20	*102 ng.....	.90	*192-5.....		49.00	10N29-32,4-6,8-44.....	9.30	275 s/d.....	1.95
9N491.....		.80	**9NB232-3.....		2.40	* MI#S240.....		22.80	102.....	1.50	*195.....		36.00	10N29-33,5-7,9,41-3 f-vf.....		**B1,3.....	.60
**9N492-7.....		4.60	**9NB234-7.....		3.90	* MI#S242.....		22.80	103.....	2.40	*197.....		1.95	10N29-33,35-7,9,42 f-vf.....	7.50	*B1-3.....	.75
*9N492-7.....		3.70	9NB234-5.....		1.30	* MI#S243.....		6.60	103-5 s/d.....	2.15	*198.....		1.20	10N29-33,35-7,9,42 f-vf.....		*B2.....	.25
9N495.....		.55	9NB238.....		.50	* MI#SK15.....		5.00	*104.....	1.95	**203.....		3.00	10N29-44.....	6.00	O4.....	.40
**9N498-501.....		3.30	**9NB238-41.....		3.70	* MI#SK29.....		.95	**108-9.....	3.00	**216-9,221-3.....		13.85	*10N29-44.....	8.70	O10-11.....	1.20
9N499.....		.65	*9NB238-41.....		2.95	* MI#SK30.....		1.00	*,used 108-9.....	1.50	**216-22.....		8.20	*,used 10N29-44.....	7.15	O24.....	1.15
9N500.....		.45	9NB239.....		.65	MI#SK30.....		.85	108-9.....	1.15	*216-23.....		14.55	*,used 10N29-44 s/d-vf.....		O52,4-7.....	5.00
**9N502.....		.90	9NB239-40.....		1.25	* MI#SK31.....		1.20	*109.....	1.35	**216-23.....		13.00	10N29-33,5-7,9,41-3 f-vf.....	2.95	O52,3,5-7.....	5.00
9N502.....		.45	**9NB242.....		.60	*MI#W16.....		1.80	*110.....	1.05	*216-23.....		11.65	10N29-32,4-6,9,41-3.....	6.30	O52,9,61-2,4-8.....	14.20
9N508.....		.50	9NB242.....		.45	* MI#W21.....		30.00	**111.....	1.30	216-23.....		1.00	*10N29,36,8-44.....	6.50	O52-9,62-8.....	15.25
**9N510-1.....		1.95	**9NB243.....		1.00	* MI#W27.....		4.50	*111.....	1.00	216-9,21-3.....		.90	10N29-33,5-7,9-44.....	7.60	O52-68.....	17.30
9N512.....		.60	9NB249.....		.35	* MI#W28.....		7.80	113-15.....	2.65	**223.....		6.00	10N29-44.....	10.00	O52-68 (O53 thin).....	16.35
**9N512-4.....		2.85	*9NB249-52.....		2.65	* MI#W29 s/d.....		4.80	**114.....	15.75	*224-5.....		2.70	10N29-44 f-vf.....	8.00	O52-3,5,7,8-63.....	6.95
*9N512-4.....		2.30	9NB249-52.....		2.40	* MI#W30.....		7.20	114.....	.75	*225.....		1.20	10N32,5,9-44.....	5.90	O53.....	.95
9N514.....		.70	9NB252.....		.80	MI#W30.....		1.75	**115.....	15.00	**226a cr.....		10.00	**10N33.....	1.95	O53 f.....	.75
**9N515.....		1.00	9NB253.....		.40	** MI#W41.....		3.35	115.....	.65	**227.....		1.15	**10N35.....	4.25	O54-7.....	3.90
*9N515.....		.80	9NB256.....		.80	* MI#W46.....		36.00	**118-9.....	2.25	227-7b.....		.25	10N39.....	.80	O55.....	.80
9N515.....		.55	9NB261.....		.45	MI#W47.....		7.50	*,used 118-9.....	1.85	**227-30A.....		17.65	*10N40.....	2.40	O56.....	.80
9N516.....		.90	9NB263.....		.50	* MI#W55.....		24.00	118-19.....	2.30	*227-30A.....		14.80	**10N42.....	6.25	O57.....	.80
**9N516-8,20-32.....		35.00	9NB272.....		.90	* MI#W55 s/d.....		6.00	**119.....	1.10	*227-30A (no 227B).....		13.35	*10N42.....	1.45	O58.....	1.00
9N519.....		1.65	9NB272-4.....		3.50	* MI#W57.....		24.00	*119.....	.90	227,28-30A.....		.60	*10N43.....	.25	O59.....	.80
9N520.....		1.15	9NB274.....		1.50	* MI#W58.....		36.00	119.....	1.50	227a.....		14.00	10N43.....	.90	O61.....	.70
9N521.....		1.65	9NB283.....		.90	* MI#W67.....		3.60	*120-1 ng.....	5.10	*227B.....		1.45	*10N44 f.....	.25	O62.....	.70
9N522.....		1.15	9NB285.....		1.50	MI#W71.....		.60	**121.....	7.50	*227B, 30A.....		6.50	10N44.....	1.40	O63.....	1.75
**9N530.....		4.90	French Legion Official.....			* MI#W102, S237.....		9.00	*121.....	6.00	**228.....		1.30	16N4.....	1.00	O64 f.....	.80
9N530.....		8.00	Courier *III/V ng.....		100.00	* MI#W104.....		2.60	121.....	.25	**229.....		3.00			O65.....	1.00
9N532.....		14.00	**Einheit II.....		35.00	MI#W104.....		2.40	*122.....	1.50	*229.....		2.25			O66.....	1.00
*9N536.....		1.00				MI#W105.....		1.60	**122-36.....	265.00	**229-30A.....		13.30	4a f.....	64.00	O67.....	1.00
9N536.....		.65				MI#W106.....		2.40	*122-8,31,3-4,6 toning.....		*229-30A.....		11.10	20 f.....	1.60	O68.....	1.00
*9N537.....		2.40				MI#W107.....		2.00		35.00	**230.....		4.70	25 ave-f.....	787.00	*Telegraphs 5 diff.....	49.00
9N538.....		.45	MI#35c.....		150.00	MI#W108.....		2.75	*,used 122-36 s/d-vf.....	42.00	*230.....		3.75			MI# Retourmarken.....	
*9N540.....		.90	MI#48b.....		25.00	* MI#W109 f.....		1.60	**123.....	2.10	*230A.....		6.40			*1-6s/d.....	22.50
9N540.....		.50	**MI#49 la blk.....		165.00	MI#W109.....		1.75	*123.....	1.50	*230A.....		4.50	5.....	3.25	MI# Retourmarken.....	*1.800
**9N542.....		.80	*MI#60 II.....		23.00	* MI#W110.....		3.30	*124.....	1.50	*237a.....		13.10	5 s/d.....	1.00	MI# Retourmarken.....	
9N542.....		.50	*MI#73-96.....		60.00	* MI#W111.....		6.00	*124 f.....	1.20	*237a.....		10.50	9 s/d.....	3.00	*1 s/d.....	2.00
**9N544-55.....		11.35	MI#80A s/d.....		7.50	* MI#W111 s/d.....		1.50	*124.....	1.00	*237a stuck.....		2.65	11 s/d.....	1.80	MI# Retourmarken.....	*310.00
*9N544-55.....		9.10	MI#81A s/d.....		10.00	* MI#W112.....		10.80	**124-6,8,30.....	35.65	*237a s/d.....		3.30	*23a f.....	50.00	MI# Retourmarken.....	
9N547.....		.90	MI#**81 H Blatt Bklts.....		75.00	* MI#W113.....		7.00	*125.....	3.75	**243a.....		16.50	*24.....	14.40	*3 s/d.....	3.50
9N548.....		.50	MI#82A.....		3.50	** MI#W115.....		1.20	*125.....	2.70	**243a light cor crease.....		7.70	*24 f.....	.90	MI# Retourmarken.....	
9N549.....		.50	** MI#84 II.....		1.35	* MI#W115.....		.95	**126 f.....	7.50	**264a.....		49.00	27a s/d.....	71.00	*4 s/d.....	3.00
9N551.....		1.90	*MI#85(2),99(4) bkl't pn.....			MI#W115.....		.80	**126 s/d.....	1.90	**264a singles.....		31.00	**50 f.....	7.50	MI# Retourmarken.....	*6.600
9N552.....		.50			210.00	** MI#W121.....		1.20	*126.....	6.00	*274.....		11.40	60.....	.30	MI# Retourmarken.....	*710.00
9N553.....		.65	* MI#90 II.....		12.00	MI#W121.....		.80	*127.....	2.40	*280.....		6.60	62.....	.30	MI# Retourmarken.....	*810.00
9N569.....		.55	* MI#92 II a,b.....		13.20	MI#W123.....		.65	*128.....	3.90	**284-5.....		9.95	63.....	.40	MI# Retourmarken.....	*9
9N576.....		.65	MI# 94A11.....		80.00	* MI#W128.....		10.80	**130.....	9.00	*330 ng.....		1.50	70 s/d.....	.25	(4 diff).....	50.00
**9N579.....		.95	MI#95A I,II.....		29.00	MI#W131.....		.80	*130.....	9.60	**330c,33a,477b.....		11.25	94-111.....	32.90	MI# Retourmarken.....	*912.00
9N579.....		.55	* MI#95 B II a.....		4.20	MI#W133.....		.80	130 s/d.....	1.20	**330c, 33a, 477b.....		11.25	94-7,9-100,102-11,94-7,9-100,102-11, 113-4.....		MI# Retourmarken.....	*10
**9N586.....		1.20	MI#96 B II f.....		2.20	MI#W144.....		.80	**131.....	3.00	bklt.....		11.25	100 different.....	100.00	MI# Retourmarken.....	*10
9N587.....		.80	* MI#96 B II b.....		9.00				*131.....	1.95	*330c,3a,477b bklt.....		9.00	(108 cr).....	74.00	MI# Retourmarken.....	*10
9NB4-5.....		62.50	*MI# 97A1.....		225.00				*131 f.....	2.40	*330c,3a,477b ng bklt.....		4.50	100.....	1.00		10.00
**9NB8-11 toning.....		5.40	*MI# 97B f.....		25.00				*131 ng.....	1.20	*333a.....		2.40	95 f.....	.80	MI# Retourmarken.....	*11
9NB8-11.....		82.00	MI#99 a,b.....		2.50	MI#23-33.....		20.00	**132.....	15.00	*443.....		2.70	95-6,6a,98(2),102-4 f-vf.....	4.30	3 different.....	35.00
**9NB12.....		9.00	*MI#100 II.....		85.00	MI#36/50.....		16.50	*132.....	12.00	*475.....		5.70		4.30	MI# Retourmarken.....	*13
**9NB19-20.....		1.50	MI#101 a,b.....		2.40	* MI#52-6.....		13.00	*132-5.....	28.35	535-9.....		.65	95-7,9,102-7,9.....	7.35		
**9NB20.....		1.05	MI#124 PF VII.....		20.00	*,used MI#57-64 f-vf.....		19.00	**133.....	3.60	**576-81.....		6.55	95-100,102-8.....	13.00		
**9NB21-4.....		1.65	MI#164 blk.....		4.00	MI#57-64 f-vf.....		33.00	*133.....	2.40	583,85.....		.25	95-100,2-10.....	15.40		
**9NB25-28.....		1.05	MI#166.....		3.50	MI#116b.....		17.50	133.....	1.65	*656a.....		1.30	95-110.....	29.00	*12 reissue.....	6.00
**9NB37-40.....		1.00	MI#167.....		1.25	** MI#118 blk.....		24.00	**134.....	4.90	*656a.....		1.05	96.....	1.00	23 s/d.....	52.50
**9NB53-56.....		1.90	MI#170.....		5.50	** MI#118.....		6.00	*134.....	3.90	*740a.....		15.00	96a.....	1.00		
**9NB61-64.....		1.50	MI#171 strip of 3.....		6.75				*134-5 ng.....	4.20	*742a.....		4.50	97.....	1.00		
**9NB65-68.....		1.30	MI#172 strip of 3.....		30.00				**135.....	9.00	*744a.....		4.50	97-8,102-4,6-7,9.....	8.00		
**9NB69.....		.25	MI#173.....		2.25	*12-13.....		1.80	*135 ng.....	3.00	744a.....		1.50	98.....	1.00	1.....	300.00
**9NB70-73.....		1.65	MI#176 a,b.....		82.50	*16 s/d.....		1.80	135.....	4.00	**941-4.....		3.60	99.....	1.00	21 f-vf.....	900.00
**9NB74-77.....		1.35	** MI#176a,b.....		22.40	*20.....		.90	**136.....	48.75	**945-48.....		2.50	99 f.....	.80	21 f.....	800.00
**9NB78.....		.25	** MI#179 blk.....		4.80				*136.....	39.00	**977-81,B146.....		2.80	100.....	1.00		
**9NB92-95.....		3.40	*MI#180Z.....		30.00				**137-46.....	15.55	*984a.....		2.10	102.....	1.00		
**9NB96.....		.40	** MI#203A.....		1.95	MI# 12-14 II.....		25.00	*137-46.....	12.45	1430-3A.....		2.30	103.....	1.00	18 s/d.....	30.00
**9NB97-100.....		2.30	** MI#208W.....		4.90				*137-46 toning.....	6.20	*1433.....		.60	104.....	1.00		
**9NB105.....		.45	** MI#209b.....		8.25				*,used 137-46.....	9.90	1494A.....		1.50	106.....	1.00		
**9NB106-9.....		1.80	** MI#209b blk.....		33.00				*,used 137-46 s/d-vf.....	6.95	**1585-8.....		1.15	107.....	1.00	*4 s/d.....	16.50
9NB109.....		.65	**MI#226Z.....		25.00				137-39.....	.70	**1711.....		1.50	109.....	1.00	5 f.....	6.40
**9NB110-3.....		2.45	** MI#231a,b.....		4.80	*48.....		5.10	*141-2,6.....	3.90	2062a.....		1.50	115.....	1.00		
9NB110,112-3.....		1.30	MI#246 A,b.....		6.50	*48 ng.....		2.55	**142.....	1.90	2071-5,7.....		.80	136-51 s/d-vf.....	5.30		
9NB112.....		.35	MI#253,B.....		5.50	48.....		4.75	*143.....	1.50	2071-83.....		2.50	136-53s/d-vf.....	10.95	13a f.....	120.00
**9NB114.....		.50	MI#256A,B,C.....		27.50	48 f.....		4.00	143-5.....	2.							

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
MH126		.45	**731a		6.00	43c f		24.00	**1864-68		6.00	*B1		3.60	**3467		4.50
**MH130		.95	**832-37		6.45	43d f		35.00	**1869-72		5.50	B1		.95	**C29-32		1.45
MH130		.35	**892		6.00	43d ave-f		30.50	**1874Bc bklt		7.90	**B2 toned		1.45	**J10 f		9.00
MH135		.70	**961-8,70		10.45	43e f		35.00	**1875-9		6.90	**B2		3.60	J13		2.25
MH142		.70	**997k		8.25	46 str of 3 ave-f		47.00	**1887-94		7.40	*B2		2.85	**J14		2.25
**MH142-3		2.50				53		47.5	1898		.65	*B3		.60	*J14		1.80
**MH143		1.45	ALDERNEY			53 f		3.80	**1905		2.65	**B15		11.25	J15 s/d		1.35
**MH160		1.90	**13-7		6.00	53 ave		2.85	**1907Bc bklt		10.15	**B17-18		3.75	**J15-8		1.80
MH161		.75	**18-22		6.75	56 s/d		1.20	**1908-17		13.90	Q6 s/d		1.80			
**MH165		.70	**23-27		2.85	56a f		3.30	**1936a		4.50	GRENADA			GRENADA GRENADINES		
MH165		.50	**32-36		9.00	56b f		7.00	**1968-9		3.75	**2a		.55	**28		1.30
MH165-8 s/d		.45	**80b bklt		4.30	68		2.00	1975		.90	*3 ave		30.00	**31		.60
**MH166		.75	**89		3.20	90,2-6		15.00	**1991		3.75	3 f		6.00	**50-7		1.85
*MH166 ng		.30	**170-5		5.80	113a ave		1.00	**1992		5.10	5a ave-f		96.00	**58		1.15
**MH166 s/d		.15	**326 sht(10)		12.00	*117 f		1.60	1999		1.05	5B f		19.00	**91-8 shts (5)		8.25
**MH167		1.50	**327 sht(10)		14.25	117		1.50	**2002		7.15	30		.90	**136		.60
MH167		.30	**328 sht(10)		15.00	118-20		7.75	2019		1.50	*79		.60	**213-15		.65
MH167 f		.25	**329 sht(10)		15.75	119		2.60	2020		3.00	79-80		1.00	**213-5 shltts		6.90
MH167 s/d		.10	**330 sht(10)		22.50	119 ave		1.60	**2031		5.25	*80a		1.90	*C15		2.25
MH167,9,75		1.35	**333 sht(10)		9.40	119 s/d		1.00	**2044		13.50	80a		1.00	C17		1.00
**MH168		3.60	**334 sht(10)		12.00	119,22 s/d		2.35	**2061		7.90	*81		1.15	*C17-21 (C21 thin)		4.50
MH168		.65	**337 sht(10)		18.00	120 ave		2.15	**2110		7.90	*83		.45	**C24-26		54.00
MH168 f		.50	**389		6.60	120 s/d		1.10	**2192		6.75	*84		1.05	*C24-26 ng		21.5
MH168 s/d		.20	**476a		7.50	121		4.10	**2254		6.75	*85		.70	**C24-26 double ovpt		4.10
*MH169		3.00	**518		7.00	121 f		3.30	**2306		6.60	*85b		32.00	*C31		89.00
MH175		.75				121 s/d		1.25	**2319		10.15	*86		4.35	*C37		7.50
MH176		2.00	ISLE OF MAN			121-2		9.35	**2429		7.15	97		5.00	C32-4		2.85
*MH183		1.20	**13(2),21(3) bklt		1.15	122 f-vf		4.75	**2429C		7.15	97 f		4.00	**C34		6.75
MH192		1.25	**16a		.60	122 s/d		1.60	*C1-4		16.30	115a		1.75	*C34		5.40
MH227		1.00	**16a(4),17a(5) bklt		7.50	329 rd corn		.45	*C2 thin		2.40	*131		.30	C41		2.00
MH237		1.65	**17a bklt		16.90	*used 437-8,51		1.95	C2 thin		2.20	131		.35	*C41-3		15.00
MH238		.50	**17b		.70	486		.65	**C72		28.15	*131-4,36-7,39-42 ng		12.70	*C42-3		13.15
MH279		1.50	**17b(3),18a bklt		3.75	*490-7		49.00	**C73		49.00	*132		.50	*C42-3		10.50
**MH279a		24.40	**18a		3.75	500		.25	*C73		39.00	132		.40	*C44-6		9.00
**MH280-3		34.50	**26		1.50	518-19		2.20	C73		1.75	*132a		2.10	*C44-6		7.20
**MH287		1.20	**35		.70	*520-2		120.00	*N122 f		24.00	132a		.45	*C45-6		8.50
**MH292b		15.00	**35		.60	*524		1.50	*N202		33.00	132a,9a		1.20	*C45-6		6.90
**MH300a		8.65	**88a,91a		1.20	537 s/d		1.10	*N208a		60.00	*133		.40	*C46		4.50
**MH301		8.50	**88a,91a sht(3)		2.90	543		1.15	**RA1-2		.60	133		.30	*C47-8		1.40
**MH301b		17.25	**96-8		.95	*544		75.00	*RA45		5.10	134		.50	*C47-9		11.25
**MH302a		16.50	**109-12		1.05	*547		1.15	*RA45 s/d		1.30	*134a		.75	*C47-9		3.65
**MH304a		31.90	**133a sht (9)		3.40	*554		28.00	RA46B		28.75	135		.30	*C48		4.70
**MH306a		31.90	**133a shltlt		1.00	*568-73		86.00	RA46B s/d		8.65	135a		.40	C48		1.20
**MH321-4		34.50	**133a,6a 2 shltts		1.20	*573		45.00	RA46D s/d		9.00	137		1.05	*C51		3.00
**MH322		6.00	*133a,6a shts(3)		2.90	*574-81		70.00	**RA54		.95	*137a		1.50	*C51		2.40
61,3,6,71,3			**133a,6a		1.20	*581		1.20				137a		.50	**C52-3		4.00
**MH346,48,67,72		4.95	**136a sht (9)		2.50	*586		13.15	CRETE			138		.25	**C65		1.30
**MH347-8,9,53,9		15.75	**146-51		1.25	*586		10.50	*3		9.30	*140a		10.50	*C68		3.75
63-6,70,1		15.75	**146a(3) bklt		1.50	*587-600		90.00	GREENLAND			*180		1.05	C68		1.40
**MH350,50A,68,72A		4.40	**146c		.95	*587-600		72.00	*1-5		5.00	*192		.40	*C76-7		5.10
**MH373		3.20	**158-61		1.00	*618-23		13.90	**1-6		16.90	*261		1.05	**C98a,b		3.40
**MH375		1.10	**162		.50	*618-23		11.10	*1-7		28.00	*305A		7.75	*C98b		1.70
**MH375-6		2.40	**163-7		1.30	*624-31		6.35	*1		1.20	*385-86		.75	C100		.65
**MH376		1.30	**163-7 gtr pr		2.60	*637		15.00	*1		1.20	*408a		1.45	C129		1.40
**MH377-78		3.50	**168-73		1.55	*638a		36.00	*2		4.00	*427		1.90	C155-6		1.30
**MH379a		14.60	**173a		1.70	649-52,4-5		2.10	*2		1.20	*433a,9a		4.50			
**MH380a		8.65	**174-5		.45	657-60,2-3		2.20	*3		4.25	*439,9a		2.45	119		1.90
**MH380b		17.25	**174-5 shts (10)		5.25	*669-76		4.00	*4		.50	*515		2.25	147		5.00
**MH381a		7.50	**176a		1.00	*677-87		18.05	*5		1.60	*516-17 shltlt(5)		2.25	*157-58		1.00
**MH382a		9.00	**177-81		1.55	*689		17.00	*7		7.50	*517a		.45	*189-94		2.55
**MH383-92		35.00	**177-81 gtr pr		3.10	*698		2.10	*7		2.40	*546		.70	*B11A-B		1.00
**MH391b		6.75	**190a bklt		1.90	*701		.95	*8		34.00	*611		1.80	*C8		1.20
**MH392b		9.00	**191-2		.60	*703 f-vf		1.60	*8		10.80	*620		1.30	*C8		1.20
**MH402-6		1.30	**198-9		.95	*708-14		19.50	*9		9.40	*627		1.00	*C9		1.20
**MH402-10		11.80	**200		4.50	*70											

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**SG 420a		57.00	*15 reprint		2.00	228		3.75	495d		.80	**874a		16.00	**2696		2.05
**SG 421a		2.65				228 s/d		1.15	496a		.50	**882		.55	**2702		1.30
**SG 422a		2.65				**229-30		8.45	498		.65	**889a-b		14.25	**2742		1.90
**SG423a		73.00	*33 thin		5.00	**231-33		37.00	499-500		1.10	**916		3.75	**2753		1.90
**SG 424a		3.00	*34		1.80	231-33		12.00	500c		.40	**918-21,21a,21b		9.00	**2792		2.25
**SG 431a		25.30	*C158		1.20	*232		12.00	501		1.00	**922		33.75	**2812		2.25
**574		48.00	**C376a		15.00	**234-35		14.25	501d		1.00	**924 sht(18)		30.00	**2869		1.50
**608		.75	**C699-702		1.30	**237-38		13.00	502		2.50	**937a shtl(16)		8.50	**2951		1.30
**608-10		4.30				*239-44		30.00	502c		3.00	**956-59,59a,59b		8.65	**2978 imp		9.35
**610		2.80				*239		1.00	502d		3.25	**961-4		3.00	**2978 pr imp		18.75
**625-8		3.75				*245-6		10.20	503a		6.00	**974-7 bklt		6.00	**2979-8a		2.20
**647		12.00	*20 lt toning		100.00	**246		6.40	503c		6.00	**982a		3.75	**2985		2.65
**703a		2.65	23-4 s/d		130.00	246		.25	**502g		3.00	**986a		3.00	**2985 imp		13.15
**715		5.25	35 ave-f		42.00	**247-48		2.80	*502g		13.50	998-1002,5,8,10,11,133,35			**2986 imp		3.75
**715-18		14.25	36		16.25	**249-50		33.00	503c		6.00	1012		1.50	**2986 pr imp		7.50
**756		52.50	*36b		30.00	**252		13.90	504		16.25	**1013a		20.65	**2987 imp		18.75
**SG# 845		.75	36b		1.40	**255-56		1.60	505,507		.90	**1018-21		3.00	**2988 imp		3.75
**918-22		3.80	37,39		1.05	255-6		1.05	508		5.00	**1026-29,29a,29b		9.50	**2988 pr imp		7.50
**920		1.05	*40		39.00	257-58		.90	**511-14		7.30	1240		.70	**2990-95		2.05
**921-2		1.75	*41		22.50	258		.75	**515-18		7.20	1243		2.65	**2996		.40
**1355-8		3.00	41		6.50	259		.50	**518a		13.50	1244		6.50	**3001 imp		18.75
**1394-8		4.75	42 s/d		3.15	**260-61		18.85	**523-26		4.50	1299		.75	**3002 imp		3.75
**1412		6.50	43		1.25	264		4.50	**523-26 bklt (see note in			**1347		26.25	**3002 pr imp		7.50
**1413 shtlt(4)		22.50	44		.90	267		3.00	Scott Cat. after #940)22.50			**1430a-b		4.00	**3003 imp		3.75
**1461		2.20	44 thin		.55	**268-69		27.00	**526a		31.50	**1432 sht		31.50	**3003 pr imp		7.50
**1505-8		2.30	45		1.65	270		.90	**530a		9.00	*J1		1.65	**3006-11		2.10
**1826-8		8.25	47 s/d		4.90	272		.40	533b		.40	**J1a		1.20	**3006-11 imp		13.10
**1828		3.00	48		17.50	**273-74		8.10	**534-37		7.50	*J1a		.95	**3006-11 prs imp		26.25
**1854a		10.15	*61 foxing		15.75	**275-88		70.00	**537a		12.50	*J6		1.75	**3029		6.00
**1855		7.50	61		8.75	275,78-81,83		6.20	**542-45		5.40	**J6		4.75	**3035-40		2.10
**1867-68 shtlts(2)		18.00	61a		8.00	282		5.75	**546-49		7.35	**J6		4.05	**3041-45		2.05
**1869		9.00	62 f		2.60	*283		1.20	**556-59		10.00	**J7		7.50	**3052-57		2.10
**2006		13.50	*74 sh perfs		5.50	284-7		6.40	**559a		12.40	**J7 f		5.00	**3052-57 imp		15.00
**2035-36		13.50	74		6.50	284a		4.50	**560-63		8.50	*J8		2.10	**3065-68		1.60
**2371		9.00	78		4.15	284a-7a		4.75	**563a		13.50	**J9		4.50	**3065-68 imp		13.10
**2379-81		38.00	86		.65	284a-88a		10.25	**564-69		7.25	**J10		13.15	**3071		2.65
2406		7.50	87 f		1.10	*285		5.65	**578-83		5.60	**J11		9.40	**3075-80		2.10
**2590-92		16.30	88		1.00	285		.60	**588-91		5.35	**J13		6.75	**3081		2.25
**2652-59		9.85	*90		10.80	285-87		.90	593		1.75	**J22-22E		17.50	**3085		1.30
**2660-61		9.00	*91		55.00	285a		.85	*605		10.50				**3087-92		2.65
**2662-64		15.75	*91 ng		18.75	**286		8.25	**606-10		6.75				**3093		2.65
**2671		7.50	91		13.00	286		1.75	**628		6.00	3 f		10.00	**3094-99		2.75
**2674		10.50	*95 toning		17.25	286a		1.50	**630-31(3)		1.30	27		.90	**3100		2.65
**2694-96		8.65	*109		5.40	286a s/d		.45	**630-6,38-9			*306-10		1.95	**3102-6		2.50
**2769		6.25	113 s/d		1.95	287		4.50	43-6,8-9,651B-E		30.75	462		1.00	**3107-10		2.70
**2827		9.00	118		5.40	287 f		3.60	630A		.75	463		1.50	**3111-16		2.75
**2860-61		12.00	120		3.75	287 s/d		1.35	633		.65	*481-85		8.60	**3118		.40
**2881		4.75	131 f		6.70	287-8		20.75	633-34		.80	*used 487-91		7.50	**3120-2		1.35
**2883		4.75	132		.75	287-8 s/d		6.25	**636,638		.75	511-24		2.95	**3123-6		1.80
**2912		1.05	*143 s/d		1.10	288		9.25	636a		.50	**535-6		3.20	**3224-9		3.25
**2913 set (12)			133		.50	288 s/d		4.90	**638b bklt		7.50	*570-72		1.70	3230-35		.75
Babe Ruth		37.50	136 s/d		.65	**291-93		4.30	**639		1.70	*used 601-16B		2.60	**3271		5.65
**2931-42		9.15	138		3.00	**294-95		12.00	*641		1.50	*621-24		.75	**3414-16		4.20
**3020		5.65	*147-50		35.00	296-8		7.15	**645		1.15	*708-22		2.70	**3608		2.65
**3027		22.50	147-50		10.50	297		1.90	**645b bklt		9.50	*723-24		.40	**3652A		.55
**3071-73(4)		15.75	147		1.50	298		4.00	*646		1.30	*785-88		9.00	**3669 sht(3)		1.15
**3219-26		25.50	*148		5.40	*298 ng		3.60	*647		1.90	*811		.25	*3724		3.75
**3234		6.25	*151		3.70	*299-301		4.05	**647b bklt		9.50	839		.40	*3788		3.75
**3235-36		7.50	*151-53		24.40	**300-1		4.70	*648		1.90	*844-47		8.25	*3793		4.50
**E6		7.50	*151-53		10.20	*306-8		30.20	*649		2.25	918		2.00	*3877		.95
**E14-15		10.50	151-53		8.90	316-25		11.00	649		1.00	959-61		.90	*4006		.30
**O2		7.50	*152		9.00	320		1.25	**649b bklt		9.50	**1057-61,C123-27		6.00	*B69a-71		1.90
**SG# F1-10		7.50	*152-53		13.80	322		1.65	*650a		9.00	**1085-7 imp		22.50	*B72-76		2.20
**SG# F1-10,4a		12.00	*153 f		4.40	*323 ng		2.70	**650c bklt		9.50	**1088-95		7.60	*B98-102		2.60
**SG F4a		12.00	*154-7B		5.15	*324		6.30	*651		1.70	**1109-12 imp		26.25	*B104		.55
SG# F4a		8.00	*154		.60	324		2.00	*651g bklt		9.50	**1160-67		3.30	*B105		.90
**Tokio st ex-			154		3.00	*325		8.40	*651A		1.50	*1160-67		2.65	*B113		3.60
Locomotive		9.00	156 crease		1.50	325		3.75	*651Al		8.65	**1171-2 imp		18.75	*B113		2.85
**Tokio st ex-			156 s/d		1.50	*328		.75	*651B		2.25	*1181		.55	*B122		3.75
16-car train		9.00	157B		2.00	*326-29		4.90	651B		1.00	*1182		25.50	*B122		3.00
**Hospital Train		5.85	158		.65	*329		4.15	**651Bm		11.25	*1189		20.65	*B123-4		1.50
**1st Imperial Train		6.50	159B		.25	*330-32		7.70	*651C		3.75	*1189		16.50	*B123-5		3.15
**Locom. Of			160A		2.75	332		2.00	651C		1.25	*1189 imp		45.00	*B135-38		1.35
Train Signals		5.20	161		2.25	*333-34		4.15	*651D		5.25	*1189 imp		36.00	*B148a-50a imp		62.00
**SB45		8.00	161a		8.25	*338-41		6.10	*651E		10.50	*1212-18		2.40	**B148a-50a		
**SB46		8.00	*163		2.55	339		1.00	651E		5.25	**1222-3 imp		11.25	perf & imp		123.00
			163		2.50	341		1.75	*656		4.50	1232		.15	*B151-56		3.60
			163B		.65	*342		1.15	*677		4.20	*1241-48		2.30	**B151-56 one creased		
			164		26.00	*344		5.25	*678		3.90	**1241-48 imp		18.75		3.20	
			164A		.55	344		2.25	*683		2.55	*1260		10.50	*B151-56		2.00
			165A		2.40	*347-48		1.55	683 single		2.00	*1261a		1.30	**B166-9		2.40
			166A		13.00	*350		1.15	*687a		7.50	1268-70		1.20	*B171-74		1.25
			*168-72		12.50	353		1.00	*691a bklt		9.00	*1272-73		.40	*B175-78		2.40
			*168-73		29.85	*354-55		1.90	**692a		7.50	**1274-81 imp		15.00	*B195-98		7.60
			169		3.00	*373-75		2.35	711		1.40	*1301-6,B217 imp		15.00	*B195-98		6.10
			171		1.40	381		.55	*716-9		3.80	*1324-25		.50	*B198A-98D,CB1-1C20.00		
			*174-75		5.10	*383		1.60	*720-23		3.00	*1336		15.00	**B198A-D border		
			**174-75 crease		2.00	383		1.25	*724		4.50	*1336		12.00</			