



WORLDWIDE ICELAND - MOZAMBIQUE

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

ICELAND			133.....	250.00	133 f.....	8.00	*used 257-60,62-8.....	71.00	571.....	40	**954a bklt.....	9.40	221.....	9.25	**1642c.....	5.25
*1 thin.....	250.00		134 f.....	8.00	*used 257-68.....	12.20	**573-74.....	20.00	957.....	60	*276,81,2,4.....	3.20	**1800-4.....	15.95		
*1 s/d.....	158.00		*135 f.....	6.00	257-68.....	14.45	574.....	1.00	**957a bklt.....	10.50	320.....	25	**1805.....	2.50		
*2 f.....	135.00		137.....	19.00	*267.....	18.00	576.....	40	**961a bklt.....	5.25	421-2.....	1.35	**1866.....	40		
2 s/d sock on.....			137 rev cancel.....	11.25	**268.....	34.00	577.....	40	**962a bklt.....	7.50	624.....	20	*B63,5-7.....	1.15		
nose canc.....	187.50		**138 f.....	49.50	**269-70.....	4.50	578-9.....	70	**961.....	1.30	676.....	20	*B71-3.....	2.25		
*3 s/d.....	49.00		138 rev cancel.....	17.50	*269-70.....	3.60	580.....	70	**990c bklt.....	4.15	679.....	20	*B83-87.....	1.05		
3 s/d.....	210.00		*139 f.....	3.20	**271-2.....	5.45	**581.....	4.90	**991c bklt.....	5.65	680.....	50	**B146-9.....	1.20		
4 space filler.....	220.00		*142.....	48.00	271.....	1.50	**581a-b.....	4.90	**993a bklt.....	14.25	681.....	20	*B146-9 foxing.....	.60		
*5 space filler.....	48.00		*143 ave-f.....	150.00	*272.....	2.55	583.....	30	**994a bklt.....	19.50	683.....	25	**B156-9.....	1.30		
5 s/d.....	265.00		143 f rev cancel.....	18.00	*273.....	50.00	584.....	40	**1003a bklt.....	9.40	685.....	55	**B165-79.....	2.80		
6 space filler.....	200.00		**144-5,48.....	123.75	273.....	8.75	**588.....	1.80	**1098.....	3.60	**710.....	2.45	*used B191-8.....	1.40		
7 s/d.....	93.00		*144-48.....	165.00	*274-7.....	35.25	**588-89.....	2.75	**B5.....	64.00	**792-95.....	3.30	**B195-8.....	1.30		
*8 s/d.....	71.00		144-48.....	10.25	277.....	15.00	588.....	35	**B5a-c.....	21.50	798.....	20	*B199.....	.30		
9 space filler.....	90.00		144,6-8.....	10.70	*278-82.....	26.50	**590.....	11.25	**B6.....	7.50	804.....	20	**B199-202.....	1.70		
12.....	32.50		144,7 f.....	7.40	*279-81.....	20.00	596.....	20	**B7-11 f-vf.....	2.95	806.....	20	**B203-6.....	1.35		
13 thin.....	100.00		144-8 tollar cancel.....	8.00	**283 f.....	.25	599.....	1.00	*used B7-11.....	2.75	813.....	20	*B203-6.....	1.10		
15.....	13.75		144-8 (147 s/d).....	6.55	284-86.....	19.35	**606-7.....	4.50	B7.....	.70	814.....	20				
*16 ng.....	25.00		*145 rd cor.....	18.00	**286.....	20.50	608-9.....	.85	B8 f.....	.40	815.....	25			ININI	
16 s/d.....	2.25		145-6.....	1.00	*289-96.....	42.50	**615.....	4.30	**B12.....	1.05	816.....	20	*44.....	.60		
17.....	25.00		145-8.....	8.10	*used 289-96.....	27.50	615.....	2.65	**B12-3 f-vf.....	2.50	819.....	20				
*19 s/d.....	13.50		145-8 f-vf pulled perf.....	3.50	294.....	5.50	**622-23.....	12.00	*B12-3.....	2.00	825.....	20			IONIAN IS.	
*21.....	75.00		**146 toning.....	13.50	**298-99.....	7.60	622-3.....	1.25	*B13.....	1.45	840B.....	35	*N18-19.....	1.00		
23.....	10.00		147.....	5.00	*305.....	15.00	*626-7.....	7.80	*B14-16.....	.90	841.....	40	*N22.....	.50		
25 thin.....	3.80		147 s/d.....	2.00	305.....	2.50	626-7.....	5.40	*B17-22.....	2.60	844.....	40	*N23.....	.50		
*27.....	45.00		*148 regum inkspot.....	14.00	**314.....	5.25	631.....	.90	**B17-18.....	.70	845.....	20	**NRA1.....	24.50		
*33 s/d.....	150.00		150 rev cancel.....	14.00	314.....	3.50	637.....	.65	**B21-22.....	1.30	**848.....	1.50	**NRA3.....	19.50		
34.....	2.00		*152-66 (152,156,160 thin).....	232.00	**319-23.....	19.60	**638.....	3.40	**B23-24.....	1.15	849.....	40				
35.....	.70		160 thin).....	232.00	**322.....	7.50	638.....	.90	**C1 f-vf.....	1.30	895b.....	20			IRAN	
36.....	.60		**152-56.....	35.00	*322.....	6.00	642-3,5.....	1.35	C1.....	6.00	896a.....	20	*26.....	42.00		
37.....	6.50		*152-8,60-1.....	62.50	**326.....	.65	644.....	.55	**C2 ave-f.....	70.00	897a.....	20	*26 thin.....	14.00		
37 f.....	5.20		*152,6,8,9,62.....	58.00	*335-37.....	1.40	644-5.....	1.30	*C2 f-vf.....	30.00	897b.....	35	*35 ng short.....			
39.....	6.00		*152-7,9,61,3,6.....	103.50	*338-39.....	1.00	645.....	.75	**C3.....	39.00	946.....	3.00	impression.....	90.00		
42 f.....	2.80		*153 f.....	2.25	**340-1.....	.85	**651b bklt.....	5.65	**C3 f.....	25.00	954.....	30	37.....	375.00		
43.....	13.00		**156 f-vf.....	2.45	**340-1 toned.....	.30	**660-1.....	4.00	*C3.....	10.80	963.....	35	*50 f.....	25.00		
45.....	5.25		*156.....	1.95	*342-44.....	1.45	664.....	.35	*C3 ng.....	5.40	1008.....	40	*50 f ng.....	15.00		
46 f.....	4.20		*156 ng.....	1.00	*342-44.....	1.15	**671-72.....	4.70	*C3 thin.....	3.60	**1029-30.....	5.25	*50.....	30.00		
*51.....	24.00		157 s/d.....	12.75	**345-47.....	1.05	671-72.....	1.00	*C3 s/d.....	2.70	**1050a.....	10.50	*50-2.....	117.50		
54 f.....	5.00		**158.....	13.75	**348-49.....	.65	672.....	.80	*C4-5.....	29.00	**1061-4.....	4.00	*50-2 f-vf.....	105.75		
71.....	.70		**159.....	11.00	**350-51.....	1.30	*675-76.....	7.90	*C4-8.....	145.00	**1071.....	1.45	50-2 s/d.....	11.25		
*73 f.....	1.25		*160.....	3.60	**352-53.....	.80	*677.....	12.75	**C9 f.....	57.00	**1200.....	.60	**50-2 blks(4) repr.....	150.00		
73 f.....	.70		*160 s/d.....	1.20	*359.....	1.80	677.....	4.25	C9,11.....	175.00	1200.....	20	*51.....	30.00		
75 f.....	1.60		*used 170-5.....	32.50	*359.....	1.35	680.....	.65	C9-11.....	262.00	**1482.....	1.00	51.....	30.00		
76.....	.80		*170-5(171 used)f-vf.....	64.00	**369.....	1.00	*681.....	7.15	C15-20.....	45.00	**1631a.....	3.40	*53.....	37.50		
76 f-vf.....	.70		*172 f.....	12.50	**377.....	2.65	687.....	.80	*C16a.....	19.50	1829 s/d.....	.60	*53.....	30.00		
76 f.....	.60		172.....	8.00	**378.....	10.00	**695c bklt.....	6.75	C16a.....	10.50	**1843-6.....	4.15	*53 f.....	20.00		
*77 f-vf.....	3.75		175.....	17.00	379.....	4.50	**698-99.....	5.65	*C17.....	29.00	**2002a.....	.70	57-8.....	20.00		
*78 thin.....	1.95		*176.....	3.30	**388.....	4.50	**711A bklt (10).....	7.50	*C18.....	1.80	**2078e.....	7.50	*59.....	90.00		
78 f.....	16.00		**176 blk.....	13.20	*402-3.....	2.90	**711A-B.....	1.50	*C28.....	18.00	**2081a.....	9.00	73-80 ave-vf.....	5.95		
*79 f ng.....	2.60		*176-86.....	437.00	*402-3 blks.....	11.60	**711Bbklt.....	7.50	C28-9.....	5.70	**2089c.....	11.25	*78 f.....	2.70		
79.....	2.90		176-87.....	179.00	402-3.....	2.25	*712.....	.85	*C29 f.....	2.80	**2093a.....	9.75	*78 ave.....	1.50		
80 f.....	4.80		177.....	7.50	*404-5.....	1.00	**713-4.....	5.50	C29.....	4.75	**2101a.....	8.25	*80 ave.....	7.50		
81 f.....	6.00		*180.....	2.15	*404-5 blks.....	4.00	713-4.....	1.45	C29 f.....	4.00	**2103a.....	7.50	88-9 s/d.....	8.25		
*85 s/d.....	26.00		183.....	3.50	404-5.....	.90	714.....	1.15	*O2 s/d.....	105.00	**2103e.....	6.00	*89.....	4.80		
*86-91.....	45.00		185.....	3.75	406-7.....	1.20	*715.....	9.40	O2 s/d.....	105.00	**2117e.....	9.75	*89 s/d.....	1.20		
86-91.....	49.00		*194 pin hole.....	21.00	**408-9.....	5.25	**721-22.....	5.25	*O3 s/d.....	16.50	**2154a.....	6.75	89.....	15.00		
87.....	7.50		*196.....	9.00	*408-9 blks.....	22.00	722.....	.50	O4 thin.....	12.00	**2167c.....	6.40	89 blk.....	60.00		
87 f.....	6.00		*201.....	3.00	408-9.....	4.15	728,737.....	1.50	O5 s/d.....	2.85	**2179a.....	6.40	89 s/d.....	4.50		
89.....	12.50		*203.....	3.00	410-11.....	.70	*737 ng.....	2.25	O6 f.....	6.40	**2188a.....	2.25	94-8,*99-100.....	74.50		
91.....	25.00		203-8B.....	24.00	*412-15.....	2.10	737.....	1.40	O6 s/d.....	2.40	**2220a.....	2.65	*111 s/d.....	2.25		
92.....	6.50		Used 203,*204-7 f-vf.....	29.00	*412-15 blks.....	8.50	737 blk of 4.....	5.50	O6a s/d.....	12.75	**2230a.....	2.25	*113-9.....	78.00		
94.....	9.00		*used 203-8B.....	29.00	412-15.....	.85	737 s/d.....	.40	O9 ave.....	28.50	**2259a.....	2.25	*114-9.....	72.00		
*96.....	59.00		*204 f.....	13.00	412-15 blks.....	3.40	*738-39.....	7.90	*O10 thin.....	3.00	**2569-72.....	1.05	*114-9 reprints.....	14.00		
*99.....	4.80		*204 ave-f.....													

Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET	Sc#	DESCRIPTION NET
**444 f	30.00	**1290-93	29.25	**1576	40	C64	5.00	**151-2	6.00
444	7.50	*1300	3.60	**1577	90	C78	10.00	67	1.50
*456 f lt toning	30	**1303-4	6.00	**1578-80	1.10	**C83-84	6.75	**68	2.65
*492 inv center	18.00	**1305-7	9.60	**1581	2.65	**C86-88	11.25	69	4.25
*497 f	1.50	*1305-7	9.60	**1582-4	6.40	**C89	7.50	69,72,3,4,6	32.00
542 pair	7.00	**1310-11	6.00	*1585	4.80	**C90	2.45	70	1.50
*589	18.00	**1312-3	6.00	**1586-8	5.25	**C91-96	13.50	71,3	6.00
*590	24.00	**1319-20	75	**1589-96	17.65	*O6	18.00	*72	13.50
*594	24.00	**1322-23	6.40	**1592,94-6	7.70	*O8-13	24.00	*72 f	11.25
*589-90	42.00	**1324	1.50	**1597-8	4.30	O8-10,12-7	31.00	72	7.50
*592	30.00	**1325	3.00	*1599-1601	1.35	O8-18	51.75	72 f	6.00
600	10.00	**1326	3.00	**1613	1.50	O16	10.00	*72-4	38.85
*602	90.00	**1327-28	1.70	**1613-14	2.90	*O34	9.00	*73	4.35
*602,O32		**1329	3.00	**1615-26	31.00	O34	3.75	73	2.85
misplaced ovpt	49.50	**1330	60	**1630-32	1.00	O36	6.50	73 f	2.30
*604-6 f-vf	308.00	1344	1.00	**1633	45	O38	22.50	*74	21.00
**627	18.75	**1345	75	**1634	45	*O41-57 reprints	10.50	*74 f	14.00
**628	18.75	**1346-50	4.70	**1635	45	**Q18	15.00	*74 f	12.50
665	7.50	**1351-52	2.65	**1636	45	*Q18	12.00	74 f-vf	11.00
666	10.00	**1353	70	**1637a	13.15	*Q32	6.00	74 f	10.00
666 f	6.00	**1354	1.50	**1638-40	3.35	RA3	2.50	*76	21.00
*686,90-1	69.00	**1355	75	**1641-43	4.90	*10 cent unissued off	24.00	*76 f	17.50
*686-95	225.00	**1356	60	**1644-46	1.65	1s,2s,5s(3) unissued off		76	8.50
*686-95 counterfeits	37.50	**1357	60	*1660 ng	3.00		30.00	76 f	6.80
*689,95 s/d	27.75	**1358	1.30	**1662-63	1.90	1s,2s,5s,10s(4) unissued		76 ave-f	4.40
*690-1,4-5 ave-vf	120.00	**1359	70	*1664-67	1.50	official	40.00	83	1.40
*694 f	32.50	**1360	60	**1668-69	1.15	*Unissued officials x4		*163-4	9.40
*695 s/d	26.00	**1361	2.65	**1670	1.85	see note in Scotts	24.00	*163-4	7.50
*,used 703-5	6.50	**1362	75	*1671-76	15.60	*unissued official imp	5.00	163-4 f	5.30
*707-20	1260.00	**1363-71	11.50	**1676a	18.75			**99	1.50
707-19,22 s/d-vf	24.00	**1369	1.90	**1677	1.30			*99	1.20
*744	2.10	**1389a	2.25	**1678-80	1.85	IRAQ		**99-100	5.40
744-56,9 s/d-vf	20.50	**1390-91	60	**1681	4.50	**130-2	12.00	*101-2	8.65
752	25	*1390-1	50	**1684	6.05	132 thin	1.40	**101-2	8.65
795-98	2.00	**1392	2.10	**1685-90	3.40	**139-41	8.05	*101-2	6.60
*800,5-7	45.50	**1393-97	2.55	**1691-92	1.15	**164-6	3.85	*103	1.10
800-1	1.00	**1398	60	**1693-95	2.40	*210	2.10	**103-4	8.65
802	7.50	*1399-1400	1.15	**1702-4	4.90	*,used 232-45,7	7.45	*103-4	6.65
806	1.50	**1401	1.15	**1705-10	3.15	**253-7	6.35	103	25
807	2.00	**1402	60	**1711-13	2.10	**260	3.00	106-13	8.00
808	7.50	**1403-4	1.15	*1717	1.90	*287-92	5.30	106-14,16	8.75
809	275.00	**1405-6	1.15	**1721	75	*used 287-92	4.40	106-13,16-7	28.60
815 s/d	11.25	**1407	2.65	**1724	1.00	**293-5	1.90	106,8-17	29.30
816	20.00	**1408	60	*1726	75	*296-301	4.25	*107	1.20
817	25.00	**1410a	2.25	**1727	75	*305B	1.65	107	6.65
817 f	20.00	**1411	45	**1728	1.15	*,used 317-32	29.00	107-9,12-3	3.50
817 s/d	7.50	**1412	60	*1731	75	330-2	3.65	107-13	5.95
823,6	4.25	**1413	45	**1736-37	2.25	331	1.15	107-14	7.35
*870A-B	3.60	**1414	45	*1741-47	4.75	332	2.25	*108	12.75
870E	2.50	**1416a,18a	10.20	**1751a	1.50	**335a	6.00	*108	10.20
870H	37.50	*1419	1.15	**1752	3.75	*343a	4.70	*108 ng	5.10
**871-5	26.00	**1420	1.30	*1753-58	4.00	**343a-43b	10.15	*108 f	8.50
*871-2,5	12.60	**1421-22	3.00	*1759	65	**351-3	2.20	*108-10,13-4	28.00
*871-5	20.70	**1426	45	*1760-64	4.90	*378a	5.00	*109	1.50
882 s/d	75	**1427-28	1.25	*1765	75	*378a imp	15.00	*109-14	5.25
900	1.50	**1429	50	**1773	75	**378a perf & imp	30.00	110	1.75
900,2,6	39.00	**1430	40	*1777a	6.75	*378a imp	12.00	*111	1.65
903	2.00	**1431	1.90	**1778-83	6.75	*406	4.50	*112	1.65
914	2.50	**1432	2.65	*1784-85	1.50	*418-20	3.95	*113	2.10
940	5.00	**1433	65	*1787-88	4.90	*439-42	3.10	*113	1.65
**966-69	18.75	**1434	2.25	*1789-94	6.00	*457	.85	*114	1.65
*981	15.00	**1435	60	*1795-98	3.75	*460a	9.00	115-7	22.65
*982	45.00	**1436-38	3.40	**1804a	6.40	*476a	6.75	*117	105.00
982	15.00	**1439-40	1.90	*1810-2	6.20	*484a	3.75	117	21.25
**990-92	49.00	**1441	40	*1817	1.15	*486a	6.00	117 s/d	6.40
1028	1.50	**1442	40	*1843	1.50	*495	60	182-3	2.60
**1047	30.00	**1433-44	1.00	*1848	.65	*498a	4.50	183	3.50
**1048-50	24.00	**1445-46	1.00	*1849-50	1.30	*503a	9.00	*120	2.25
**1051	3.75	**1447-48	75	*1857a	75	*506-9	17.00	*120	1.20
*1054-5	27.00	**1449	75	**1860-61	6.60	*512-6	5.60	*121-3	19.65
**1056-57	3.00	*1450	6.00	*1862-63	2.25	**538-43	4.80	121	1.40
*1058	11.25	*1450	4.80	*1864-67	1.90	*546a	8.25	121-3	7.60
**1071	318.00	**1451	75	*1888-89	2.45	*555a	4.15	121-3 f	6.20
**1073	11.25	**1452	60	*1895	1.30	*574-8	4.75	121-3 s/d	2.00
**1073	9.00	**1453-5	6.20	**1903-5	1.85	*608-12	25.65	122	2.00
**1077-8	18.75	**1456-59	3.60	**1907-9	6.40	612	10.50	122-3	6.40
**1079	7.50	**1456-57	1.90	*1910	11.25	**738a	7.50	122 f	1.60
*1079	9.00	*1459	1.50	*1910	9.00	*743a	5.25	*123 s/d	2.55
**1080	7.50	**1460	40	*1918	60	*781	24.50	123	4.40
*1080	9.00	*1461	60	*1924-40	31.60	*856	4.90	123 f	3.50
**1081	11.25	**1462-64	4.20	*1927-40	31.00	*905-7	1.00	123 s/d	1.30
**1099	9.75	**1465-68	1.55	*1941-45	2.50	*930	22.50	*124-5	2.45
**1100	7.50	**1469-71	2.50	*1950-3	1.75	954	1.15	*124-5 tone spots	1.05
**1101-2	26.25	*1472	1.00	*1957a,58-60	4.00	**973-7	2.55	*124-5	1.90
*1105-6	2.10	**1473-74	1.00	*1959-60	2.80	*1032-3	4.05	124-5	1.40
*1108	.60	*1475-77	2.80	*1961-72	60.75	*1042	4.35	124-7	2.75
*1113	7.50	*1478-79	4.15	*1979-82	4.15	*1065A-D	3.85	124-30	4.50
*1117	6.00	**1480-81	1.50	*1982	1.20	*1069-72	8.25	*125,39 f	2.10
**1122-5	165.00	**1482-84	1.95	**1991-92	3.20	*1109-12	2.35	*126-7	1.80
1123 strip of 3	15.00	**1485	.65	*1996-9	4.75	*1117	3.20	126-7	1.40
**1126-7	3.00	**1486-87	2.00	*2000-3	5.85	**1118-20	2.85	*127	1.35
**1128-9	3.00	*1488-90	22.50	*2008-18	65.40	*1121-4	2.60	128-9	1.05
*1133	16.50	*1491	75	*2020-22	7.00	*C12-4	4.70	*128-30	2.50
**1134	1.50	*1492-94	1.15	*2020-2	5.55	*C15-8	5.45	128-32	6.25
**1135	9.40	**1495-8	2.25	*2023	11.25	*C32-3	5.10	129	.85
**1154-5	2.45	*1499	.45	*2023	9.00	*C53	56.00	*130	1.45
*1154-5	1.95	*1503a	9.40	*2024-6	7.50	*C62	4.20	*130 f	.75
**1159-60	6.00	**1504	1.90	*2034-6	10.50	*O7	3.60	*130 f	.60
*1159-60	4.80	**1505-7	1.60	*2041	2.25	*,used O72-84	10.25	*130	.70
**1161	11.25	*1508	60	*2042	1.30	O90-100,2,7	2.75	*131-32	7.50
**1162-3	3.00	**1509	60	*2073-82	9.20	*O115-22	6.00	*131-2	6.00
**1164-5	11.25	**1510	1.90	*2073-79,81-82	8.15	O120-2	1.75	*131 f	.60
*1164-5	9.00	**1511	75	*2099	.40	O123-9,31	1.55	131-32	4.50
*1164-5(1165 ng)	7.15	**1512	1.15	*2105	1.70	O162c	.90	*133-34	3.90
**1167-8	7.50	*1513-15	7.90	*2106	2.25	*O222-4	12.60	133-4	3.50
**1169-70	3.00	*1516	9.00	*2202	.45	*O225-7	15.40	*135-36	5.75
**1186-7	11.25	*1516	9.00	*2208	1.00	O226,32-3	1.00	137	1.90
**1192-93	3.40	**1517	.65	*2219	.95	O228-31(O23 s/d)	6.20	137-8	2.50
**1194-5	3.00	**1518	1.30	*2290	.95	O229 s/d	1.15	*139-40	5.40
**1196-7	4.50	**1519-20	75	2298-2305	10.50	O240	1.90	139-40	2.50
**1204-6	4.30	*1521	.40	*2335	.95	O242	1.90	*141	2.20
**1207-8	5.65	*1522-3	6.75	*2396	.30	O244	1.50	*141	1.75
1216	1.25	**1524-6	3.40	*2415	1.90	O308	1.75	*234-35	1.05
**1234-5	7.50	*1527	75	2441	1.00	O312	2.00	*141	.70
**1236-7	8.65	*1528	60	*2621-4	3.15	O324-5	2.50	*142-44	11.65
**1238-9	3.40	*1529	75	*2626-30	2.10	RA1	7.50	*142-4	13.50
**1240-2	8.65	*1530-32	1.30	*2637-41	3.35	RA2	7.00	142-4 1 pulled perf	4.75
*1240-2	9.00	*1533	60	*2664-6	2.60	RA4	10.00	143 s/d	1.40
**1241	3.75	*1534	60	*2667-9	2.70	RA6	8.50	*144	6.90
**1242	5.25	*1535	6.00	*2874	6.00	RA8	144	7.00	243
**1243-4	18.75	**1536-37	2.10	*B11-5	7.30	RA22	1.50	*145-46	2.20
**1245-6	11.25	*1538-9	2.65	*C53	60			*147-48	16.70
**1247-8	9.75	**1540-41	1.90	C53	.50	IRELAND		*147-8	13.35
*1259-60	18.00	**1542-6	12.00	*C53-5	1.20	*15	2.00	147-8	16.40
*1261-62	9.00	*1546	3.75	C54	.50	*17 f	8.00	*149-50	30.50

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
496		.15	**1313a		3.00	**1779a bklt.		21.00	**401-7 tabs		1.15	**1665-8		3.75	70 s/d		1.50
**496-7		4.15	**1321a,22-3		4.90	**1782a		2.65	**401-11 tabs		3.15	**1671-3		4.80	70-1 ave		2.70
**498-501		1.35	**1322-3		3.20	**1782b		13.15	**409-10 tabs		.85	**1680-2		5.10	70-1 s/d		2.70
**504		.60	**1324-7 sht, 31a			**1784		1.30	**409-12 tabs		1.85	**1683		5.65	71 f		3.60
**504 gtrr pr		1.15	in folder		33.75	**1785-6		3.20	**412 tab		.45	**1688-90		5.10	71 ave		2.70
**504 blk		2.25	**1332-3		1.90	**1792a bklt.		28.00	**413-6 tabs		.80	**1691		5.45	71 s/d		1.35
504		.35	**1332-5a		4.50	**1795		3.40	**417-8 tabs		1.15	**1703-4		3.60	73 s/d		1.05
**510-12		1.30	**1341a bklt.		13.15	**1798		1.95	**419-21 tabs		.85	**1716		2.45	*73-5 f		27.50
519		.40	**1342a bklt.		14.25	**1808a		4.50	**422-31 tabs		2.10	**1717		3.60	76-91 f		24.00
**519-20		9.75	**1343a bklt.		22.50	**1808a "STAMPA 2009"			**430a		1.15	**1718-9		2.40	76-91 ave-f		21.00
**521-24		1.65	**1344		.95	ovpt.		5.00	**432-4 tabs		1.30	**1727		6.60	76-96 ave-s/d		11.70
522		.35	**1347		1.90	**1813a		21.00	**440-2 tabs		.55	**1728		6.00	*78 ave		24.00
**529-32		2.35	**1347c		21.75	**1850b		6.20	**443-6 tabs		.75	**1732		10.15	**79 ave		42.00
535-6		.55	**1348		1.90	**1864		1.20	**447-50 tabs		1.50	**1733		8.25	*79		66.00
**550		1.45	**1374-6 shts		49.00	**1864a		23.25	**450a		2.10	**1735-7		7.60	*79 ave		33.00
554		.35	**1374-6		3.10	**1906b		23.25	**471 tab		.75	**1738-41		3.45	79-80 f		.90
554 s/d		.10	**1377		1.50	**1939b		4.50	**474		.30	**1742-3		4.80	*81 ave		75.00
555		1.25	**1399-1402		4.60	**1956b		8.65	**475-86 tabs		2.30	**1744-6		4.10	*81 f		1.50
557-8		.75	**1404		1.00	C1		3.25	**487 tab		2.25	**1747-8		2.05	81 s/d		.75
**563-67		3.70	**1404-5		1.95	C1 f		2.60	**488-91 tabs		1.70	**2389 sht (20) tabs		22.80	83		4.40
**567a		3.75	**1408,11a		4.70	*C1,used C6 f		4.40	**491a		1.95	**C9-15		1.05	83 f		3.50
579-80		.65	**1416		1.50	*C1-3 f-vf		10.25	**492-6 tabs		2.40	**C27		1.20	83 ave		2.65
**581-84		3.40	**1417-20		4.60	*C1-3,5		12.50	**497-500 tabs		1.15	*C27 tab		6.00	83 s/d		1.40
**584a		2.45	**1423a bklt.		15.75	**C2		8.25	**501-8 tabs		1.50	**C38-47 tabs		2.25	83-8,90-1 f		14.50
585-6		.65	**1427 bklt		15.00	**C2 f		6.00	**505 sht (15)		2.80	*85 s/d		128.00	*358		358
592		1.50	**1427a		3.75	*C2		6.60	**509-20 tabs		5.25	**J12,13		.40	*359		359
**594 gtrr strp (7)		5.25	**1427b bklt.		15.00	*C2 s/d		1.25	**521a, 521 tab		.65	ITALY					
**594		.65	**1432a		3.75	C2		4.75	**522-31 tabs		1.90	*17 ng f-vf		2850.00	85 ave		6.00
594		.50	1442		9.00	C2 f		3.80	**528 tab		.20	*20 s/d		49.00	85 perfin		3.20
602		.50	**1449a bklt.		15.00	C2 crease		1.90	**535-50 tabs		3.20	*86 f		1.70	359-63		7.10
603-5		1.15	**1450		1.50	C2 s/d		1.45	**551-82 tabs		6.50	*87 ave		1.30	*363		9.60
606-7		.80	**1457-9		2.80	C2-3		5.20	**552 sht (15)		2.80	*90 thin		.40	*363 f		6.40
609		.40	**1459 bklt.		14.25	C2-3,5		5.75	**561 tab		.30	*26 ng		720.00	363		6.00
642		1.50	**1460a bklt.		26.00	C2,3,6		5.75	**583-90 tabs		2.10	*26 s/d		275.00	*371		1.95
643		1.10	**1461a bklt.		31.80	C2,5		5.35	**592 tab		.75	*27 f ng		995.00	91 f		2.30
644		2.25	**1462a bklt.		35.65	**C3		.85	**592 tab tagged		.75	30 s/d		1.35	91 ave		2.15
644 s/d		.30	**1463-6		4.60	*C3		.65	**593-5a tabs		.80	32 ave		5.60	91 s/d		.90
649		.50	**1468		1.30	*C3-6		8.00	**595a		.30	32 ave		4.20	92 s/d		.35
653		.40	**1469-70		1.80	*C3,5		2.00	**596-600 tabs		.80	32 s/d		2.10	*,used 94-6 ave		1.45
658		.65	**1471-4		4.60	C4		1.75	**601		.40	32-3 ave-f		50.00	98,100,3-7,9-10 f		28.25
*674		1.50	**1475		1.50	*C5		1.70	**602-20 tabs		3.70	105j ave		45.00	*397		2.00
**708a-b		9.00	**1484-6		4.15	*C5		1.35	**621-81 tabs		7.90	106 s/d		5.65	*400		1.45
**726a		4.50	**1487-8		2.45	C5		.60	**677a		1.00	110 f		36.00	400-4		2.60
**758a		3.40	**1499 bklt.		21.00	C5-7		1.60	**682-92 tabs		2.10	110 ave		27.00	400-7		7.85
**759		.50	**1499b bklt.		21.00	*C6		3.30	*34 ave		1.05	110 s/d		13.50	*401		1.45
**781		1.60	**1516-8		2.95	C6		.60	**682-92 tabs		2.10	111		2.40	*402		1.45
791		1.50	**1525a bklt.		18.75	C7		.45	**693		1.05	111-2 f		3150.00	*403		1.45
794		.65	**1526a bklt.		20.60	*J2 f		6.80	**695-717 tabs		4.15	111-13 f		315.00	403		1.00
**798a,b bklt.		7.20	**1527		1.30	J2		6.25	**718-42 tabs		5.05	112 f		3.00	*404		1.45
**800a sht (4)		18.75	**1528		1.50	J2 f-vf		5.60	**724a		.30	114 f		1.70	*405		2.00
**826a		2.65	**1535		1.50	J2 f		5.00	**743-55 tabs		4.00	114 f		12.80	406		1.65
**830a,31a bklt.		6.00	**1539 bklt.		21.00	*J3 f		16.25	**756		1.30	35		1.50	*408		23.75
**832-3		2.10	**1539c bklt.		21.00	J3		7.50	**757-69 tabs		3.75	*119 f		1.20	*,used 410-12		3.10
**848-51		4.40	**1545-8		5.25	J3 s/d		2.25	**768 tab blk		1.20	*120 ng		3.00	413		1.05
**855a		3.20	**1550-3		5.00	*J28-36		16.65	**759 tab		.75	*121 f		45.50	*413-18		49.00
**864-5		2.80	**1554-5		2.10	Q3 s/d		2.90	**770-800a tabs		10.25	*122 ng		15.00	*413-18		18.00
**918a,b bklt.		6.75	**1559-60		2.25	ISRAEL						*43 ave ng		217.50	*125 f		19.00
**923-4		1.55	**1568		2.25	**15 tab		32.00	**800a tabs		.75	126 f		6.50	413-17		7.30
**938a		7.50	**1569-60		2.25	*15 PR tabs gum dx.		25.00	**829 tete beche		4.50	43 f		5.20	413		1.05
**946a,b,947a,b bklt.		8.25	**1571b		11.25	*27 f		5.10	sht(32)		4.50	43 s/d		2.40	*133-35 f		7.80
**947b bklt.		13.00	**1575b bklt.		22.50	**32b		33.75	**829a sheet		7.20	*44 ng		165.00	*133 ave		2.25
**955c		3.20	**1579b bklt.		4.50	**32b nib perf.		18.00	**832 tab		.40	45-8 f		4.65	133 ave		9.60
**959a		5.25	**1580		1.15	**32b		27.00	**837-40 tabs		2.10	45-8,50 f		13.45	*135-5		42.00
**959a Singapore		7.50	**1581		1.45	*45 tab		1.90	**838		1.00	*46 s/d		71.25	*134 ave		4.80
**960-1		1.75	**1585a bklt.		27.00	52 tab		.60	**848-50 tabs		1.55	46 f		.60	*134		3.90
**972b prestige bklt.		12.45	**1586		3.20	*53 tab		.45	**849-50 tabs		.95	46,47,50 s/d		3.75	*135 ave		4.80
**995a,b bklt.		11.25	**1592		1.50	**65 tab		6.00	**852-6 tabs		1.15	*47 ave ng		112.00	*135 ave		2.00
**995b		7.50	**1605a bklt.		20.80	**86-7 tabs		.80	**857-67 tabs		3.35	*48 pr f		640.00	*140 f		4.60
**1003b		2.80	**1613-14 sht		26.25	**88-89 tabs		1.75	*876-8		1.70	*48 ave		240.00	*140-42 f		18.25
**1003b,4a,5a,5b bklt.		8.65	**1613-14		2.25	*105-16 toning		.75	**876-8 tabs		3.55	48 s/d		120.00	*141 ave		6.75
**1003c		12.00	**1615-18		4.90	**117		.20	**876-9 tabs		5.25	48		3.65	*142 f		4.60
**1004a		2.65	**1618		1.60	**117-20		.75	876-9		1.20	48 ave		2.85	*143-46 f		9.20
**1005a		2.65	**1619		10.50	**117-23		1.30	878		.40	48 s/d		1.10	*165		13.20
**1005b		3.40	**1620		.85	**124-6		.55	**880-3 tabs		1.30	48,50 s/d		4.40	165		90.00
**1005b bklt.		12.00	**1620-2		3.20	**124-31		1.25	**888		.70	50 f		11.00	165 f		72.00
**1060		.75	**1659b		6.00	**124-31 tabs		1.50	**888-891 tabs		2.25	50 ave-f		8.80	*166		13.20
**1067		7.50	**1661		1.05	*132		.25	**892		1.20	50 ave-f		7.75	166 f		72.00
**1073b		2.25	**1662		1.05	**142		.20	**892 tab		1.30	50 s/d		4.10	166 s/d		27.00
**1073c		3.00	**1663		1.05	**149 tab		.70	**896-7 tabs		1.30	*52 ave		262.50	*167		13.20
**1075b		3.75	**1663-64		2.25	**154 blk(4)		.50	**898-9 tabs		2.95	52-5 ave		24.00	167		90.00
**1075b bklt.		12.00	**1665		1.30	**158 tab		.25	899		.70	52-6 ave		31.00	*168		13.20
**1086-89		1.75	**1671a		2.25	*160 tab		.25	**904 tab		1.15	52-6 s/d		15.60	168		90.00
**1089a		3.75	**1671b		2.45	*160 blk(4)		.75	**904-6 tabs		2.10	53 f		8.00	177		1.85
**1090-92		1.80	**1672		1.90	*168-77 tabs		1.50	*906 tab		.50	53 ave		6.00	177		1.15
**1093a		18.75	**1673		1.15	**187a		9.75	*910-2		2.05	54		4.25	177a		63.00
**1100a(2) bklt.		12.00	**1677b		4.15	*190,5,216 coils (6)		4.00	*913-6		1.05	54 f		3.40	*178-83 f		6.75
**1103a		3.00	**1682 bklt.		30.00	**194a,6a shts (36)		24.00	**913-6 tabs								

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET		
601A		4.40	CB1-2		94.00	**1LN2-7		2.25	**C20		8.25	**468		5.25	**1260		70		
601A f		3.50	CB1		14.00	**1LN7A-8		.60	**C24		4.50	*468		4.20	**1264-68		2.45		
601A s/d		1.40	CB2		80.00	**1LN10-3		35.00	**C28		3.75	*468 thin		1.40	**1271 sht(2)		1.15		
*601B		6.90	CE4		100.00	**1LN11-12		9.60	**C31		6.00	**475a		5.25	**1272		70		
603		6.00	E3 f		.50	**1LN13		21.75	C70		1.00	*475a		4.20	**1314		1.30		
607		.60	*E8		2.00	*1LN14-6,8-9		35.00	**J19-23		2.65	*479		90.00	**1324		70		
611		5.00	E8 ave		3.15	*1LNE1-2		7.65	**J24-8		2.60	479		27.50	1432-5		1.50		
613-15		3.00	E8 s/d		1.20	*1LNE2		5.25	**J24,5,8		1.60	481		.65	1434		.40		
614-15		3.40	*E16		1.45				*Q30 thinned		48.00	*488 sht		114.00	1435		.50		
**615		5.25	E16		.80	OFFICES IN TURKEY													
615		2.75	**E24		29.00	16a s/d		37.50	JAMAICA										
*used 626-33		14.50	EY1,1a		2.65				4 f		25.00	**508b		131.00	**1751-52 s/s		3.75		
626-33		3.50	EY2		.20	TRIPOLI													
*629-33		37.00	EY5		2.50	*4 f-vf		87.00	*10a s/d		67.50	**510		3.75	**1796,1798 s/s		3.75		
**635-6		5.10	*J1 ng		24.00				11 f		2.40	**510a		16.90	**1798Bc		5.65		
636		1.65	*J1 ng thin		16.00	AEGEAN ISLANDS													
637-38		1.90	*J1a gum wrinkles		559.00	*5-7,9		3.45	16		4.50	*513		4.50	**1812 s/s		1.90		
638		1.75	*J3a ave ng		1350.00	*32		42.00	16 s/d		30	521A		.50	**1819		1.30		
638 thin		.70	J10		.60	32		50.00	*18a f		33.00	521B		1.75	**2005,2010		1.65		
641-46		1.60	J13 f		8.00	*33		150.00	*22a		270.00	**522		6.00	2117		.20		
646		.90	J15 f		13.00	*34		42.00	*22a f		225.00	*522		4.80	**2142		1.05		
648		1.25	J16 f		3.80	*34		42.00	22a f		9.60	**552-3		14.65	2161		.10		
650		2.25	J16 ave		2.85	*35		42.00	24,26		50	**556		7.50	2162		.40		
650 f		1.80	J16,8,20 ave-f		43.50	CASO													
*656		1.60	J16,8,20 ave-s/d		25.00	*6-8 ave		1.50	26		.40	**580		3.00	2163		.65		
656		2.65	J17 f		14.00	*14		2.10	31-32		.25	**591		6.75	2165		1.10		
656 s/d		.85	J17a f(minute thin)		290.00				37,39		4.75	*594		4.50	2166		1.50		
656a		2.90	J18 s/d		8.25				39 f		3.70	**595		3.40	2167		1.90		
659		.45	J19 f		14.00	COO													
688a		20	J19 ave		10.50	*16		6.60	64		.65	*610		4.50	2167A		2.00		
*690		.60	J20 f		3.20				67		1.00	*615a		4.90	**2181		.85		
690b		1.25	J20 s/d		1.60	CRETE													
*690Ac		3.00	J25 ave		10.50	3 ave-f		1.80	77		.55	*616		7.50	**2183		1.15		
693		.55	*J26 f		145.00	*8 f		4.60	95		1.10	*616		6.00	2205		.20		
698-9		.70	*J27 s/d		270.00	*10 ave-f		4.05	*103a		9.90	616 thin		1.15	**2216		1.00		
699		.50	J33		2.40	11 ave		6.90	*105		6.00	*617		1.30	2235		.20		
*705-8		1.50	J35		7.00	12 ave		25.50	*106-8		51.00	*618		.95	**2240		.75		
705-8		1.50	J63		4.50	14 f		.80	*107 f-vf		3.90	*619		1.15	2245		.20		
708		1.15	J64		12.50	ESTERO													
**709		3.00	J65-73		6.15	*2 ave		15.75	*112		5.40	*629a		2.25	**2433		1.15		
*709		2.70	J70 s/d		.50				116-28		11.70	*630		6.40	**2442		1.15		
710-13		3.00	M7		1.25	LISSO													
711-12		2.75	**NE1		24.50	*13		2.40	119,119a		.70	*630		5.10	2450		.40		
712		2.65	NE1		12.00				120		1.40	630		2.75	2454		.20		
**716		7.50	*O1 ng		1.00	NISIRO													
716		.50	*O3 ave		.50	12		4.75	121 f		.60	*631		3.00	2473		.20		
*786 ng		.40	*O7		33.00	PISCOPI													
**791-2		.60	*O8		57.00	*13		2.40	123,123a		.30	*631		2.40	2474		.20		
**813-31		10.15	*P1		31.50				124-27		2.75	*632		3.00	2479		.70		
831		3.00	P1		55.00	RHODES													
**930		.20	Q1 f		48.00	9 ave		6.65	*126		12.60	*632		2.40	2495		.20		
*935A blk(4)		.60	Q2		87.50	*15 thin		2.20	129,129b		1.05	*632		2.40	2504		.20		
**936 blk(4)		.75	Q2 ave-f		61.00	21		1.20	129b		.90	*634		.95	**2510		1.15		
**941		.20	Q3 f		6.00	23 f		136.00	131a		1.25	*634 sht(4)toning		4.75	**2519-22		4.50		
**944		.20	Q3 ave-f		5.25	*51		36.00	140		.50	*634 blk(4)		4.00	**2550-53		3.80		
**945		.20	Q3 ave		4.35	55-56,58-62		1.90	*148a(2),149a(3)		73.00	*640a		.60	2571		.20		
*958-59 blk(4)		1.50	Q3 s/d		2.20	J1-9		54.00	bklt		.75	*640a		.75	2574		.20		
**961		.20	Q4 f		5.80	SIMI													
**988		.20	Q4 ave		4.35	*11 f		9.60	150-51		.50	*641		1.15	2615		.20		
**1016-17		.40	Q8 ½		.20				159-61,63-69,71		3.75	*641		.90	*2633a-37a		10.75		
1295		.35	Q10 ½		.20	*15		2.20	165 s/d		.40	641		.65	2634		.30		
**1590a		6.00	Q26 ½		.20	21		1.20	*167 pr		2.10	*641,646		1.30	*2696		11.25		
**1646-9		5.00	Q28 ½		.20	23 f		136.00	170		1.25	*643-7		.95	**2883		7.15		
**2420		6.00	Q29 ½		.20	*51		36.00	172		3.00	*646		.50	*2884		5.25		
**2506-7 on cover		2.00	Q30		1.65	55-56,58-62		1.90	**185-96		10.35	*646		.40	**2998		12.40		
2531		.50	Q30 ½		.20	J1-9		54.00	**197-200 s/s imp		10.50	*648-51		.85	3446		3.00		
**B1-3		95.00	Q32 ½		.20	*11 f		9.60	*200a		2.10	*652		.20	*3488-9 s/s		1.75		
B4 f		20.00	Q74 both halves		8.00	*11		2.20	**207a		1.15	**653-4		1.00	3479		.70		
*B17		19.50	*1N1		1.00	TRIESTE ZONE A													
*B17 thin		6.50	1N2		.75	13 s/d		1.20	224		.65	*654		.40	3649-50		1.35		
B17		80.00	1N4 f		.60	*14		33.00	230		.50	*656		1.50	3650		.70		
*B18		19.50				*14		22.50	**247		.40	*656		1.20	3651		1.50		
*B18 f		13.00	MODENA																
*B18 ng		9.75	6		22.50	*14		22.50	*248-51		3.75	*658a		.75	3653		2.25		
*B19		19.50	*10 s/d		232.50	*14		22.50	**257a		3.75	*658a		.60	3740 blk		2.50		
*B19 ng		9.75	13 f-vf		607.50	*14		22.50	**268a		1.50	*662(4) s/s		5.65	*3756-7 s/s		1.80		
**B36 f		4.05	*PR4a		189.00	*14		22.50	**292-93		.40	*664-5		1.80	3797		.95		
**B45-46		1.70	PR5 s/d		315.00	*14		22.50	315		2.25	*665		1.15	3798		3.25		
**C1		45.00				*14		22.50	*333		.65	*667-70		3.10	3954		.55		
*C1		14.50	PARMA																
*C2		14.50	PR2 f		2375.00	*14		22.50	357		.65	*667-70		2.45	B8		1.00		
*C3 f		7.60				*14		22.50	*368a		1.30	*668		.40	B10 f		6.80		
*C6 f		4.80	ROMAGNA																
**C12-19		7.50	4		175.00	*14		22.50	*378a		3.75	*668a		4.50	*B11		49.00		
C19		3.25				*14		22.50	*401a		6.00	*668a		2.85	*B12		.55		
*C20-22		14.40	ROMAN STATES																
**C23-6		325.00	3		36.25	*14		22.50	*426a		5.25	*671		1.60	*B14a		4.50		
C33		125.00	*7 s/d</																

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
368		2.00	**597		1.20	**1004-13		15.75	1530a		7.50	**546-52		3.50	*C7-12		11.70
369		1.00	**598a		2.80	**1032a		7.50	**1593-6		2.60	**554-9		2.20	**C27-30		5.45
**370		75.00	**599a		3.20	**1034-8		11.25	**1630		1.15	**561-7		2.75	*C27-30		4.35
371-2		2.25	**600		3.00	**1034a		4.15	1667a		4.50	**577-83		3.55	*C28		.75
371-3		3.75	**601		2.80	**1063-4		3.00	**1671,73,75		2.25	**584-90		3.70	**C35-8		2.10
372		1.50	**601a		5.45	**1063-72		8.05	1755a		4.50	**599-600		1.40	*C35-8		1.65
373		1.50	**605a		3.75	**1088-1103		49.00	**1815-19		2.65	**620-6		3.50	C35-8		1.40
374		2.00	**614a		32.00	**1100		1.65	**1882		4.70	**627-33		3.90	**C120-1		8.60
374A		2.00	**617a		7.90	1101		.75	**1883		4.70	**637-43		4.00			
**376a		7.50	**617b-23b		105.00	1101-3		2.00	**1928		.85	**644		2.05			
**381a		3.40	**618		12.00	**1102		13.15	**1985a		9.00	**645-9		3.55	312,14-7		2.55
381a		2.15	**619a		7.90	1102		.50	1981		.75	**650-6		3.65	349-51		1.30
**382a		3.40	**621a		7.90	**1103		7.50	1983		.75	**666-8		2.90	350-1		1.05
**383-4		2.25	**622		12.00	**1108b		1.50	2005		1.00	**673-4		2.00	359		1.90
**383-84		1.80	**623a		7.90	**1121-28		6.85	2009		1.00	**684A,B		3.95	**360		6.00
**384a		10.50	**631-2		3.00	**1125-26		2.40	*2072 s/d		.85	**692-8		3.45	363-b,d-g		1.00
*384a		8.40	**643-4		1.65	**1142a		2.65	*2094		5.25	**707-12		2.90	363,d-g		.75
**392		4.15	**650		28.50	**1148a		8.25	**2121-23		6.75	**707-13		3.95	366,66c		.55
396		2.00	**652		60.00	**1172a		1.30	2255		3.25	**714		2.25	367a		.20
**398-9		4.25	**652 short perf		15.75	**1183a		1.20	**2720-21 shtlts(4)	...	14.25	**715-21		3.40	368,8a		1.00
**411b		9.00	**652		45.00	**1186		.40	**2729-31 shtlts(4)	...	14.25	**722-8		3.15	371,a		1.00
**414-5		2.40	652		1.15	**1186a		3.60	**2732		3.20	**774-80		3.40	371a		.50
**415a		4.30	652-3		2.35	**1188a		2.65	2749-53		.90	**781-7		3.05	372,2a		1.10
415a		3.00	**656a		5.80	**1188b		1.50	3148,50 pr		.60	**788-94		3.05	374		.75
**416a		3.60	**657-8		2.25	**1189-90		1.30	3232-7		.90	**796-6F		3.40	377		1.25
416a		2.25	**663b		18.00	1200a		2.50	**3372-74		17.25	**797-803		3.40	**377A		6.60
**428-9		2.70	**663b		14.50	*1207		1.05				**813-9		3.25	377A		2.40
**433a		83.00	**664a-83a		117.00	**1207b		3.20				813-8		.80	**379-80		2.55
433a		35.00	**668-71		8.10	1207b		1.75	14		138.00	**820-6		3.35	**379a,380a		6.60
439a		9.50	**676-9		8.25	**1210-11		1.15	*21		5.70	**827-31		3.30	398		.25
**439a-43a		71.00	**677		2.10	**1211		.70	*77-79		15.60	**832-33		2.35	403,5		.45
443a		9.50	**680-3		19.50	**1219-20		3.65	*89-92		3.65	**834-38		3.30	**407-8		2.25
**444a		4.15	**684-5		2.85	**1224-27		1.35	*93-98		9.90	**839-41		2.80	408		.50
**445a		4.15	**686		3.75	**1227a		2.45	**113-6		12.00	**856-9		2.50	**414		1.20
**446		3.00	**686-7		9.00	**1228-30		1.15	*113-5		8.40	**860-5		3.10	425		.95
**449a-53a		16.00	**690a		10.50	**1230a		1.20	116		.50	860-4		.80	428		.45
450a		1.75	**691-5		12.20	**1234a		1.20	**135		.75	**867-9		2.80	432		.35
**451a		3.60	**697-8		2.25	**1235-42		4.45	**208-13		5.45	**876		1.90	435		.25
451a		2.40	**698		1.15	**1235-44		5.80	242		1.40	**877-82		2.95	438		.35
452a		1.75	**699		7.90	**1237-8		1.05	**302-9		6.60	**899-901		3.05	450,a-e		1.15
453a		2.40	**700		4.50	**1241-2		1.30	309		.55	**908-13		4.35	451		.45
**454-5		7.15	**701		4.50	**1256		.40	**310-11		5.10	**933-38		3.75	453		.40
**456-67		20.25	**701-3		9.00	**1269		2.60	**337-8		2.45	**942-5		2.95	**463		1.90
*456-67		17.30	**702		2.10	1269		.40	**427-30		3.85	**946-8		3.60	465		.45
*456a-67a		23.50	**704		2.10	**1271		1.50	**435-8		4.50	**973-8		3.70	**468-71		3.85
**468a		2.65	**704-7		8.25	**1271 pr		3.00	473		1.50	**973-9		5.40	471		.45
**469a		2.80	*715-7		4.05	**1272		3.40	473B		9.00	**979		1.70	473,3a		.80
**471a		2.50	**718-20		22.50	**1351f-j		15.95	**543-4		3.85	**980-2		3.55	*479-81		.90
471a		1.75	**718a		23.25	**1355a		1.90	**557-9		3.75	**983-5		3.00	482,a,83,a		1.35
**476-79		4.90	**719a		23.25	**1359a		2.25	**562-5		2.80	**998-1003		3.25	490		.50
**480		1.00	**720a		23.25	**1378-9		2.80	**577-9		2.10	**1005-8		6.55	**492-3		1.55
**481		1.30	**721-3		6.20	**1381a		4.00	**608-10		2.65	**1015A-E		2.90	498		.45
**483		2.45	**721a-23a		18.00	**1382		3.40	**611-13		4.50	**1028-31		3.00	506,a,7,a-c		1.00
**485-86		2.50	**728		2.45	**1382e		1.60	**636-37		1.90	**1032-6		3.05	506,6a,7,b,c		.95
*485-86		2.00	**728a(2 nd printing)		30.00	**1434		5.65	690a		3.25	**1038-42		4.20	506,a,7,c		.75
**485a		2.80	**730-2		10.15	**1435-6		4.50	726		1.40	**1043		1.50	509-11		1.65
**486a		2.80	**730a		7.00	**1437		13.15	**734-39		6.00	**1044-8		3.40	512		.50
486a		1.75	**731a		7.00	**1438		4.90	762		6.25	**1049-51		3.25	516,18		.95
**487-88		6.60	**732a		7.00	**1452a		2.25	763		28.75	**1052-6		3.40	525a,c-26		.60
*487-88		5.25	**735-6		2.25	**1452a-5a		10.50	763 thin		11.50	**1057		1.50	527-8,30,32		2.50
**489-90		4.15	*735-36		1.75	**1463a		2.45	**790-91		2.45	**1058-62		3.65	**528		2.65
*489-90		3.30	**735a		5.65	**1481a		5.05	**841-42		3.00	**1063-6		3.20	536		.50
**490a		3.20	**735a-6a		11.25	**1481Fg		15.75	863		.50	**1078-81		3.90	**549		1.90
490a		2.40	**738-46		11.80	**1490a		10.15	866		.60	**1103-6		4.25	**571		2.10
**492a		18.00	**738a-40a		14.65	**1490Fg		12.00	867		1.15	**1113-7		3.85	577-9		.80
*493		1.20	**741a		4.90	**1507a		16.90	868		1.90	**1127-9		4.05	588-9		.90
*493-95		5.15	**742a		4.90	**1541-4		2.40	869		4.25	**1130-4		4.05	**594		1.90
**496-98		9.00	**743a		4.90	1594C		.50	870		7.00	**1143-7		2.75	596,8		.60
**499-501		6.70	**744a		3.75	**1595a		1.70	**872-73		3.60	**1148		3.00	619		.25
**499a-501a		7.50	**781-6		29.25	**1613a		3.00	**880-81		3.00	**1155-9		3.95	620		.60
**500		2.45	*781-5		19.50	**1643-50		4.65	**888-89		4.90	**1155-9,60		5.80	643		.25
**508a		3.20	**781-6		29.25	**1660a		3.40	**971-72		4.50	**1170-3		5.20	645		.50
**510		1.60	**781a-6a		54.00	**1664a		3.00	**985-86		3.20	**1174-7		5.40	**646-9		4.90
**511		5.65	**785b		29.25	**1668a		2.45	**995-6		3.50	**1178-82,83		7.50	646,8-9		1.20
*511		4.80	**786		4.90	**1685b		3.00	**997-98		4.50	**1184-6		4.65	650a-b		.45
**523-25		30.00	**787a-9a		18.00	**1692a		4.90	**1007-9		3.40	**1187		2.45	**651		2.45
*525		6.40	**790-4		20.65	**1696-9		1.50	**1010-12		4.70	**1188-91		5.65	656-8		1.00
525		.75	*790-4		16.50	**1749a-50a		3.00	1022		.70	**1192-4		4.05	659-60		.95
**534		2.65	**790a-4a		45.00	**1765a		2.45	**1024-26		7.90	**1203-6		4.30	664,5,7		.85
*535		1.50	*790a-4a		36.00	**1775a		3.00	**1049-51		4.85	**1207		3.00	675		.25
**535a		2.65	*794b		21.00	**1779a		2.25	**1058-60		4.15	**1208-12		4.50	681-3		1.00
*538a		1.50	**795		15.00	**1787a		2.25	**1061-63		4.15	**1213-6		3.85	692		.65
538a		2.00	**797		1.00	**1810-1		1.85	**1070-72		5.65	**1217-20		4.15	693,5		.75
**539		7.15	**798		1.50	**1869-72		3.00	**1078-80		6.00	**1221-5		4.75	695		.50
**541a		2.80	**798-9		3.00	**1912a-15a		3.90	**1105-7		6.00	**1221-6		7.20	696-7		.55
**543a		2.45	*798-99		2.40	**1922a		3.00	**1111-13		5.65	**1226		2.45	711-2		1.00
543a		1.75	**804-5		2.												

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**222-4	1.00	**390	1.50	**1043-44	1.90	**868-9	2.65	**1264-71	6.20			**1176-80	16.20							
*225	12.00	**395 sht (4)	21.00	**1045-47	6.05	**872	95	**1280-86	3.75	MALAYA-SELANGOR	27	**1185	1.15							
**253a	8.65	**401-3	75	**1048-50	6.05	**873	45	**1280-87	6.20		2.65	**1195-1204	27.75							
**258-63 s/s imp	24.50	**404	30	**1051-54	3.00	**942-43	1.50	**1384	5.45			**1205-9	9.90							
**263a imp	21.00	**406-9	90	**1056-59	6.40	**950	55	*B8-10	2.85	MALAYA-SUNGEI		**1216-9	3.10							
**269-74	15.00	**410	40	**1060-62	2.50	**970-1	4.20	*B14	50		UJONG		**1221-8	13.90						
**302	7.15	**411-14	80	**1060-61	1.45	**1050-2	3.40	*C52	2.40	31-33	22.50	**1221-30	25.90							
**305a	8.25	**416-19	95	**1065-66	3.00	**1093-94	3.75	*C54	27.00			**1229-30	12.00							
**307-9	3.00	**421-3	85	**1079-81	3.40	B55-9	51.00	**C83	3.60	MALAYA-TRENGGANU	11.65	**1239	2.45							
**397	5.25	**424	1.80	**1083-86	5.45	B67-72	36.00	**C120	4.15		45-46		**1268-72	12.75						
**433-6	2.40	**426-8	70	**1087	1.15	**B85	8.25	C120	1.00			**1287	3.00							
**441-60	33.00	**429	55	**1097-98	3.00	**B117-20	70	**C121	3.00	MALAYSIA		**1288-90	3.75							
**476-78	1.60	**439	60	**1101-3	3.45	*B127-8,30	50	C121	55		**12-4	4.50	**1411-3	2.80						
**494-95	15.20	**441	95	**1104-6	5.00	**B131	18.75	C122-3	70		**20-2	1.80	**1414	3.00						
**526a-30a	19.75	**442	35	**1107-9	3.45	**B151	69.00	C124-25	45		*20-7	50.00	**1571-2	7.50						
**531-3	7.90	*442	30	**1110-2	5.00	**B180-81,83-84	3.25	**C129	2.65		**25	5.25	**1666	2.45						
**534-6	2.65	**443-5	85	**1117-8	3.00	*B210-15	3.30	C129	55		*26	12.00	**1667	2.45						
**539-41	2.20	**458-60	90	**1119	2.10	*B210-15	2.65	C132	45		27	3.50	**1698-1700	10.50						
**542-3	16.15	**462-4	1.25	**1120	2.10	**B222-7	5.30	**C134-35	4.30		**61-62	1.05	**1757-72	60.00						
**616	6.60	**470	35	**1124a	4.50	**B228-33	4.10	C134-5	85		**91a	10.50	**1789-1800	11.15						
**621	12.00	**471	1.90	**1125	2.25	**B264-69	2.35	C140	75		122	75	**1846	10.15						
**674	6.40	**478-80	85	**1126-28	7.80	**B302	2.65	C145	1.00		*134	8.70	**2050	3.40						
**693	3.75	**481-4	1.65	**1129-31	3.25	**B315	40	C146	50		140	1.15	**2077	3.35						
**707	2.10	**505	1.80	**1132-34	6.40	**B362-6	9.25	**C152	1.15		**168-9	3.60	**2183-4	15.00						
**739-41	2.05	**557	4.90	**1135	3.75	**B371-4	5.20	C156	70		169	1.50	**2185-6	19.90						
**742-4	1.75	**595-7	6.70	**1136-37	3.00	**B375-8	5.25	**C167 imp	4.00		174	1.25	**2344 sht (6)	5.65						
**766-68	1.80	**600,3,5,8	2.20	**1139-41	2.00	**B379-82	4.90	**proof card 1972			175-82	3.50	**2407-8a-f	12.75						
**779-84	1.90	**624-7 shts (12)	22.00	**1142-50	11.05	**B405-8	5.25	Olympics	9.00		179	25	**2893	5.65						
**797-804	7.25	**631	70	**1156-8	5.00	O3 xf	1425.00				180	40								
**810	3.75	**632-5	2.20	**1159	3.40	O13	95.00	MALAWI		181	1.00									
**821-4	7.50	**636-7	85	**1160-62	2.55	O15	50.00		**21a	95	182	1.50	**72-3 shtts	5.70						
**834	1.90	**650-3	2.25	**1175	3.40	*O19 f gum	30.00	**25a	1.45	182a s/d	1.60	**416-20	4.10							
**848-52	6.40	**654-6	1.35	**1182-4	7.90	O29 s/d	138.00	**26	6.40	**243a	11.25	**750 sht of 8	5.40							
**871-2	1.50	**657-9	1.20	**1185-8	7.20	*O31 thin	38.00	**32a	5.65	**257-58	6.75	**797-9	11.85							
**967-8	2.25	**660-62	1.70	**1201-2	1.90	*O41	126.00	**36a	3.75	**257c	8.25	**C2	2.10							
**969-74	2.60	**663-4	90	**1212-4	3.95	*O41 gum	150.00	**37-40	7.15	**262-65	6.00	*C4	14.40							
**1016-9	6.00	**668-70	1.40	**1218-9	6.00	*O41 tiny thin	42.00	**40a	15.75	**266-69	6.40	*C11a	2.10							
**1020-1	10.50	**671-3	1.30	**1220-2	3.00	*O46 gum tiny thin	50.00	**57a	4.90	**304	7.50	*C46-8	7.30							
*1023	12.00	**675-77	1.00	**1225-26	3.20	*O51 f	30.00	**61a	2.10	**320-23	10.50	*O12-22	5.05							
**1039-44	3.45	**678-80	1.45	**1227-8	2.85			MACAO	**82a	1.05	**324-25	5.25								
**1045	3.00	**685-6	75	**1234	2.65				**82a	75	**379-82	3.15								
**1052	7.50	**691-3	1.50	**1235-6	9.75	**364	7.50	**94a	60	**411-12	4.15	3* ng	27.00							
1053-55	20.00	**694-6	1.15	**1239-40	6.75	*364	6.00	**95-109	56.00	**471	3.40	3* ng s/d	12.00							
1054	6.25	**697-700	2.20	**1250	1.70	**372-81	82.00	**114-7	1.90	**487-90	3.90	3	35.00							
1055	12.50	**701-3	1.05	**1251-2	4.70	**393	17.25	**117a	3.00	**582-86	5.65	*5 s/d	26.25							
**1083	7.50	**704-7	1.75	**1253-5	7.90	**401	14.25	**121a	80	**654	1.90	6	55.00							
*1083	6.00	**708-9	75	**1256-8	9.75	**402	4.50	**202a	12.00	**707-8	15.00	7 f	23.00							
1089	55	**718-21	1.75	**1273-5	6.40	**403	6.75	**224a	1.35	**727	3.75	*8 f	1.90							
**1090-5	9.00	**722-5	1.85	**1276-8	4.30	**412-3	7.15	**232a	85	**790-94	4.75	*9,a	60.00							
**1107	7.50	**726-8	1.05	**1286	1.90	*414	11.25	**284a	1.50	**796-99	6.00	30	3.60							
**1108-9	4.50	**729-32	1.95	**1345-46	3.75	*415-16	17.10	**298a	1.70	**773	60	*51	1.95							
**1130-5	6.70	**733-4	75	**1369	1.50	**417	5.65	**302a	1.70	**791a	15.00	*66	3.90							
**1136	3.40	**735-6	1.15	**1405	1.50	*418	16.90	**307-10	3.00	**794	2.25	*67 s/d	1.40							
**1164	6.40	**737-9	1.65	B14 s/s trimmed	25.00	**469-71	8.25	**314a	2.60	**809	2.10	79 f	12.00							
**1164a-p	6.00	**740-3	1.70	*B18	26.25	**485a single	5.65	338	90	**820k bklt	7.90	*105	3.90							
**1165	2.60	**744-6	1.15	*B18	12.60	**486-88	9.30	**369a	1.50	**821-24	6.20	*122	27.50							
**1169	1.90	**747-50	2.20	*B22-3	90	**500-3	9.90	**370-3	8.70	**844	5.10	128 f	22.00							
**1185	6.75	**751-3	1.00	**C24-33 (*C33 one stamp	337.00	**504a single	4.30	**374-7	2.85	**1093	2.65	*152	1.65							
**1214	6.75	**754-5	80	hinged) shts of 9	337.00	**522a single	4.30	**378-81	2.10			*200	1.05							
**1215-8	6.00	**756-8	1.85			**540a single	4.50	*418	12.75			*217								

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**652		1.30	*223		2.55	**C318		4.40	**485-98		8.60	**B94		22.50	1837		2.75
**656		3.60	*258 f		7.00	**C318-9		2.60	**500		1.15	**B99a		35.00	**1845		3.40
**664a bklit		10.15	**294-303		10.15	**C320a		2.25	**504-5,10		1.30	**B99a sht (4)		145.00	1845		2.25
**682-9		15.10	*316		4.80	*C320a		1.80	*538		4.45	**B99a sht (4) imp		135.00	**1851-4		2.70
**701 sht (2)		6.00	*317		3.00	**C328-29		70	**565-68		75	**B102-3		2.00	**1855-61		3.60
**714-21		19.75	*414-19		55.00	C328-9		80	*600		55	**B106-7		2.00	**1895		4.50
**723		13.50	*455-64		31.00	**C329a		4.15	**639-40		1.50	*C8-9		10.00	**1903		3.55
**726		13.50	*460 ng		2.10	**C329a,31a		9.75	**662-68		3.10	*C14-5,CB6 s/d-f			**1904-10		4.30
**730		13.50	*495-99		66.00	*C329a,31a		7.50	**674-75		1.15	imperf.		5.00	**1911		4.15
**746a bklit		7.15	*506-14		10.40	*C329a		3.30	**682		1.00	*C16-18		1.75	**1912-20		6.50
**747		1.50	**591-92		3.60	**C331a		5.65	**683		60	*C16 sht of 25		18.75	**1921-2		8.25
**847		23.25	640		90	*C331a		4.50	**689-91		4.05	*C16-18		1.40	**1923-31		4.50
847 FDC		15.50	*698		6.00	**C335-38		2.05	**692-97		9.00	**C20a		9.75	**1932-33		8.25
**858		2.80	*721		2.40	**C336a		2.65	**722-4		7.90	*C20a		8.00	**1934-42		6.00
**1995		18.00	*725-27,C77-79		2.20	**C336a,8a		8.25	**762		2.80	**C51-2		3.20	**1943-4		10.50
**C22-5		2.20	734		17.50	*C336a,8a		6.60	**768-70		4.75	*C53-54		13.20	**1954-62		7.65
MAURITANIA			*737-39,C82-84		7.90	**C338a		5.65	**789-92		6.40	**C59-60		4.95	**1973-9		3.70
*74		1.25	*740		2.55	**C342a		18.75	**797-99		11.25	*C59-60		4.00	**1980		4.15
**126-27 Olympic ovpt		15.00	*744		3.60	*C342a		15.00	**864		7.50	*C69-72A		31.50	**1981-7		4.10
*126-7 Olympic ovpt		12.00	*747,C94-96		3.35	**C344a		18.75	**976-9		11.45	**C84-8		23.00	**1988		4.10
**127 Olympic ovpt		8.50	*751-53,C100-2		4.05	*C345		2.65	**999		1.00	*CB1-5		1.80	**1989-95		4.20
**129,130,132			**763,C111-13		22.50	*C345		2.25	**1037		1.90	*J38		45.00	**1996-2002		3.70
type 1 ovpt		18.00	*764-66,C114-16		12.60	**C351		.95	**1047-48		2.80	**J77-78		5.00	**2002		1.00
*129,30,32 ovpt type 24.80			*774-76,C123-25(775-6			**C354-6		2.00	**1049		1.45	**J83-85,87		1.75	**2005-11		4.30
*134-37		.85	ng)		50.00	*C374		3.15	**1064-6		2.50				**2013-8		3.70
**345-8,C167-8		7.00	*784-89		9.60	**C434		2.65	**1067-68		3.20				**2013-9		5.50
345-8,C167-8		1.95	*792-95,C143-47		34.50	*C434		2.10	**1094		1.90				**2037-43		3.70
**415-8		4.90	*801-4,C148-52		32.00	**C446		2.25	**1095-8		3.60	**21a f-vf		750.00	**2044		3.75
**425-26,C192-94		5.25	*806-11,C153-			**C450		1.70	**1124-25		4.50	21a		163.00	**2045-51		3.70
**499 imp		6.00	57(806,C156 used)		41.00	**C461		2.00	**1128		2.80	22a f		160.00	**2070		4.15
**532		.50	*,used813-18,C158-62			C474			**1129		.90	*65		1.20	**2084		7.15
**584		3.00	**C513-7		32.00	**C513-7		.95	**1137		3.20	*66		1.20	**2086-93		4.15
**614-5		6.00	*820-24,C163-66		48.00	**C520-3,5-6		1.15	**1166		4.90	*68		1.45	**2094		4.90
**634-5		6.00	*826-27,C167-69		3.75	**C527-31		.95	**1205-20		13.05	*68 f		1.00	**2104		9.00
*B15a		.50	**858		2.30	**C545-7		.60	**1227-28		1.90	*72		1.45	**2105-6		8.25
*C15-6		15.60	*858		2.10	**C548-52		1.00	**1228a		11.25	**C7 crease		1.00	**2107-15		4.45
**C16 ovpt type II		12.00	*860		8.40	**C553-4,8-62		1.45	**1234		.60	*73		14.65	**2116-7		7.50
*C19		8.25	**876a		1.90	*C608		1.50	**1248		2.65	**83		45.00	**2121		7.50
**C29-31 imperf			*910-12,C250-52		10.80	**C617-9,21-2		1.00	**1252-53		1.90	**102		18.75	**2122		6.00
trial color proofs		75.00	*974-5,C318-20		5.15	*C624-8		.95	**1270-74		9.40	**103		18.75	**2122-3		12.00
**C36-9		4.55	*974-5,C318-20		4.10	**C627-31		1.00	**1278-79		1.50	**114		15.00	**2140-3		2.60
*C40a		4.20	**975a		3.00	E22		1.65	**1285		3.75	**127		7.50	**2144		1.50
*C58		8.65	*975a		2.40	JX25 s/d		15.00	**1301		1.20	**134		18.75	**2147-57		10.90
*C63		3.00	**982-85		3.40	O11		3.00	**1302-3		4.50	**134 blk		75.00	**2169		9.00
*C64		2.10	**983a		3.75	O12		3.00	**1305-6		1.90	**134		18.75	**2173a		3.40
**C66-70		9.35	**983a,5a		9.00	O16		15.00	**1307-8		6.75	**144-8		35.25	**2175		4.50
C66		.30	*983a,5a		7.20	O17		9.00	**1309-10		2.75	**203-10		3.30	**2176-9		8.25
*C86		15.00	**983a		3.00	MICRONESIA			**1316-17,18-21		13.15	**223-4		3.75	**2187		2.60
*C100a		4.15	**985a		5.25	*4a		1.45	**1323-28		9.30	**304-7		33.75	**2201-7		3.10
*J27a-31a		1.45	*985a		4.20	**20		6.40	**1329-30		2.25	**359		3.40	**2208		3.00
MAURITIUS			*992a		4.20	**155		3.60	**1334-35		1.70	**439-46		3.40	**2227		7.50
5b thin		170.00	*992a,5		10.90	**155a-h		3.60	**1342		.90	*488-94		4.10	**2237		7.50
21 thin		32.00	*992a,5a		8.70	**178		5.05	**1343		.60	*496-503		3.40	**2238-46		3.25
*32 f ng		25.50	**995a		5.65	**191		4.30	**1349-50		5.25	*514		3.40	**2255A-l		8.15
*35 remainder		10.00	*996-1001		14.25	**191		4.30	**1351-52		2.65	**523A		3.00	**2246A		3.00
*54 foxing		60.00	**998a		15.00	**195		2.05	**1353		1.50	**534-8		1.45	**2246A-B		6.00
76 f		214.00	*998a,1000a		27.00	*213-26		17.85	**1358		1.70	**534-8 blks(4)		5.70	**2246B		3.00
89		.90	**999		3.00	**233a-h		7.15	**1366		4.90	*542-9		3.45	**2247		6.00
99		1.20	**1000a		22.50	*238		3.95	**1385		2.25	**624-30		4.80	**2247Oq		11.25
103 f		2.00	*1060,1,5,70		.90	**238a-h		3.95	**1406-9		2.75	**643-9		3.25	2247Q		11.25
109		2.15	**1111		70	*249		9.40	**1418		5.65	*667-74		3.60	**2255K		3.40
*115 ng		9.00	**1141,50		45	**249a-h		9.40	**1431		2.25	**686-8,90,2		1.90	**2255K-L		6.75
129		1.50	*1161,C556-7		.65	*267		1.90	**1436-7		6.00	**686-92		3.80	**2255L		3.40
152		2.25	*1162,5		.45	*273 sht(6)		5.65	**1440-1		3.00	**795-801		3.50	**2256		15.00
*208-10		1.05	*1178,82,86		70	*715		15.00	**1446		3.00	**796-801		3.30	**2256-77		4.50
*225-28		1.10	**1189		1.70	*C1-3		1.80	**1457-60		3.10	*834-40		4.30	**2278-9		6.75
*SG# 251a		19.00	*1211-14		.90	MONACO			**1472		4.90	*850A-G		25.50	**2338-40		6.75
*266-69		1.05	*1215-7,9		.90	*2 f		23.00	**1473-74		1.70	**851-7		4.20	**2335-7		16.90
*276-90 bklit		47.00	*1220-2		.70	*2 ave-f		20.00	**1475-76		1.70	**858-64		4.10	**2382-83		4.10
*276-80,82-83		4.40	*1226-9		1.00	*2 ave		17.25	**1477-78		1.30	*880		3.00	*2463		4.15
*289		8.40	*1231-3		.90	*2 s/d		8.60	**1479		2.45	**881-7		3.50	**B1-5		4.45
*290		15.60	*1234-7		.90	*5		210.00	**1480		1.00	*904-10		2.65	*B17-8		5.65
**295-98		3.05	*1248-50		.75	*5 s/d		53.00	**1481-85		9.40	*928-34		3.30	B17-8		5.65
*296-98		2.10	*1251,4,6-9		1.45	*6 f		350.00	**1487		1.20	*935-6		1.90	*C4		2.65
**299-301		1.60	*1260-3		.90	*6 ave-f		245.00	**1493-95		2.75	*954-60		4.95	*C163		2.10
*299-301		1.25	*1264-6		.70	*6 s/d		105.00	**1493		.75	*961		3.40			
*302-5		1.80	*1267-9		.70	6		37.50	**1500		6.00	*962-8		3.40	MONTENEGRO		
*306-20		10.25	*1270-3		.90	6 f		30.00	**1505		.85	*982-8		5.10	*59a		3.45
*321-26		1.75	*1274-7		.90	6 ave-f		26.25	**1508		1.00	*997-1003		4.50	**128b		41.00
*327-32		7.15	*1290-2		.70	6 s/d		11.25	**1509		1.15	*1012-8		3.40	**128C		32.00
348		5.25	*1297a		3.00	*7 f-vf		50.00	**1510		2.10	**1027		3.45	*159		4.50
353a		1.50	**1306a		11.25	*used 11-20 f		63.00	**1513		3.60	**1028-36		6.00	**246-47		3.60
354		2.50	*1321a		2.10	*13		30.00	**1525-28		3.75	*1038		3.40	*248		3.60
355b		8.00	*1335a		3.00	*15 ng		30.00	**1529		.85	*1040-6		4.10	*J26		1.05
**356a		21.75	*1347a		2.65	*15 ng f		35.00	**1531a		18.75	*1128		2.65	*2N24-32		