



WORLDWIDE
NAMIBIA – RYUKYU IS.

GRADE & CONDITION: EVERYTHING LISTED HERE IS VERY FINE AND USED UNLESS DESCRIBED OTHERWISE USING THE FOLLOWING SYMBOLS: ** = mint never hinged, * = unused, xf = extra fine, f-vf = fine to very fine, f = fine, ave = average, ng = no gum, se = straight edge, cr = crease, s/d = small defect, imp = imperf, pr = pair, blk = block, bklt = booklet, s/s = souvenir sheet, sht = sheet, shlt = sheetlet, gtr = gutter, cto = canceled to order, fdc = First Day Cancel, cert = certificate, SG# = Stanley Gibbons catalog, MI# = Michel catalog, YV# = Yvert catalog.

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
NAMIBIA																	
**759-61	1.70	40a	1.40	*336-39	34.00	**B341-2	2.25	**465-7	4.80	196	10.00	**928	90				
**999	4.50	*45 s/d	12.00	**346a bklt	12.75	**B353-7	5.50	**498-99	1.25	197 f-vf	13.50	928	50				
**999k	4.50	45	2.50	**346b	9.40	**B357	2.60	**560-4	3.80	212a	80	940	75				
**999l	4.50	48	3.00	361.4	80	**B373-7	5.45	**571-4	6.90	215b f	1.30	942 blk (4)	1.30				
*1060-63	7.20	48 f	2.40	361-4	1.15	**B404a	12.00	**575-9	2.90	**232	80	**959a	3.20				
**1212-14	7.50	48a	3.00	362-4	1.00	**B408a	3.00	**582-5	4.60	**263.5 plt no blks	6.75	963	55				
		51 f	6.00	364	75	**B409-13	1.60	**606-13	6.00	284	1.25	968	65				
		52	11.25	**365	1.00	*used B409-13	1.25	**616-8	3.40	**333-52	52.00	976	50				
		53	65.00	*365	1.45	**B431a	3.20	**619	3.95	349	60	977	75				
16 f	14.00	55-63,5-82(66 s/d)	15.75	**366	60	*used B439-43	2.25	**650	2.05	**355	15	985	1.00				
41 pen canc	2250.00	55-66	5.25	**367	60	**B441a	6.00	**651	3.40	*355	10	991	75				
55	60.00	57	40	**368-69	19.00	**B449-51	3.15	**652	6.75	**358	15	991 blk(4)	3.00				
*63 ng	45.00	*61 s/d	3.30	*368-69	15.45	*used B449-51	2.10	**706	3.40	361	75	992	90				
79 pr SG# 114d,h	10.00	61	1.60	368-69	75	**B455a	6.60	**839-46	8.65	**375-77	5.40	995	1.15				
		**65 PR imp	9.00	*369	14.50	**B468a	4.50	**1030	5.25	**376	90	996	1.15				
		**67 f	13.90	*372-3	6.30	**B468a wrinkled		**1063	1.70	**386,92,7,400-2,4	37.60	998 blk(4)	1.30				
*9 broken "n"	50.00	*67 PR imp	9.00	372,3(pr)	1.60	margin	4.00	**1064	2.80	**404A-D	21.00	1001	65				
*17 type II	4.00	69	1.60	**379-80	7.50	**B475	1.70	**1065	5.65	**443 gr shift	10.00	1002	1.00				
**18a	1.90	69 f	1.30	*383-84	2.00	*B478a	5.40	**1083 sht	7.90	**451	30	1002 s/d	30				
**117a single	4.10	*76 s/d	1.40	386	80	**B491a	4.50	**1096 sht	3.60	*451	30	1002 blk (4)	4.00				
**161-64	3.75	*77 f	20.00	391-3	90	*B491a	3.60	**1532a-h blk(8)	4.50	451	10	1012	75				
**165-7,70-81	10.00	*80 s/d	22.00	*413-4	80	**B499a	3.40	**O1-10	5.70	**452	35	1017-8	1.50				
*165-81	7.00	83a	55.00	415	50	**B507a	2.25	**O27 pr no period	2.50	452	10	1027	65				
**193a	70	*84	60.00	**460a	7.50	**B538a	1.00	**15 Revenue	10.00	454	20	**1038-43	6.00				
**218a,20a	90	84 f	1.30	**460Bd	10.50	**B541a	3.40			454-8	1.60	1038-42	2.65				
**224-26	80	85 f	2.40	**462a	4.15	**B550a	3.40			455	10	1041	65				
**249a	1.30	*96	9.00	**462a bklt	4.50	**B560-63	2.00			5 s/d	60.00	455a	1.00				
**256	1.30	*97 f	13.00	**468A	40	B565,7-8	1.50			*6 ng	8.00	**456	1.00				
**430-31	1.60	102-3	4.50	474	45	**B567a	1.90			50 s/d	1.00	456	2.55				
**431a	1.95	**106	5.25	**483-4	1.90	B581	45			*217-22 f	40.50	**457	1.00				
**431a gtr strip	4.50	106	80	**485-6	70	B582	45			*217-22 ave-vf	32.40	457	1.00				
**436a	5.65	**110 f	45.00	**490-2	3.45	**B582a	2.25			*218-22	40.50	**470	3.00				
**436a sht(4)	22.50	132 f	2.90	**515-17	2.25	B597	40			**219	10.00	489-90	2.90				
**592a	22.50	135-36 f	6.40	**546-54	3.85	B599	55			*219	8.10	**517-20	2.35				
		140-41	2.00	**549 strp(5)		**B599a	3.75			**219-22 f	35.00	517	75				
		**142-44,46	23.65	control #	1.70	**B606a	2.25			*219-22	32.40	518	1.15				
8	30.00	153	20	**550 strp(5)		B607	40			*219,21-2 f-vf	26.35	**528	3.25				
9	35.00	**156 f	20.00	control #	1.90	B610	55			*220 f	5.40	557	65				
10a vert pair	35.00	157	3.00	**649	60	**B610a	4.15			*221	8.10	**584-6,91	6.10				
36	2.00	*158	21.00	**662	50	**B618a	4.15			**222	10.00	*SG# 585	70				
**88	118.00	160	40	**739 sht of 20	12.40	**B625a	4.30			**222 gtr pr	20.00	**591 pn of 10	3.50				
**89	5.65	161	35	**774Ab bklt	3.00	**B632-34	2.35			*222 f	6.75	**617a	65				
*117	60.00	161-63	3.10	**1108	1.50	**B634a	4.30			*222 ave	4.00	**619a	90				
151A	4.00	176	6.00	**1129a	8.55	**B635-7	3.35			**252-65	11.10	**648	2.80				
175	30	179	2.25	B1-3	26.00	**B637a	3.40			*266-73	9.00	650	5.10				
**220-3	6.90	179 toning	1.35	B1-2	12.00	**B643a	3.60			*317a	7.50	650 s/d	65				
316	40	*181 f	2.90	B1 f	4.40	**B649a	3.00			**321	2.25	**656-9	1.80				
327	1.50	*183	4.35	B6-8	3.00	**B655a	3.00			*323	2.10	**674-7	80				
330	45	186	8.00	*B15a	9.90	**B661b	3.00			*337	5.10	674-7	75				
334	25	188	35	B53a	9.75	**B671-3	2.50			*351a	24.50	674-7,96-7	50				
367	1.15	*191	5.40	B70-71	3.40	**B670b	5.25			*351a	19.50	675	90				
388	2.25	*191b-2a f-vf	49.50	B73-76	8.85	**B676b	4.15			*354	2.65	676	75				
394	30	192	10	B77-80	6.00	**B679a	2.80			*368	2.80	677	1.40				
516	1.25	**193	99.00	B81	3.75	**B685a	4.00			*369	2.05	677,96	90				
**550	3.00	*193	35.00	B82-85	4.85	**B691a	7.35			*387	3.00	677,96 f	25				
**O12-14	65	193	45	*B102 f	2.90	**B716a	5.65			*389	3.75	678-80	95				
		**193a	68.00	*B134-8	2.40	**C11	25			*402	6.20	**680a	25				
		*193a	27.00	*B144-5	6.00	J2 f	1.70			*405	1.70	680a	6.75				
2	13.75	196-99	2.30	*B144-45	3.75	**J3	8.15			**447	1.50	**693-5	2.65				
2 f	11.00	199	1.75	*B144a	68.00	*J102	7.80			**501	1.50	694 blk (4)	5.35				
*3 f-vf	385.00	201	1.60	*B144a s/d	13.50					**504	1.50	**696	75				
3	65.00	202-3	1.65	*B149-53	75					*B10	1.35	696	6.60				
3 f	50.00	204-5	2.40	*B154-8	75					*B11	1.35	**696-7	50				
3 s/d	19.50	**206-8	9.00	*B159-63(used B159)	1.45	*295-300	90			*B12A-B	1.35	696-7	70				
5 s/d	1.60	206-8	95	*B164-9	1.80	*410-13	1.05			*C16	1.05	697	30				
*6 s/d	160.00	207	10	*B164-7	1.20	*527-30	3.15			*C17	1.05	701	1.90				
6	50.00	*208	2.40	*B164-8	1.50	**811a	7.70			*C19	1.45	701-3	2.25				
6 s/d	15.00	208	70	B164-9	1.15					**C26	3.00	702	4.90				
6a s/d	17.25	*216-8,20B-22,4-5B	14.50	B180-4	1.05					**C31	9.00	**70					

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**1730b		9.00	**10	game bird		**C314		2.65	**71-82		9.15	22 f.		3.20	244		1.00
**1730c coil (1)		50	Pukeko	7.50	**C361,3-5 imp s/s	6.25	*71-82		7.35	22 s/d		1.20	245		1.15	**706-8	1.30
**1737 coil (1)		50	First issue card proof				**76		55	22-7 f		38.00	255-8		1.00	**727-28	1.70
**1750-5		10.70	2 pence black	75.00			**79		85	22-30 s/d-vf		73.00	**256 imp pr			**741-3	1.65
**1750a-5a		27.00	**1990 world stamp ex.				**80		60	23		17.50	No Devon or Norway40.00			**748-9	1.05
*1750a-5a		21.60	Antarctic discoverers				**81		25	23 f.		14.00	258			**753	4.15
**1755c		7.15	s/s(see note after Scott				**82		1.90	23 thin		6.50	*259-66		2.00	**754-6	1.30
**1779c bklt		16.90	#906)	5.00			**82a		3.75	24		7.50	*275-8		54.00	**757-8	1.30
**1805a		4.90					**97-8		65	24 f.		4.80	*275-8 ng		28.00	**761-2	.85
1806a		10.50					**100-113		9.60	24.9		5.70	*275-8 (278)		37.60	**765	3.75
**1807a		9.00	*1 s/d	11.25			*108-13		6.25	*24a ave-f ng		127.00	275-8		50	**786-9	2.80
**1808 coil (1)		50	*5	60.00			**126-40		22.75	25		1.75	278		20	**800-1	1.15
**1835-40		8.65	*5 ave	30.00			*126-40		18.25	27		6.00	*279-89		28.25	804	.20
**1860y bklt		30.00	*5 s/d	20.00			**184a		18.00	27 f		4.80	279-89		2.65	**819-20	1.60
**1897-1902		7.30	*10	30.00			184a		12.00	27 ave		6.00	279-89 s/d-vf		2.40	**820	1.15
**1897a-1902a		10.00	*76	30.00			**194-7		1.50	27 thin		4.00	*283		1.35	**823-4	2.65
**2059-60		1.00	*76 s/d	7.50			**201-17		5.00	27 s/d		2.10	*284		3.00	**825-6	1.90
**2061u-aa		24.50	*89E	13.50			**202,7,13,5		1.15	28 f.		56.00	*285		1.50	**827	2.25
**2061v		3.60	*93	3.75			**218		40	28 ave-f		43.75	*286		2.85	**829-30	1.90
**2061w		3.60	*95	5.40			**222-4		1.05	28 s/d		22.50	**291		75	**831-2	1.60
**2061x		2.45	*95 f	3.60			**248a		75	30		6.25	*292-3		2.10	**833-5	2.70
2069i		1.60	*96	5.40			*251-53,53a		1.40	30 f.		4.00	*293		1.10	**836-8	2.65
2255 f		1.50	*97 f	8.00			**253a		1.15	30 s/d		1.50	293		15	**843-4	1.60
2320		2.50	*98	12.00			**253b		60	33		25.00	*295-97		3.55	**851a	9.75
SG# *A1 f-vf ng		200.00	*98H f	10.00			**256-70		10.50	34		13.00	296		25	**853a	9.75
**SG# SB30 bklt		4.00	*102	24.00			*256-70 gtr prs		21.00	34 pr(1 lt cr)		17.50	*299-301		1.45	**853a bklt	20.65
**SG# SB32 bklt		3.00	*102 ng	12.00			*262A-8		4.60	34 f.		10.00	*299-301		1.15	**854	3.40
*Scott A1 2p reprints			*106	6.00			**268		1.30	*36		9.00	*302-3		2.25	**861-62	2.80
on cardboard blk		10.00	108	11.25			**279a		1.25	36		15.00	*304-6		1.65	883	.20
AR105 blk		15.00	*109E	15.00			*280-82		1.05	*37		2.70	306,30,43		.80	902	.40
AR105		3.25	*109G f ng	7.50			**306-9		2.15	38 s/d		1.30	*307-9		5.10	**905-6	2.80
**B8 toning		2.00	*109I f	10.00			**320-2		2.00	38a		10.00	307-9		1.90	906	.25
B8		1.60	*109I thin	5.00			*323-38		11.85	38a thin		5.00	*310-17		33.00	914	.45
**B9		50	*109M ng	7.50			*323-38		9.50	39		3.40	310-7		3.40	**922-23	2.65
*B9		40	*319	2.10			**337		3.00	39a		2.50	310-17,21-24		3.60	923	.55
B9-10		1.80	**420	5.60			**338		4.50	39a thin		1.00	317		15	927	.55
*B11		1.20	**420 blk	22.50			*339-42		2.30	39a s/d		70	*318-20		6.40	*934	9.00
B11		2.15	*695-700	1.10			**356-63		5.20	39b		3.75	*318-20		5.10	937	.60
**B12		2.25	**717-29,C296-308	47.00			**377-80		2.25	39b s/d		1.50	320		1.00	**942-43	3.20
*B12		1.80	*718	.60			*377-80 gtr prs		4.50	39c thin		1.20	*322-24		13.75	**955-6	3.40
*B13		3.75	729 s/d	.40			**381		2.45	40 pr f		1.00	322-4		.45	960-68	1.55
**B49-51		45	**1125-8,C986-8	3.60			**382-84		1.70	40		1.00	324		.20	964	.10
**B52-3		50	1186	.60			**382-6		10.90	40 f.		70	*331-33		2.45	970	.10
B52-3		35	**1195-7,C1034-37	5.50			**382-6 toned		5.10	40 s/d		25	*334-36		1.90	**971a bklt	9.00
*B57-8		90	1228	.50			**385-88		2.80	*44a		175.00	*334-36		1.50	**982-3	6.40
*B57-8		75	1258	.25			*421		8.40	44a		15.00	*340-42		35.00	**994	8.25
B57a-8a		20.00	1298-1305	1.50			508		1.65	44a s/d		4.50	*340-42		27.00	1011	.10
**B59-60		90	1304-5	.60			**688,691		1.85	44b s/d		3.00	*341		11.25	1034	.10
**B59a-60a		22.50	**1327-33	3.00			**703-4		10.50	45 s/d		2.40	*345,8,50-1		19.00	1036	1.15
*B59a-60a		18.00	**1454-9	4.00						*46		1.80	*345-52		23.00	**1061-2	3.00
**B59a-60a selv cr		15.00	**1471-6	4.10						46		1.50	*,used 345-52		18.00	1086	.10
**B61 f		30	**1494-9	4.20						46 thin		60	345-52		1.10	**1103-4	3.60
**B61-2		.90	**1553-59	4.10						*35-40 imp		72.00	47-58		24.00	349	3.20
**B61a-2a		22.50	**1588-91	5.75						67 f cds		25.00	*48		1.50	*355-7	1.60
**B62		.45	**1592-1607	4.20						*85 SG#102		20.00	50-8		19.00	357	.25
**B63-4		90	**1624-30	4.25						*120 f.		52.00	50,50a		3.15	*358-59	1.35
**B63a		15.00	**1646-52	3.75						*SG#123 f		90.00	50a f-vf		2.70	*360,2-3,6	6.15
*B63a		12.00	**1653	2.60						145a		22.50	*51		7.20	*360-9	18.40
**B63a-4a		30.00	**1654-60	4.15						*193-97		15.45	51 f-vf		7.65	360-69	2.00
B63a		13.75	**1671-4	1.35						*53 thin		4.80	*363		1.00	*1222-23	2.65
**B64a		15.00	**1675-81	4.00						53,53a		2.25	*370-4		68.00	*1255	1.70
B64a		13.75	**1685-91	4.20						*26		.85	53 pr		1.00	*370-4	40.00
**B65a		9.75	**1710	4.15						*54-58		4.30	*53a thin		22.00	*,used 370-4	3.65
**B66a		9.75	**1726-32	4.30						*35-10		24.00	53a s/d		1.40	370-4	.50
**B67-8		70	**1741-8	4.15						*54		33.00	*372 ng		1.00	*1294 pane(4)	5.25
**B67a		16.90	**2020-2027	60.00						*54 ng		16.50	*373		37.50	*1295 pane(4)	7.50
**B69-70		90	**C509	2.05						54		1.50	380-81		1.05	*1338-39	3.20
**B71-2		90	C788	.50						*54a thin		18.00	*382-6		10.90	*1345a	9.40
B71a-2a		27.50	**C937	2.65						**11		2.45	**397-8		1.75	*1374-76	6.10
**B77a		7.50	C999	1.10						*12 f.		3.10	408-12		1.50	**1395-97	5.00
**B78a		7.50	C1006	.35									*56a ng		27.00	*412 s/d	1.60
**B80a-1a		15.00	**C1143-9	2.95									*57 thin		10.00	*414-5	1.30
**B82a		7.50	**C1155-60	4.25									57		1.25	*414-15	1.05
**B82a,83a		15.00	**C1162-8	4.00									57a s/d		3.75	414-5	.15
**B83a		7.50	**C1172-8	4.40									*58 f		24.00	*416-30	20.00
**B85a		7.15	**C1187	2.80									60 f-vf		43.00	*416-30(426 used)	13.00
**B86a		7.15	*O101 f	1.50									62		2.75	416-30	4.90
B89-91		1.50	O112	5.00									65		42.00	*421,4,6-8 f-vf	14.00
**B90a		17.00	*O119 s/d	.50									*66 thin		26.00	*423	2.25
B90a		25.00	**RA60a	3.00									3 s/d		7.50	*70,72,73	20.00
**B93a		11.25	*Philex France	3.00									*4 ave		84.00	*70,a	2.15
**B97a		3.20											*535		9.00	*423 s/d	.45
**B102a		1.05											*546-7		9.00	*74-95	115.00
**B108a		1.45	**99	3.60									*548-50		6.75	*74,6,83,7,9,94,5	1.20
B108a		1.65	**100	4.90									*551		6.75	74-95 (87,92 s/d)	9.00
**B109-11		.70	*100	3.90									*552		8.25	*81	31.00
*B110		.20	**101	1.70									*564-67		8.50	*433-36	1.40
**B111a		1.15	**102	2.25									*571		10.90	*435-6	.70
B111a		1.75	*132-4	2.00									*578-81		11.00	*435-6	.70
B114c		3.75	*132-7	7.05									*582-85		11.80	*436	.75
**B114a		3.75	*147-9	2.20									*587		3.75	437	.35
**B120a		1.90	*184-5	.85									5 s/d		9.00	*446-9	1.80
B120a		1.90	**190-3	2.65									6 f				

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**O95-97		5.75	**O50		3.00	**176-7		.60	**759		.35	**20-30		50.00	**O30-31		1.50
**O102-3		4.60	**O51		.60	**178-83		3.00	**759,62,4,5		7.00	PERU					
**O107-9		3.15	**O64		5.25	**182-3		.70	**762		1.50	**420-4		3.65	**20-22		6.00
**O111-12		2.35	**O89-91		4.60	**182-3		.65	765		1.05	**491-3		1.00	**20-22		4.80
			**O94-110		13.15	**206-8		.45	**767a		6.00	691		.25	*20-1,3		3.90
NYASSA						228-31		1.15	**769		15.75	**C82-4		.80	*20-3,5		5.55
**39-41		2.25	PAKISTAN-BAHAWALPUR			**237-40		2.25	**775-7		4.90	**C158-62		5.30	*20-28		9.80
*51		1.20				*237-40		1.80	**778-81		5.60	**C168		1.05	*20-29		16.75
**RA1-3		26.00	*17		.90	**245,7-8		1.15	**782-5		5.65	C489		.50	*21		2.70
NYASALAND PROTECTORATE			**20		1.70	*245-8		1.30	**785a		4.50	**CB1-5		4.00	*22		1.35
*68-79		28.00	**26-29,O25-28		1.80	**249-52		3.00	**786-9		5.10				*26		2.10
79 s/d		2.00	*O16 f		2.20	**253-6		1.55	**788		1.15	PHILIPPINES					
			O16		3.50	**265-79		18.40	**794-7		8.15	15 thin		50.00	*31		2.40
			*O18		.90	273,4,6-8		2.50	**798-801		4.90	73 s/d CORREOS missing			**39-51		13.30
			*O25-28		.60	278		.50	**802-5		5.25	*used 504-10		2.20	**39-51		6.50
OMAN						**281a,83a		.90	**806-9		6.25	504-10		1.15	*51		1.00
**52-5		11.45	PALAU			*284-86		.70	**810-3		6.90	504-10		1.30	**52-3		4.70
*52-5		9.15	**4a		2.10	**29A-2 prs		.90	**814-7		7.60	**509 s/d		.30	**54-55		1.20
*63		5.40	**4a sht(10)		21.00	**301,4		.240	**819-22		5.90	*515		1.05	**56-59		8.25
*64		13.50	**8a		1.90	**315-8		1.30	823		.40	516		.70	**60-61		4.15
*64		10.80	**9-19		4.15	*315-8		1.05	**823-4		10.50	*516a-18a		9.60	**62-63		5.45
*65-73,5		4.70	**9-21		15.20	*319-22		1.10	841		.35	*519-21		2.90	**64-66		5.35
149		1.65	**9-12,16,19		2.35	**341a,3a		1.70	**841-4		5.20	**522-4,C67		10.40	**85-87		1.35
150		3.10	**27a		4.90	**348-50		1.50	**845		6.00	*522-4,C67		6.40	**104		2.80
**160		3.40	*32a		2.10	*348-51		1.95	**846-9		5.15	*528-29		1.65	**119-22		3.70
**168-9		7.50	**40a		3.75	*352-4		.80	**851a		3.00	*528-9 s/d		.75	*137-40		3.60
235		4.15	**54a		3.20	**355-8		1.05	**852-9		7.50	*528-9 pr		4.15	**141-3		1.20
236		7.75	**58a		1.70	*362a		.85	**872-5		3.10	*528-9 pr		3.30	*144-5		.70
286		16.25	**62a		1.50	*362a,3,4		1.80	**878A		6.00	*528-29,528a-29a		4.20	**150a		7.50
**291-2		6.75	**75-81		3.25	*365-8		7.90	**878C		9.00	*528a-29a		2.55	**151-5		2.70
322-3,5-9		9.00	**90-93		2.10	**369-88		10.00	**879-81		3.60	*534		2.25	**163-73		4.65
384-9		3.95	**103		28.15	*397-8		.75	**882		4.15	*534		1.80	176		.35
391		2.75	**112a		2.65	397-8		.60	*882		2.25	*537-39		.90	**177		2.25
398-401		2.60	**121E f		3.40	398		.50	**883		5.65	*542-4		2.05	*188-91		.75
**409		1.50	**130,2 pr		1.00	*399-401		7.15	**884		3.00	*542-44		1.80	**192		1.05
430		1.25	**131,3 pr		1.00	*399-401		5.70	**885-8		5.10	*545-46,C71-72		5.20	**193 sht(9)		4.05
**449		1.60	**132		.30	*402-5		3.40	888		1.40	*547-9		.85	*193		.40
**451		1.70	**142		12.75	*402-5		2.75	**889-92		8.25	*547-49		.70	*194-7		.90
ORANGE RIVER COLONY			**168		1.70	*406-9		2.20	**897		1.50	*551-53		1.50	**249-52		2.25
SG# 113k		40.00	**269b		2.65	*410-4		2.55	**898-901		3.10	*554-56		1.50	*367-70		6.40
			**272a		3.75	410-4		2.15	*912-5		2.75	*557-68		10.80	**507-10		7.20
			**272b		3.40	*415-18		3.00	*923		4.30	*572-74		2.25	**652-3		30.00
			**289		10.15	*415-8		2.40	*924-7		2.75	**582-83		2.05			
PAKISTAN			**291		3.95	*423-4		.70	**933-36		7.25	*584		.75	POLAND		
**20-3		3.75	**293a-h		3.75	*428		1.15	*944-7		2.75	*585-88		1.60	*27a		48.00
**23 f		.65	**296		2.25	*441		.60	*964		4.30	612		.75	*162		.75
24a-6a		3.15	**370		9.00	*441		.30	*965		1.50	*617		.50	162		.55
38a		3.50	**372		9.00	*442-4		1.75	*970-3		1.60	*627-28		1.00	194		.35
47-54		7.25	**384 sht (16)		13.20	*442-45		3.20	*978		2.80	*629a		4.30	267		.15
48		1.50	*385 sht (2)		2.10	*446-55		3.40	*979		2.65	*637a		6.75	*279		4.70
61		.65	**388a-e		2.25	*446-57		5.65	*980-3		2.25	*638		.30	372 imp		4.15
**65		.40	**398a		1.50	*446-57		4.80	*991a		2.25	*812		.25	*374-9		4.90
**65 blk		1.50	*400a		2.25	456-7		2.50	*996		3.00	*817-8		.75	*374,6-9		4.70
**73,4-6		7.50	*408a		.60	*462-4		1.15	*1008a		4.50	*819-20		.45	*419		2.10
**75		3.00	*420		1.90	*462-4		.95	*1023		5.65	*823-4		.70	*454-56		7.00
**77-8		6.75	*420a-d		1.90	462-4		.80	*1044		10.50	*831,C87		1.05	*457-59		5.45
*77-8		5.40	*421		3.00	*465-9		3.40	*1058-61		6.00	*833a		1.00	*460-63		5.25
**82-3		1.25	*421a-d		3.00	*465-9		2.70	*1084-87		6.00	*833a blk (4)		1.90	*471 marg blk		.50
*82-3		1.00	*435		.50	*470-3		1.05	*1089		6.75	*853a		1.90	*472-73		3.60
*83		.70	*440 sht (6)		5.65	*476-77		.80	*1182-7		7.15	*853b		3.40	*497 margin blk		.50
*83		.55	*533		4.50	*482-5		1.70	*1269-72		7.15	*886-8 blks		2.15	*506-7		6.40
**84-6		1.00	*540		3.00	*482-5		1.35	*1319-22		7.30	*901		3.00	*507A-10		3.00
**90-1		1.30	*541-5		33.50	*486-90		1.20	*1338		5.80	*944-5		.45	515		.35
**92-4		1.00	*553-4		4.80	*491-4		1.50	*1349		6.60	995		.45	*518-20		19.50
**95		1.90	*562-3		6.00	*491-4		1.20	*C5		1.65	1089		.90	*518-20 (519 s/d)		6.05
*95 f		2.65	*570-1		6.00	*495-8		1.50	J14		.50	1196a					

Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET	Sc#	DESCRIPTION	NET
**1063-66		4.00	PORTUGAL-AZORES			**732		3.00	**2268		1.30	**5903		1.50	**74		4.20
**1076-79		3.40	**315a		2.80	**762-5		6.65	**2269-84		8.50	**5906-8		1.00	**75		1.40
**1094-96		7.30	**322a		3.40	**781-4		5.80	**2307		1.25	**5906-8 sht (9)		2.90	**98		30
1095		30	**333a		3.75	**840-1		2.90	**2609		1.65	imp blks		31.00	**5909-11		70
**1097-1102		4.30	**336		1.15	**842-3		4.50	**2642		1.85	**2089-91		3.15	**5920-24		1.15
**1113-15		2.90	**336a		4.50	**869		1.90	**2712-17		1.95	**2095-99 imp s/s		18.75	**5936a		1.50
**1116-18		3.00	**344		1.15	**897-900		6.40	**2718-22,B442		2.70	**2095-2106 imp s/s(2)			**5938-40		90
**1141-43		7.30	**344a		5.25	**904		1.90	**2803-8		1.55			37.50	**5941-5		1.75
**1147-52		4.20	**353a		4.15	**919		18.50	**2968		1.45	**2147		7.00	**5954-8		1.50
**1160-63		2.75	**356		1.70	**923-4		25.50	**3038-41		1.05	**2148		12.00	**5957		40
**1164-66		2.20	**356a		5.25	RAS AL KHAIMA			3102-9		80	**2149		12.00	**5961a,5963a		1.15
**1167-69		1.75	**361-62		2.75				3102-17		1.90	**2151		17.50	**5977a		2.25
**1173-76		2.00	**363		1.15	**13a,14a		3.75	**3575-82		2.95	**2213-19		3.85	**5977b		3.00
**1177-79		2.20	**363a		4.50	**MI# BK16-8		3.90	**3634-8		1.30	**2280		90	**5977c		7.50
**1190-92		2.75	**364-65		3.00	**MI# 18-20		5.40	**3639-48		2.65	2287-8		2.95	**5977e		7.50
**1201-3		2.65	**366-69		5.85	**MI# 86-8		1.25	**3652-7		2.05	2287		80	**5994-8		1.30
**1220-25		3.70	**370		4.50	**MI# 148-51		2.00	**3658-63		1.75	2288		2.10	**6002		2.25
**1225a		4.90	**370a		5.25	**MI# 174		1.80	**3686		45	**2290-1		35	**6008a		3.75
**1253-54		12.00	**371-74		5.25	**MI# 181		1.50	**3690		1.15	**2290-3		1.15	**6011a		3.20
**1255-56		3.40	**375-76		2.25	**MI# BK25		1.00	**3694-5		1.15	2292		10	**6016a		3.00
**1257-59		3.30	**380a		2.45	**airmail horse s/s		1.00	**3698-703		2.05	**2305a		1.50	**6023-5		70
**1263-66		5.15	**381		1.90	REUNION			**3723-7		1.50	**2325		50	**6029		1.15
**1276a		4.50	**382		7.50				**3728-33		1.45	**2326		35	6071A		50
**1297b		9.40	**383-84		2.30	5		15.00	**3735		1.15	2345-8		40	**6083a		3.00
**1303a		2.80	**391-94		3.30	9 f		9.00	**3736-41		2.20	**2439-48		26.00	**6084a-6a		5.55
**1332-33		3.00	**397-400		3.70	10		25.00	**3743		90	**2439-43,44-48		23.00	**6095a		45
**1332a		11.25	**401-4		3.15	*21 ng		12.00	**3746-7		40	**2441		1.65	*6136 sht (8)		2.70
**1341a		3.40	**406-9		2.40	21		4.80	**4520-21		3.40	**2441,5-8		10.85	**6145 shtlt(9)		1.70
**1355a		3.00	**415		5.25	21 f		3.20	**4730		4.00	**2443		45	**6257		3.75
**1378		1.20	**426		1.00	*22 f		23.00	**4730a		10.15	**2446		2.30	**6321-22		2.25
**1391a		11.25	**427		4.50	22 f		3.60	**4730b		10.15	**2447		2.30	**6472Cd		2.65
**1414a		3.75	**436a		4.50	*25 thin		9.00	**4819a		6.75	**2448		3.40	**6576a-I		5.65
**1421-22		2.10	**446a		3.40	38		70	**4819b		6.75	2448 s/d		15	**6698		15.00
**1422a		4.50	**447		1.00	*55 f		9.00	**4942a		12.00	**2463-65 imp		3.75	**6701		75
**1424a		6.00	**447a		3.75	*268-70		1.40	**4942b		12.00	**2533		18.75	**6766		60
**1429a		3.40	**450a		2.80	*268-82 f-vf		83.00	**5167a		10.90	**2622-23 imp		3.00	**6838		1.00
**1449-51		1.20	**455a		2.80	*268-79,81-2		62.00	**5167b		10.90	*2622-23 pr imp		6.00	**6909		1.15
**1461a		3.75	**458		1.00	**283-85		21.40	*B11		17.40	**2631A imp s/s		37.50	**7213		55
**1479a		4.50	**463a		2.80	*286		5.50	*B17-20		9.60	**2631A imp s/s s/d		10.00	*B5b		5.10
**1494a-97a		13.50	**473a		1.90	*286-7		15.00	*B26-30		12.60	**2732		5.65	*B7a		5.70
**1497b		3.75	**479a		1.80	*287 ng		25.00	B27 f		1.00	**2763a		11.25	*B10b		1.35
**1504-5		1.15	**482		2.25	*294		3.60	B27,30		3.25	**2798a		3.00	*B12		3.20
**1507a		4.50	**491		2.10	*299-309		96.50	B30		2.00	**2883-89		4.15	*B12a		2.55
**1525-26		1.40	**502		2.25	**301-4		26.00	*B40		30.00	**2922-26 imp		2.10	*B12b		3.00
**1527a		3.40	**529		2.25	*307		6.60	*B145		4.50	**2926 red sht		5.25	**B62-71		3.00
**1528a-31a		15.00				**311-17		5.95	**146-7		6.40	**2930A, 2930Ab		15.00	**B72		2.25
**1531b		3.75	PORTUGUESE GUINEA			**318-21		23.00	*B148		56.00	**3022-3		8.25	*B78		1.90
**1532-35		7.00	**RA36a,b,c		9.00	**331		3.75	*B191		6.75	**3111		3.75	*B84		1.90
**1538a		4.50				**334		2.25	*B206		6.00	**3188		3.75	*B90		1.50
**1539-41		3.00	PORTUGAL-MADEIRA			*340-2		10.40	*B206		4.80	3257-68		1.50	*B106		1.50
**1541a		5.65	15 s/d		65.00	**343-4		1.50	**B247-50		1.90	**3397		3.75	*B107-12		6.30
**1552a		3.40	**66-67		85	*B30-1		2.40	*B260		5.65	**3458a		2.65	*B137-39		1.55
**1553-56		2.10	**67a		2.45	*C35-8		43.00	*B289		15.00	**3500		3.40	*B140		3.75
**1563-66		2.55	**68-73		2.85	*C48		5.10	*B342-45		90	**3527-29		1.15	*B145a		1.50
**1563a-66a		15.20	**74		1.00	*C48-9		10.30	*B416a		12.00	**3534-40		2.40	*B151a		1.50
**1566b		3.40	**74a		2.80	*C49		5.25	*B425 s/d		1.00	**3657a		1.50	*B156a		2.25
**1572a		6.75	**75-76		1.55	*J36-43		14.40	B425 FD cncl		55	**3660		2.25	C35a		18.75
**1573a		4.50	**77-80		2.05	*J36-44		33.50	*B440		3.00	**3731		2.25	C90		2.00
**1578a		8.25	**81		1.15	RHODESIA			*C51a		4.50	**3837a		1.90	C90 f		1.30
**1588a sht(4)		18.00	**81a		13.50	*18 crease		455.00	*C51a,C52a ovpt		22.50	3939-42		60	C93-4		55
**1589-92		4.30	**82-85		2.30	39 P I		35.00	*C56		2.65	**3989		1.15	*C94		90
**1593a-96a		15.00	**86-87		2.25	*63		15.00	*C57 1959 ovpt		94.00	**4062		1.30	*C94 blk		3.60
**1596b		4.50	**88		1.15	98		12.50	*C57		26.25	**4072		1.90	*C94 f		55
**1597-99		3.85	**88a		3.75	98 f		10.00	C69		35	**4073		1.90	C96		1.50
**1600		85	**90-93		3.10	*101		12.00	C79-85		75	**4091		1.30	*C98		75
**1601a		4.50	**94		1.15	103		6.25	C96-102		90	**4109		1.50	*C98		50
**1605a		6.00	**94a		3.75	105 thin		10.40	C110		10	*4173-4		45	C98		15
**1610		5.25	**95-96		2.00	122		8.00	C112-8		70	**4298a,4301a		7.50	*C109-14		1.60
**1617-20		2.55	*97-100		3.10	125 thin		7.00	*C160 s/s imp		6.40	**4324		35	*C115-20		1.50
**1617a		3.75	**101		1.45	127		4.40	*C184		7.50	*4339-40		70	RWANDA		
**1618a		3.75	**101a		4.50	*200-1		5.65	*C186		5.65	4342		65	**23-26		1.05
**1619a		3.75	**102-3		2.25	*200-2		4.50	*C187		5.65	**4391		1.50	**27-35		2.40
**1624a		3.75	**104-7		3.25	*203-5		2.35	C187		3.75	**4408		1.30	**76-83		3.00
**1627a		5.65	**108-9		2.75	**240a		7.50	*C191		5.65	**4415		1.50	*83a		5.45
**1661-62		1.90	**110		2.10	*249		45	*C287		3.40	**4416		2.25	**114-25		13.85
**1663a-68a		15.75	**110a		6.75	**262		40	**3NRA3		1.15	**4459		2.45	*208-9		6.75
**1671a sht(8)		13.50	**111-14		5.45	RHODESIA & NYASALAND			**129		85	**4472		2.25	208-9		4.50
**1672		2.25	**115-18		5.65	141-54		13.90	**146		40	*4572-6		1.60	*210		3.60
**1672a		11.25	**119		1.15	172-77		14.40	RUANDA-URUNDI			**4586		3.75	*249		8.25
**1673-76		5.40	**119a		4.50	RUSSIA			8 thin		2.70	**4589-94		1.60	**249c		9.00
**1690a		2.65	**122		3.00	31c s/d		10.90	28		80	**4614		1.50	**254		8.25
**1691a		2.65	**122a		7.50	56 s/d		75	32		60	**4644A		1.50	**255		2.25
**1722a		4.50	**129		1.90	66 f		1.70	59c sh perf		105.00	**4689		1.70	*280		5.25
**1751-53		2.85	**130		7.50	66 s/d		65	67		1.65	*4727		1.05	**283a		2.65
**1772-73		1.15	**138		5.65	*159,63 f		10.00	*68c		360.00	**4783a		1.00	**286a		2.65
**1776		9.40	**152		7.50	*196-206 s/d-vf		72.00	*74,76,77,79		2.00	**4791		65	*309		